

DEMAND DUO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/30/2023	S00031136963	

SECTION 1. IDENTIFICATION

Product name : DEMAND DUO
Design code : A18484C

Product Registration number : 100-1653

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral) : Category 4

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves.

DEMAND DUO

Version 0.0 Revision Date: 06/30/2023 SDS Number: S00031136963 This version replaces all previous versions.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
thiamethoxam	153719-23-4	11.6
propane-1,2,3-triol	56-81-5	$\geq 5 - < 10$
propane-1,2-diol	57-55-6	$\geq 1 - < 5$
lambda-cyhalothrin	91465-08-6	3.5
Hydrocarbons, C9, Aromatics	128601-23-0	$\geq 1 - < 5$
lignosulfonic acid, ethoxylated, sodium salts	68611-14-3	$\geq 1 - < 5$
dioxosilane	14808-60-7	$\geq 0.1 - < 1$
1,2-benzisothiazol-3(2H)-one	2634-33-5	$\geq 0.05 - < 0.1$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.

DEMAND DUO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/30/2023	S00031136963	

Most important symptoms and effects, both acute and delayed	: Do NOT induce vomiting. Aspiration may cause pulmonary edema and pneumonitis. Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours.
Notes to physician	: Do not induce vomiting: contains petroleum distillates and/or aromatic solvents. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire fighting	: As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Further information	: Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters	: Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents. Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke.
-------------------------	--

DEMAND DUO

Version 0.0 Revision Date: 06/30/2023 SDS Number: S00031136963 This version replaces all previous versions.

Conditions for safe storage : For personal protection see section 8.
 : No special storage conditions required.
 Keep containers tightly closed in a dry, cool and well-ventilated place.
 Keep out of the reach of children.
 Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
thiamethoxam	153719-23-4	TWA	5 mg/m ³	Syngenta
propane-1,2,3-triol	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL
lambda-cyhalothrin	91465-08-6	TWA	0.04 mg/m ³ (Skin)	Syngenta
Hydrocarbons, C9, Aromatics	128601-23-0	TWA	19 ppm 100 mg/m ³	Supplier
dioxosilane	14808-60-7	TWA (respirable)	10 mg/m ³ / %SiO ₂ +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m ³	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m ³ (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m ³ (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m ³	OSHA Z-1

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

DEMAND DUO

Version 0.0	Revision Date: 06/30/2023	SDS Number: S00031136963	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

The extent of these protection measures depends on the actual risks in use.
Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: beige brown
Odor	: aromatic, strong
Odor Threshold	: No data available
pH	: 5.9 Concentration: 100 %w/v
Melting point/range	: No data available
Boiling point/boiling range	: No data available

DEMAND DUO

Version 0.0	Revision Date: 06/30/2023	SDS Number: S00031136963	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.0775 g/ml (77 °F / 25 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	842 °F / 450 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	599 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

DEMAND DUOVersion
0.0Revision Date:
06/30/2023SDS Number:
S00031136963

This version replaces all previous versions.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity**Product:**

- Acute oral toxicity : LD50 (Rat, female): 1,750 mg/kg
Remarks: Based on data from similar materials
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.52 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Remarks: Based on data from similar materials

Components:**thiamethoxam:**

- Acute oral toxicity : LD50 (Rat, male and female): 1,563 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 3.72 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

lambda-cyhalothrin:

- Acute oral toxicity : LD50 (Rat, female): 56 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): 0.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rat, male): 632 mg/kg

Hydrocarbons, C9, Aromatics:

- Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg

1,2-benzisothiazol-3(2H)-one:

DEMAND DUO

Version 0.0	Revision Date: 06/30/2023	SDS Number: S00031136963	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : Mild skin irritation
Remarks : Based on data from similar materials

Components:**thiamethoxam:**

Species : Rabbit
Result : No skin irritation

lambda-cyhalothrin:

Species : Rabbit
Result : No skin irritation

Hydrocarbons, C9, Aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

Species : Rabbit
Result : Mild skin irritation

lignosulfonic acid, ethoxylated, sodium salts:

Result : Irritating to skin.

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Components:**thiamethoxam:**

Species : Rabbit
Result : No eye irritation

DEMAND DUO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/30/2023	S00031136963	

lambda-cyhalothrin:

Species	: Rabbit
Result	: No eye irritation

lignosulfonic acid, ethoxylated, sodium salts:

Result	: Eye irritation
--------	------------------

1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Result	: Risk of serious damage to eyes.

Respiratory or skin sensitization**Product:**

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Did not cause sensitization on laboratory animals.
Remarks	: Based on data from similar materials
Species	: Humans
Result	: Probability or evidence of skin sensitization in humans

Components:**thiamethoxam:**

Species	: Guinea pig
Result	: Did not cause sensitization on laboratory animals.

lambda-cyhalothrin:

Test Type	: Maximization Test
Species	: Guinea pig
Result	: Does not cause skin sensitization.

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Result	: Does not cause skin sensitization.

1,2-benzisothiazol-3(2H)-one:

Result	: Probability or evidence of skin sensitization in humans
--------	---

Germ cell mutagenicity**Components:****thiamethoxam:**

Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.
-------------------------------------	--

lambda-cyhalothrin:

Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.
-------------------------------------	--

DEMAND DUO

Version 0.0	Revision Date: 06/30/2023	SDS Number: S00031136963	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity**Components:****thiamethoxam:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

lambda-cyhalothrin:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

dioxosilane:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC has concluded that there is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources and in experimental animals from quartz and cristobalite (Group 1). It was noted however, that carcinogenicity was not detected in all industrial circumstances and may be dependent on inherent characteristics of the crystalline silica or external factors affecting its biological activity.

Reproductive toxicity**Components:****thiamethoxam:**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

lambda-cyhalothrin:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure**Components:****thiamethoxam:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

lambda-cyhalothrin:

Assessment : The substance or mixture is not classified as specific target

DEMAND DUO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/30/2023	S00031136963	

organ toxicant, single exposure.

Hydrocarbons, C9, Aromatics:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.,
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

lignosulfonic acid, ethoxylated, sodium salts:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure**Components:****thiamethoxam:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

lambda-cyhalothrin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

dioxosilane:

Routes of exposure : Inhalation
Target Organs : Lungs
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Aspiration toxicity**Components:****Hydrocarbons, C9, Aromatics:**

May be fatal if swallowed and enters airways.

Further information**Product:**

Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

Components:**lambda-cyhalothrin:**

Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

DEMAND DUO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/30/2023	S00031136963	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 0.112 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna Straus (Water flea)): 0.110 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 96 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 100 mg/l End point: Growth rate Exposure time: 96 h

Components:

thiamethoxam:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h EC50 (Cloeon sp.): 0.014 mg/l Exposure time: 48 h EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 81.8 mg/l Exposure time: 72 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 81.8 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 28 d Test Type: flow-through test NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l Exposure time: 88 d Test Type: Early-life Stage
Toxicity to daphnia and other aquatic invertebrates (Chronic)	:	NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d

DEMAND DUO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/30/2023	S00031136963	

ic toxicity)

NOEC (*Chironomus riparius* (Midge larvae)): 0.01 mg/l
Exposure time: 30 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

lambda-cyhalothrin:

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 0.000078 mg/l
Exposure time: 96 h

LC50 (*Ictalurus punctatus* (channel catfish)): 0.00016 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 0.00036 mg/l
aquatic invertebrates Exposure time: 48 h

LC50 (*Americamysis*): 0.000007 mg/l
Exposure time: 48 h

EC50 (*Hyalella azteca* (Amphipod)): 0.000002 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): >
plants 0.31 mg/l
Exposure time: 96 h

M-Factor (Acute aquatic tox- : 100,000
icity)

Toxicity to fish (Chronic tox- : NOEC (*Pimephales promelas* (fathead minnow)): 0.000031
icity) mg/l
Exposure time: 300 d

Toxicity to daphnia and other : NOEC (*Daphnia magna* (Water flea)): 0.000002 mg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity)

NOEC (*Americamysis*): 0.00022 µg/l
Exposure time: 28 d

M-Factor (Chronic aquatic : 100,000
toxicity)

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Hydrocarbons, C9, Aromatics:

Toxicity to fish : LL50 (*Oncorhynchus mykiss* (rainbow trout)): 9.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EL50 (*Daphnia magna* (Water flea)): 3.2 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 2.9
plants mg/l
Exposure time: 72 h

DEMAND DUO

Version 0.0	Revision Date: 06/30/2023	SDS Number: S00031136963	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

NOELR (Raphidocelis subcapitata (freshwater green alga)):
1.0 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOELR (Oncorhynchus mykiss (rainbow trout)): 1.228 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.144 mg/l
Exposure time: 21 d

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.94 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)):
0.15 mg/l
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):
0.04 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.3 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia): 1.7 mg/l
Exposure time: 21 d

Persistence and degradability**Components:****thiamethoxam:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 11 d
Remarks: Product is not persistent.

lambda-cyhalothrin:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 7 d
Remarks: Product is not persistent.

DEMAND DUO

Version 0.0	Revision Date: 06/30/2023	SDS Number: S00031136963	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Hydrocarbons, C9, Aromatics:

Biodegradability : Result: Readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly degradable

Bioaccumulative potential**Components:****thiamethoxam:**

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: -0.13 (77 °F / 25 °C)

lambda-cyhalothrin:

Bioaccumulation : Remarks: Bioaccumulates

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil**Components:****thiamethoxam:**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 51 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.**lambda-cyhalothrin:**

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 56 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.**Other adverse effects****Components:****thiamethoxam:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

lambda-cyhalothrin:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

DEMAND DUO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/30/2023	S00031136963	

1,2-benzisothiazol-3(2H)-one:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

RCRA - Resource Conservation and Recovery Act Authorization Act
Waste Code : D021

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
RCRA characteristic hazardous waste when discarded.
Please see section 15 for applicable CERCLA reportable quantities.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(LAMBDA-CYHALOTHRIN)
Class : 9
Packing group : III
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(LAMBDA-CYHALOTHRIN)
Class : 9
Packing group : III

DEMAND DUO

Version 0.0 Revision Date: 06/30/2023 SDS Number: S00031136963 This version replaces all previous versions.

Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 964
 Packing instruction (passenger aircraft) : 964
 Environmentally hazardous : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LAMBDA-CYHALOTHRIN)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Harmful if inhaled.

Avoid contact with skin, eyes or clothing.

Avoid breathing vapors.

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
------------	---------	--------------	-----------------------

DEMAND DUO

Version 0.0 Revision Date: 06/30/2023 SDS Number: S00031136963 This version replaces all previous versions.

		(lbs)	(lbs)
chlorobenzene	108-90-7	100	100 (D021)

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.


SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	//	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 NIOSH REL : USA. NIOSH Recommended Exposure Limits
 OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
 OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
 Syngenta : Syngenta Occupational Exposure Limits
 US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
 ACGIH / TWA : 8-hour, time-weighted average
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

DEMAND DUO

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/30/2023	S00031136963	

	workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average
Syngenta / TWA	: Time weighted average
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/30/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8