

SPECTICLE® FLO HERBICIDE

Version 3.0 / USA Revision Date: 05/21/2020 102000025126 Print Date: 05/23/2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name SPECTICLE® FLO HERBICIDE

Product code (UVP) 80193424, 85850822

SDS Number 102000025126

EPA Registration No. 432-1608

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

A division of Bayer CropScience LP 500 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Inhalation): Category 4

Specific target organ toxicity - repeated exposure: Category 2 Specific target organ toxicity - single exposure: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200





Signal word: Warning

Hazard statements



SPECTICLE® FLO HERBICIDE

 Version 3.0 / USA
 Revision Date: 05/21/2020

 102000025126
 Print Date: 05/23/2020

Harmful if inhaled.

May cause damage to organs (Nervous system) through prolonged or repeated

May cause damage to organs.

Precautionary statements

Do not breathe spray.

Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No health hazards not otherwise classified.

No physical hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight 950782-86-2 7.4

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.



SPECTICLE® FLO HERBICIDE

Version 3.0 / USA Revision Date: 05/21/2020 102000025126 Print Date: 05/23/2020

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable High volume water jet

Special hazards arising

from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point No data available

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity Not applicable



SPECTICLE® FLO HERBICIDE

 Version 3.0 / USA
 Revision Date: 05/21/2020

 102000025126
 Print Date: 05/23/2020

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components CAS-No. Control parameters Update Basi	S
---	---



SPECTICLE® FLO HERBICIDE

 Version 3.0 / USA
 Revision Date: 05/21/2020

 102000025126
 Print Date: 05/23/2020

Indaziflam	950782-86-2	0.56 mg/m3	OES BCS*
		(TWA)	

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white to beige

Physical State Liquid

Odor characteristic

Odour Threshold No data available

pH 5.0 - 8.0 (10 %) (23 °C) (deionized water)

No data available

Viscosity, kinematic

Vapor Pressure

Vapor Density (Air = 1)

Density

Evaporation rate

No data available

Water solubility soluble

Melting / Freezing Point

Minimum Ignition Energy Not applicable

Decomposition Stable under normal conditions. **temperature**



SPECTICLE® FLO HERBICIDE

Version 3.0 / USA Revision Date: 05/21/2020 102000025126 Print Date: 05/23/2020

Self-accelarating

decomposition temperature

(SADT)

No data available

Partition coefficient: n-

octanol/water

No data available

Viscosity 300 - 900 cps (25 °C)

Flash point No data available
No data available

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity Not applicable

Particle size No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materialsNo incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Inhalation, Eye contact, Skin contact

Immediate Effects

Eye May cause mild irritation to eyes. **Skin** May cause mild irritation to the skin.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 5,000 mg/kg



SPECTICLE® FLO HERBICIDE

Version 3.0 / USA 102000025126

Revision Date: 05/21/2020 Print Date: 05/23/2020

Acute inhalation toxicity LC50 (male/female combined Rat) > 2.09 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

LC50 (male/female combined Rat) > 8.36 mg/l

Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Acute dermal toxicity LD50 (male/female combined Rat) > 5,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

Minimally irritating. (Rabbit)

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - single exposure

Indaziflam: May cause damage to organs in nervous system following oral route.

Assessment STOT Specific target organ toxicity - repeated exposure

Indaziflam caused neurobehavioral effects and/or neuropathological changes in subchronic studies in rats and dogs. Indaziflam: May cause damage to organs (Nervous system) through prolonged or repeated exposure.

Assessment mutagenicity

Indaziflam was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Indaziflam was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Indaziflam was not a primary reproductive toxicant in a two-generation study in rats.

Assessment developmental toxicity

Indaziflam did not cause developmental toxicity in rats and rabbits.

Aspiration hazard



SPECTICLE® FLO HERBICIDE

 Version 3.0 / USA
 Revision Date: 05/21/2020

 102000025126
 Print Date: 05/23/2020

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.572 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient indaziflam.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 9.88 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient indaziflam.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 0.134 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient indaziflam.

Biodegradability Indaziflam:

Not rapidly biodegradable

Koc Indaziflam: Koc: 496

Bioaccumulation Indaziflam: Bioconcentration factor (BCF) 66

Does not bioaccumulate.

Mobility in soil Indaziflam: Moderately mobile in soils

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not allow to get into surface water, drains and ground water. Do not apply when weather conditions favor runoff or drift.

Drift or runoff from treated areas may adversely affect non-target plants.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.



SPECTICLE® FLO HERBICIDE

 Version 3.0 / USA
 Revision Date: 05/21/2020

 102000025126
 Print Date: 05/23/2020

Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(INDAZIFLAM SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(INDAZIFLAM SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEEDKILLING, N.O.I., other than

poison; HAVING A DENSITY OF GREATER THAN 20 LBS.

PER CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1608



10/11

SPECTICLE® FLO HERBICIDE

Version 3.0 / USA Revision Date: 05/21/2020 102000025126 Print Date: 05/23/2020

US Federal Regulations

TSCA list

Water 7732-18-5 1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

None.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



SPECTICLE® FLO HERBICIDE

Version 3.0 / USA 102000025126

Revision Date: 05/21/2020 Print Date: 05/23/2020

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information. Reviewed and updated for general editorial purposes.

Revision Date: 05/21/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.