



FIFRA Section 24(c)  
**SPECIAL LOCAL NEED LABEL**

**RESTRICTED USE PESTICIDE**

**Toxic to fish and aquatic organisms.**

**For retail sale to and use only by certified applicators, or persons under their direct supervision, and only for the uses covered by the certified applicator's certification.**

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MICHIGAN**

**BIFENTURE EC AGRICULTURAL INSECTICIDE**

**EPA REG. NO. 70506-57**

**EPA SLN NO. MI-240002**

**Expiration: 2/28/2029**

**DIRECTIONS FOR USE ON GRAPES**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions, and precautions on the EPA registered label. This label and the container label must be in the possession of the user at the time of pesticide application.

**For control of Spotted Lanternfly (*Lycoma delicatula*) on Grapevines Post-Harvest:**

<b>RATE BIFENTURE EC/ACRE</b>	<b>APPLICATION INSTRUCTIONS</b>	<b>PHI (days)</b>	<b>RESTRICTIONS</b>
0.10 lb. ai (6.4 fl. oz. product)	<p>Apply 6.4 fl. oz Bifenture EC per acre (0.1 lbs ai) to control Spotted Lanternfly per application.</p> <p>Apply in a minimum of 25 Gal/A by ground or 10 Gal/A by air.</p> <p>Addition of an emulsifiable oil or non-ionic surfactant adjuvant may be tankmixed at 0.25% v/v may improve control.</p> <p>For best control thorough coverage is necessary.</p> <p>If a pre-harvest application has been made only 1 post- harvest application shall be made after harvest.</p> <p>If no pre-harvest application was made then 2 post-harvest applications shall be made after harvest no less than 7 days apart.</p> <p>Follow IPM guidelines for best management practices pertaining to rotation of insecticides with different, effective modes of action and local thresholds.</p>	30 Days	<p>Only 0.1 lbs ai/A (6.4 fl. oz) per acre is allowed pre-harvest. Pre- harvest interval (PHI) is 30 days.</p> <p>A single post-harvest application may follow a single pre-harvest application.</p> <p>Two post-harvest applications shall be made after harvest no less than 7 days apart.</p> <p>Do not apply more than 0.2 lbs ai (12.8 fl. oz product) per acre per season.</p> <p><b>Buffer Zone for Ground Application</b> (groundboom, overhead chemigation, or airblast) Do not apply within 100 feet of aquatic habitats (such as, but not limited to, lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries, and commercial fish ponds).</p>

24(c) Registrant:  
UPL NA Inc.  
630 Freedom Business Center, Suite 402  
King of Prussia, PA 19406  
610-491-2800  
SLN Date 2/13/2024