

Date Issued: 04/13/2021 Supercedes: 06/01/2017

DREXEL PLUCKER PLUS®

Section 1: Material Identification

Product Name: Drexel Plucker Plus[®]

EPA Reg No.: 19713-649

CAS NO: n-Octanol 111-87-5

n-Decanol 112-30-1 Dodecanol 112-53-8 Flumetralin 62924-70-3

Formula: Octanol C₈H₁₈O

Decanol C₁₀H₂₂O Dodecanol C₁₂H₂₆O

Flumetralin C₁₆H₁₂CIF₄N₃O₄

Company: Drexel Chemical Company

1700 Channel Avenue Memphis, TN 38106

Identifiers:

EINECS: n-Octanol 203-892-1

n-Decanol 203-956-9 Flumetralin 201-001-0

RTECS: n-Octanol RH6550000

n-Decanol HE4375000 Flumetralin DA4391600

DOT information: See Section 14 for Transportation Information

Emergency Telephone Number:

CHEMTREC Drexel Chemical Co. Tel: 1-800-424-9300 901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see **Section 15: REGULATORY INFORMATION** for explanation.

Section 2: Hazard Identification

(As defined by the OSHA Hazard Communication Standard, 29)

GHS classification:

Health hazards: Acute toxicity/inhalation Category 4

Skin corrosion/irritation Category 2
Eye damage/irritation Category 2B

Specific target organ toxicity -

repeated exposure Category 2

Environmental hazard: Aquatic acute toxicity Category 1

Plucker Plus[®] Page 1 of 8

GHS label elements: Signal word:

Warning







Hazard statements: Harmful if inhaled.

Causes skin irritation. Causes eye irritation.

May cause damage to liver, blood, spleen through prolonged or repeated

exposure.

Very toxic to aquatic life.

Precautionary statements:

Prevention: Avoid breathing mists or vapors. Do not breathe dust/fume/gas/mist/vapors/

spray. Use only outdoors or in well-ventilated area.

Wash exposed skin thoroughly after handling. Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").

Wear eye protection/face protection (see Section 8).

Prevent from entering into ditches, sewers, waterways and/or groundwater.

See Section 12, Ecological Information.

Response: If inhaled: Remove person to fresh air and keep comfortable for breathing. If

person is not breathing: Call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth, if possible. Call a poison control center or

doctor for further treatment advice.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes for at least 15 minutes. Obtain medical attention without

delay, preferably from an ophthalmologist.

Get medical attention or advice if you feel unwell.

Storage: Store in a cool, dry, well ventilated and secure area designated specifically for

pesticides and away from heat sources. Do not store in excessive heat. Do not

store near children, food, foodstuffs, drugs or potable water supplies. Keep in original containers and keep containers closed when not in use.

Disposal: Dispose of contents/container in accordance with your local or area regulatory

authorities.

Section 3: Composition Information

Components		CAS No.:	% By Wt.:	OSHA PEL:	ACGIH TLV:
Active ingredients:					
Fatty Alcohols:			65.0%	N/Av	5 mg/m ³
Octanol (C ₈)	27.8%	111-87-5			
Decanol (C ₁₀)	37.0%	112-30-1			
Dodecanol (C ₁₂)	0.2%	112-53-8			
Flumetralin		62924-70-3	3.2%	N/Av	N/Av
Inert ingredients:			31.8%	N/A	N/A

Plucker Plus[®] Page 2 of 8

Section 4: First-Aid Measures

Eye Contact: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes for at least 10 minutes. Obtain medical attention without delay, preferably from an ophthalmologist

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have product label with you when calling a poison control center or doctor.

Skin Contact: Immediately flush skin with water while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Destroy contaminated leather items such as shoes, belts, and watchbands.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: If swallowed, gastric lavage using an endotracheal tube may be preferred to vomiting. This product is a severe eye irritant, and may cause irritation to the skin and respiratory tract.

Section 5: Fire Fighting Measures

Fire Hazards: Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Thermal decomposition during a fire can produce toxic fumes and gases.

Flammability classification (OSHA 29 CFR 1910.1200): Non-flammable

Flash point: >200°F

Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.

Firefighting media: Use foam, dry chemical, carbon dioxide, or water fog when fighting fires involving this product. Do not use water jet, as this may spread burning material. Minimize the use of water to avoid environmental contamination. Contain all runoff.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

Hazardous Combustion Products: Carbon oxides, nitrogen oxides, halogenated compounds, irritating fumes and smoke.

Plucker Plus[®] Page 3 of 8

NFPA: Health: Flammability: Reactivity:

(Rating: 4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Insignificant)

Section 6: Accidental Release Measures

Steps to be taken if Material is Released or Spilled:

 Contain spilled material if possible. Small spills: Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Drexel Chemical Co. for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for
additional precautionary measures. Spilled material may cause a slipping hazard. Ventilate area of leak or spill. Use
appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal
Protection.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Section 7: Handling and Storage

KEEP OUT OF REACH OF CHILDREN

Handling:

General Handling: Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not swallow. Avoid breathing vapor. Use with adequate ventilation. Wear long-sleeved shirt and long pants, shoes plus socks, chemical-resistant headgear and chemical-resistant apron when handling. Keep away from heat, sparks and flame. See Section 8, Exposure Controls and Personal Protection.

Storage:

Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store near children, food, foodstuffs, drugs or potable water supplies.

Section 8: Exposure Controls / Personal Protection

Exposure Limits: TLV Fatty Alcohols 5mg/m³

Personal Protection:

Eye/Face Protection: Wear safety glasses with side shields or chemical splash goggles to prevent vapors or mists from entering the eyes. If using a full face shield, always use safety glasses or goggles along with the face shield to ensure adequate protection of the eyes.

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Plucker Plus[®] Page 4 of 8

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl"). NOTICE:

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. When handling in enclosed areas, when large quantities of mists are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefixTC-14G).

Ingestion: Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

Engineering Controls:

Ventilation: When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with and eyewash facility and safety shower.

Section 9: Physical and Chemical Properties

Physical State: Liquid

Color: Yellow-orange
Odor: Petroleum
Flash Point: >200°F
Vapor Pressure (mmHg): N/Av
Boiling Point: >212°F

Vapor Density (air = 1): N/Av

Bulk Density ($H_2O = 1$): 7.43 Lbs./gal.

Freezing Point: <32°F

Solubility in water (wt %): Emulsifies

pH: 4-6 (5% solution in water)

Viscosity: N/A

Section 10: Stability and Reactivity

Stability/Instability: Thermally stable at typical use temperatures and in closed containers.

Conditions to Avoid: Avoid heat of open flame and ignition sources. Avoid high temperatures above 130°F (54.4°C).

Incompatible Materials: Avoid contact with: Strong acids. Strong oxidizers.

Hazardous Polymerization: Will not occur

Thermal Decomposition: Decomposition products can include and are not limited to: Carbon oxides, nitrogen oxides, and halogenated compounds.

Plucker Plus® Page 5 of 8

Section 11: Toxicological Information

Acute toxicity for Fatty Alcohols:

Ingestion:

Fatty Alcohols: LD50, (rat): >5,000 mg/kg

• Flumetralin Technical: LD50, (rat): >5,000 mg/kg

Dermal:

Fatty Alcohols: LD50, (rat): >5,000 mg/kg

Flumetralin Technical: LD50, (rat): >2,000 mg/kg

Inhalation:

Fatty Alcohols: LC50, (4h), (rat): >5.48 mg/l

Flumetralin Technical: LC50, (4h), Aerosol, (rat): >1.55 mg/l

Eye Irritation (rabbit):

• Fatty Alcohols: Moderately irritating

• Flumetralin Technical: Moderate irritation

Skin Irritation (rabbit):

Fatty Alcohols: Moderately irritating

Flumetralin Technical: Slight to mild

Sensitization Skin (Guinea Pig):

• Fatty Alcohols: Non-sensitizer

Chronic Toxicity:

Flumetralin: Liver, blood, spleen toxicity occurred at highest dose levels (dogs). Effects on liver (rata).

Carcinogenicity:

Not likely to be carcinogenic in humans.

Teratogenicity, mutagenicity, and other reproductive effects: None known

Section 12: Ecological Information

Information based on the active ingredient Flumetralin:

ENVIRONMENTAL FATE:

• Very highly toxic to fish, daphnids and other aquatic organisms. Practically nontoxic to birds and bees.

Persistence and Degradability:

• Very persistent in aerobic soils, some potential to leach to groundwater.

Aquatic Toxicity:

Rainbow Trout, 96 hour, LC50: >3.2 ppb

Bluegill, 96 hour, LC50: 23 μg/L

Daphnia magna, 48 hour, EC50: 2.8 ppb

Plucker Plus[®] Page 6 of 8

Arthropod Toxicity:

Bees, EC50, 48h: >100 μg/bee

Bird Toxicity:

Mallard Duck, 14-day, LC50: 4,800 mg/kg

• Bobwhite Quail, 21-day, LD50: >2,150 mg/kg

Section 13: Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

Section 14: Transport Information

DOT: Not regulated-See 49 CFR 173.132 (b) (3) & 1712.1-1 Appendix A

IATA: Consult appropriate ICAO/IATA regulations for shipment requirements in the Air shipping mode.

IMDG: Consult appropriate IMDG regulations for shipment requirements in the Maritime shipping mode.

Freight description: Plant Growth Inhibitor, Liquid, N.O.S.

ERG Guide No.: 171

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Section 15: Regulatory Information

OSHA Hazard Communication Standard:

• This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

EPA FIFRA INFORMATION:

- This chemical is a pesticide product registered by the United States Environmental Protection Agency and
 is subject to certain labeling requirements under federal pesticide law. These requirements differ from the
 classification criteria and hazard information required for safety data sheets (SDS), and for workplace
 labels of non-pesticide chemical. The hazard information required on the pesticide label is listed out below.
 The pesticide label also includes other important information, including directions for use.
- EPA/CERCLA Reportable Quantity: None known

Plucker Plus[®] Page 7 of 8

SARA/TITLE III:

- Sec. 302. Extremely Hazardous Substance Notification: This material is not known to contain any Extremely Hazardous Substances.
- Sec. 311/312. Hazard Categories: Fire Hazard; Immediate health hazard; Chronic health hazard
- Sec. 313. Toxic Chemical(s): This material is not known to contain any Toxic Chemical constituents.
- RCRA Waste Code: Not applicable

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

• This product is not listed.

Toxic Substances Control Act (TSCA):

 All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

Section 16: Other Information

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown below. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Date Revised: April 13, 2021 Supersedes: June 1, 2017

Plucker Plus[®] Page 8 of 8