SAN 837 CORN HERBICIDE PLUS VAPORGRIP TECHNOLOGY

Version	Revision Date:	SDS Number:	Date of last issue: 07/11/2024
0.0	01/09/2025	S00082645699	Date of first issue: 07/11/2024

SECTION 1. IDENTIFICATION

Product name : SAN 837 CORN HERBICIDE PLUS VAPORGRIP TECHNOLOGY
Design code : A21472E

Product Registration number : 100-1727

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Restricted Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage : Category 1

Skin sensitization : Sub-category 1B

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

Precautionary Statements :

Prevention:

P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
S-metolachlor	87392-12-9	24
dicamba-diglycolamine	104040-79-1	17.6991
acetic acid	64-19-7	>= 5 - < 10
potassium hydroxide	1310-58-3	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed	:	Nonspecific No symptoms known or expected. May cause an allergic skin reaction. Causes serious eye damage.
Notes to physician	:	There is no specific antidote available. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire fighting	:	As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Chlorine compounds
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters	:	Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
S-metolachlor	87392-12-9	TWA	5 mg/m3	Syngenta
acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 25 mg/m3	NIOSH REL
		ST	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z-1
		TWA	10 ppm 25 mg/m3	OSHA P0
potassium hydroxide	1310-58-3	C	2 mg/m3	ACGIH
		C	2 mg/m3	NIOSH REL
		C	2 mg/m3	OSHA P0

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.
The extent of these protection measures depends on the actual risks in use.
Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection		
Remarks	:	Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Face-shield
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use. Wear as appropriate: Impervious clothing
Protective measures	:	The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	light brown
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	3 - 7 Concentration: 1 %w/v 5.7 Concentration: 100 %w/v

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Seta closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.11 - 1.15 g/cm3 (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	914 °F / 490 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.

Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50 (Rat, female): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 3.01 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

Components:

S-metolachlor:

Acute oral toxicity	:	LD50 (Rat, male and female): 2,672 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 2.91 mg/l Exposure time: 4 h Test atmosphere: dust/mist LC50 (Rat, male and female): > 4.33 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity The value is given in analogy to the following substances: metolachlor
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

dicamba-diglycolamine:

Acute oral toxicity : LD50 (Rat, male): 3,040 mg/kg

LD50 (Rat, female): 2,004 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.30 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

potassium hydroxide:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:

S-metolachlor:

Species : Rabbit
Result : No skin irritation

dicamba-diglycolamine:

Species : Rabbit
Result : No skin irritation

acetic acid:

Result : Corrosive after 3 minutes or less of exposure

potassium hydroxide:

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Chicken eye

Result : Risk of serious damage to eyes.

Components:

S-metolachlor:

Species : Rabbit
Result : No eye irritation

dicamba-diglycolamine:

Species : Rabbit
Result : Eye irritation

acetic acid:

Species : Rabbit
Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : The product is a skin sensitizer, sub-category 1B.

Components:

S-metolachlor:

Species : Guinea pig
Result : May cause sensitization by skin contact.

dicamba-diglycolamine:

Species : Guinea pig
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

S-metolachlor:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

dicamba-diglycolamine:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment		Remarks: Information given is based on data obtained from similar substances. The value is given in analogy to the following substances: dicamba

acetic acid:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:

S-metolachlor:

Carcinogenicity - Assessment	:	No evidence of carcinogenicity in animal studies.

dicamba-diglycolamine:

Carcinogenicity - Assessment	:	No evidence of carcinogenicity in animal studies. Remarks: Information given is based on data obtained from similar substances. The value is given in analogy to the following substances: dicamba

acetic acid:

Carcinogenicity - Assessment	:	Animal testing did not show any carcinogenic effects.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

S-metolachlor:

Reproductive toxicity - Assessment	:	No toxicity to reproduction No effects on or via lactation

dicamba-diglycolamine:

Reproductive toxicity - Assessment	:	No toxicity to reproduction Remarks: Information given is based on data obtained from similar substances. The value is given in analogy to the following substances:

dicamba

acetic acid:

Reproductive toxicity - Assessment : No information available.

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Components:

S-metolachlor:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Further information

Components:

acetic acid:

Remarks : If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.44 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus (Water flea)): 79 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.261 mg/l
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.119 mg/l
End point: Growth rate
Exposure time: 72 h

Components:

S-metolachlor:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 12 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): 1.4 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.056 mg/l Exposure time: 72 h EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.014 mg/l End point: Growth rate Exposure time: 72 h ErC50 (Elodea canadensis (Canadian waterweed)): 0.062 mg/l Exposure time: 7 d NOEC (Lemna gibba (gibbous duckweed)): 0.00384 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	EC10 (Pimephales promelas (fathead minnow)): 0.22 mg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Americamysis): 0.13 mg/l Exposure time: 28 d

dicamba-diglycolamine:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Skeletonema costatum (marine diatom)): 0.58 mg/l Exposure time: 120 h Remarks: Information given is based on data obtained from similar substances. The value is given in analogy to the following substances: dicamba NOEC (Skeletonema costatum (marine diatom)): 0.011 mg/l Exposure time: 120 h Remarks: Information given is based on data obtained from similar substances. The value is given in analogy to the following substances: dicamba
M-Factor (Acute aquatic tox-	:	1

icity)
M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Persistence and degradability

Components:

S-metolachlor:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 53 - 147 d
Remarks: Product is not persistent.

dicamba-diglycolamine:

Biodegradability : Result: Not readily biodegradable.
Remarks: Information given is based on data obtained from similar substances.
The value is given in analogy to the following substances: dicamba

Bioaccumulative potential

Components:

S-metolachlor:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.05 (77 °F / 25 °C)

dicamba-diglycolamine:

Bioaccumulation : Remarks: Low bioaccumulation potential.
Based on data from similar materials
The value is given in analogy to the following substances: dicamba

Mobility in soil

Components:

S-metolachlor:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 12 - 46 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

dicamba-diglycolamine:

Distribution among environmental compartments	:	Remarks: Very highly mobile in soil. Based on data from similar materials
Stability in soil	:	Dissipation time: 1.4 - 11 d Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent. Based on data from similar materials

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	:	Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (S-METOLACHLOR, DICAMBA-DIGLYCOLAMINE)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (S-METOLACHLOR, DICAMBA-DIGLYCOLAMINE)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo	:	964

aircraft)
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(S-METOLACHLOR, DICAMBA-DIGLYCOLAMINE)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : NA 3082
Proper shipping name : Other regulated substances, liquid, n.o.s.
(POTASSIUM HYDROXIDE)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO. THE ABOVE INFORMATION ONLY APPLIES TO PACKAGE SIZES WHERE THE HAZARDOUS SUBSTANCE MEETS THE REPORTABLE QUANTITY.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:
Caution
Harmful if swallowed.
Harmful if absorbed through skin.
Causes moderate eye irritation.
Avoid contact with skin, eyes or clothing.
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove and wash contaminated clothing before re-use.

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
potassium hydroxide	1310-58-3	1000	24715

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Syngenta	:	Syngenta Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / C	:	Ceiling limit
OSHA Z-1 / TWA	:	8-hour time weighted average
Syngenta / TWA	:	Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in

Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/09/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8