



Recommendation

FIFRA SECTION 2(ee) RECOMMENDATION

Bifenture® EC INSECTICIDE

EPA Reg. No. 70506-57

FOR SUPPRESSION OF CARPOPHILUS BEETLE (*Carpophilus truncatus*) IN TREE NUTS FOR USE AND DISTRIBUTION IN THE STATE OF CALIFORNIA

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by US EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and follow all applicable instructions, restrictions, and precautions on the EPA-approved label. This label and the federally registered label must be in the possession of the user at the time of pesticide application.

For suppression of Carpophilus Beetle - *Carpophilus truncatus* in Tree Nuts:

RATE BIFENTURE EC/ACRE	APPLICATION INSTRUCTIONS	PHI (days)	RESTRICTIONS
0.20 lb. ai (12.8 fl. oz. product)	Apply 12.8 fl. oz Bifenture EC per acre (0.2 lbs ai) to control Carpophilus Beetle per application. Ground Application: Apply as a dilute (minimum of 200 gallons per acre) or concentrate (minimum of 50 gallons per acre) spray in sufficient water to provide thorough coverage. Air Application: Apply in a minimum of 10 gallons of finished spray per acre. Minimum Spray Intervals: Apply BIFENTURE EC Agricultural Insecticide as needed to maintain control.	Pecan:21 Other: 7	DO NOT apply at intervals sooner than 15 days. DO NOT apply more than 0.20 lb ai (12.8 fl. oz. product) per acre per application. DO NOT apply more than 0.50 lb ai (32 fl. oz of product) per acre per year. DO NOT graze livestock in treated orchards or cut treated cover crops for feed. DO NOT make more than 3 applications per year.

Rev.7/8/2025