

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA

GROUP**16****INSECTICIDE****EPA Reg. No. 71711-21-60063****Use: Control of Apple Mealybug****State: Washington****DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling and the EPA approved container label must be in the possession of the user at the time of application.

Read the label affixed to the container for Centaur WDG Insect Growth Regulator before applying. Use of Centaur WDG Insect Growth Regulator according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Centaur WDG Insect Growth Regulator.

APPLICATION RATE CHART

STONE FRUITS (CROP GROUP 12)		
apricot; cherry, sweet; cherry, tart; nectarine; peach; plum; plum, chickasaw; plum, damson; plum, Japanese; plumcot; prune (fresh)		
Pest	Rate/Acre	Notes and Use Restrictions
Apple mealybug	34.5 oz/acre (2.156 lbs/acre) 1.5 lbs ai/acre	<ul style="list-style-type: none">• Apply by ground application using a minimum of 50 gallons of water per acre.• Do not make more than 2 applications per growing season.• Allow at least 14 days between applications.• Do not apply more than 69.0 oz (4.3 lbs) per acre per growing season.• Do not apply more than 3.0 lbs active ingredient per acre per growing season.• Pre-Harvest Interval (PHI): 14 days <p>RECOMMENDATIONS</p> <ul style="list-style-type: none">• Application should be made when early crawler emergence occurs.• Good spray coverage is essential.

©2024 Sipcam Agro USA, Inc. Odeza™ is a trademark of Nichino America, Inc. and used under license.



SIPCAM AGRO
USA, INC.

Sipcam Agro USA, Inc.
2525 Meridian Parkway
Durham, NC 27713
919-226-1196