

Bayer CropScience LP P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

FLINT® Extra

For control of Ramularia leaf spot in Artichoke

EPA Reg. No. 264-826

FIFRA 2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE(S) OF CALIFORNIA

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

ARTICHOKE (GLOBE)		
Disease Controlled	Product Rate (fl oz/A)	Product Instructions
Ramularia leaf spot (Ramularia spp.)	3.0 - 3.8	Begin applications when conditions are favorable for diseases but before infection. Use the higher rates when disease pressure is severe. Apply on a 7- to 10-day interval as needed.

Application Restrictions:

Pre-Harvest Interval (PHI): 0 day(s)

Minimum interval between applications: 7 days

Minimum application volume: 30 gallons/Acre (Ground)

Maximum FLINT Extra allowed per year: 7.6 fluid ounces/Acre

To limit the potential for development of disease resistance alternate each application of FLINT Extra with a non-Group 11 containing

fungicide.

For <u>MEDICAL</u> And <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577. For <u>PRODUCT USE</u> Information Call 1-866-99BAYER (1-866-992-2937).

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-866-99BAYER (1-866-992-2937).