

RESTRICTED USE PESTICIDE

DUE TO TOXICITY TO NON-TARGET INVERTEBRATES, MAMMALS, AND AQUATIC ORGANISMS FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.



INTRA

Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF HAWAII

**Agri-Mek® SC Miticide/Insecticide
For Use on Non-Crop Plants to Control Melon Fly**

**EPA Reg. No. 100-1351
EPA SLN No. HI-240003**

This label is valid until April 29, 2029 or until amended, withdrawn, cancelled, or suspended.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and main EPA-registered label must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the main EPA-registered label.

Crop	Pest Controlled	Rate of Application
Non-crop Plants	Melon Fly (<i>Zeugodacus cucurbitae</i>)	Apply to the bordering windbreak, non-crop vegetation or vegetative strip at a rate of 0.05 – 0.35 fl oz/A of non-crop plants.

Site of Application: Non-Crop Use

For use on fruit fly breeding areas in or on windbreaks, trap crops, buffer or border vegetation adjacent to or around areas planted with crops and vegetative strips planted between rows of crops that are attractive to fruit flies.

Use Directions: Apply as required by scouting. Timing and frequency of applications should be based upon insect populations reaching locally determined economic threshold levels. Do not exceed the maximum allowable rate. Apply by ground equipment as 3 oz spot sprays to non-crop plants. Forty-two spot sprays are possible per gallon of spray mix.

Mixing Directions: Dilute 1.0 fl oz of Agri-Mek SC per gallon of water and add appropriate volume of fruit fly attractant, such as Nu-Lure®. Each 1 gallon spray mix will cover, at minimum, 2.86 acres.

Frequency/Timing of Application: Apply multiple treatments as needed at intervals not less than one (1) application per seven (7) days.

Restrictions:

- Do not apply more than 0.7 fl oz of product per acre per crop growing cycle.
- Do not make more than 2 applications per crop growing cycle.
- Do not make applications less than 7 days apart.
- Do not apply as a ULV spray.
- Do not feed or allow livestock to graze on cover crops from treated areas.
- Do not allow entry into treated areas for 12 hours following application.
- Fruit fly attractants, such as Nu-Lure, can attract native flies of the family Drosophilidae. Therefore, do not apply within ½ mile of native or mixed native forested areas without first consulting with the Hawaii Department of Land and Natural resources, Division of Forestry and Wildlife for guidance.

©2024 Syngenta

Agri-Mek® and the Syngenta logo are trademarks of a Syngenta Group Company.
Nu-Lure® is a trademark of Miller Chemical and Fertilizer, LLC.

24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Issue Date: April 30, 2024
Expiration Date: April 29, 2029

Label Code: HI1351016AA0424