

MATERIAL SAFETY DATA SHEET

United Phosphorus, Inc.



Issued Date 06-Jan-2015 Revision date 06-Jan-2015 **Revision Number: 1**

1. PRODUCT AND COMPANY IDENTIFICATION

UPI 630 Freedom Business Center

Suite 402

UPI

King of Prussia, PA 19406

Company Information

Emergency telephone number

Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887 Medical: Rocky Mountain Poison Control Center

(866) 673-6671 (24hrs)

Contact Information Available Hrs Phone number

> **Customer Service** 1-800-438-6071 8:00 am to 5:00 pm EST 8:00 am - 5:00 pm (EST) R&D Technical Service 610-878-6100

Product name Devrinol DF-XT Selective Herbicide

EPA Reg# PMRA No. 31081

Recommended use Herbicide **Product code** 12U-117XCAN

2. Hazards Identification

EMERGENCY OVERVIEW

Causes moderate eye irritation

Harmful by inhalation, in contact with skin and if swallowed

irritant

Very toxic in contact with skin Very toxic if swallowed

DANGER

Odor Not Available. Physical state granular. appearance tan.

Potential health effects

- Inhalation

- Skin Contact

EYES Contact with eyes may cause irritation.

Substance may cause slight skin irritation. Very toxic in contact with skin. skin

May cause irritation of respiratory tract. Inhalation

Ingestion Very toxic if swallowed.

3. Composition/information on Ingredients

Ingredients Name

Component	CAS-No	Weight %	OSHA PEL	
Kaolin 1332-58-7 (31.95)	1332-58-7	31.95	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	
Napropamide 15299-99-7 (50)	15299-99-7	50	N/A	
Titanium dioxide 13463-67-7 (5)	13463-67-7	5	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	

4. First aid measures

Eye contact Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.

Remove contact lenses, if present, after 5 minutes, then continue rinsing eve.

Call a poison control center or doctor for treatment advice.

Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes

Skin contact Take off contaminated clothing

Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

Call a physician immediately

Wash off immediately with plenty of water for at least 15 minutes

Remove and wash contaminated clothing before re-use

Inhalation If breathing is irregular or stopped, administer artificial respiration

MAY CAUSE ALLERGIC RESPIRATORY REACTION

Toxic by inhalation

Call a poison control center or doctor for further treatment advice.

Ingestion Call a physician or poison control center immediately

May produce an allergic reaction

Never give anything by mouth to an unconscious person

Do not induce vomiting unless told to do so by a poison control center or doctor

Call a physician immediately

Do not induce vomiting without medical advice

Notes to physician No information available

5. Fire-fighting measures

Flammable Explosive Properties

flash pointNot AvailableAutoignition temperatureNot AvailableFlammability Limits in AirNot available

Extrnguishing Media Water spray Dry chemical Foam Carbon dioxide (CO2)

Fire/Explosion Hazard

Thermal decomposition can lead to release of irritating gases and

vapours

Hazardous combustion products

No information available.

NFPA HEALTH 4 flammability 0 Instability 0

6. Accidental release measures

Personal Precautions Avoid contact with the skin and the eyes. Use personal protective equipment.

requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinenet environmental permits.

Methods for Clean-Up Prevent product from entering drains. Sweep up and shovel into suitable

containers for disposal.

7. Handling and Storage

Handling Keep in a well-ventilated place. Avoid contact with skin and eyes. Do not eat, drink

or smoke when using this product. Keep out of reach of children. Remove and

wash contaminated clothing before re-use.

Storage Store in an area where cross-contamination with pesticides, fertilizers, food or

feed could not occur. Keep in a dry, cool and well-ventilated place. Keep in

properly labelled containers. Keep containers tightly closed in a cool,

well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL
Kaolin	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust

Engineering controls

Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems. PESTICIDE APPLICATORS & WORKERS. THESE WORKERS MUST REFER TO PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA WORKER PROTECTION STANDARD 40 CFR PART 170.

Personal protective equipment Eye/Face Protection

Chin mustastian

Skin protection Respiratory protection

Use eye protection to avoid eye contact. Eye contact should be avoided through the use of chemical safety glasses, goggles, or a faceshield selected in regard to exposure potential. Where there is potential for eye contact have eye flushing equipment available. Long sleeved clothing. Long pants. Chemical resistant gloves. Socks and footwear. Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.

9. Physical and Chemical Properties

appearance	tan	Odor	Not Available
Physical state	granular	рН	6.5-8.5 6.41
Boiling Point/Range	Not Available	Melting Point/Range	7.41 °C / 45 °F
Specific gravity	Not Available	solubility	Not Available
evaporation rate	Not Available	vapor pressure	Not Available
vapor density	Not Available	VOC Content	Not Available
viscosity	Not Available	molecular weight	No Data Available
Bulk density	30-40 lb/cu. ft	Percent Solids	Not Available
Percent Volatiles	Not Available		

10. Stability and Reactivity

stability Stable under recommended storage conditions

Conditions to avoid No information available

incompatible materials OXIDIZERS

Hazardous decomposition products

Thermal decomposition can lead to release of irritating

gases and vapours

Possibility of Hazardous Polymerization

Hazardous polymerisation does not occur

11. Toxicological Information

Acute toxicity

Product information Devrinol DF-XT:

Acute oral LD50 = >5,000 mg/kg (female rat) Acute dermal LD50 = >5,000 mg/kg (rat) Acute inhalation LC50 = >2.32.mg/L Skin irritation = Slightly irritating

Eye irritation = Mildly irritating, clearing within 72 hours

Dermal Sensitization = Not a sensitizer

Component Information Devrinol 50

Inhalation of overwhelming amounts of kaolin dust after many years of exposure induced pneumoconiosis in workers. There is no evidence of mutagenic or clastogenic potential. Studies in anmials have shown that this product is not a

developmental toxicant.

Chronic toxicity

Carcinogenicity The information below indicates whether any agency has listed any ingredient as a

carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		X

12. Ecological Information

ecotoxicity

Toxic to fish.

13. Disposal Considerations

Waste Disposal Method Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or

rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA

Regional Office for guidance.

Contaminated packaging Non refillable container. Do not reuse this container. Completely empty bag into

application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local

authorities, by burning. If burned, stay out of smoke.

14. Transport Information

DOT NOT REGULATED

ICAO NOT REGULATED

Devrinol DF-XT Selective Herbicide

IATA NOT REGULATED

IMDG/IMO NOT REGULATED

TDG NOT REGULATED

15. Regulatory Information

International Inventories

Chemical name	TSCA	DSL	NDSL	EINECS/ ELINCS	ENCS	China	KECL	AICS
Kaolin	Present	X		X	Present	Х	Present	Х
Napropamide				Х	Present	Х	Present	Х
Titanium dioxide	Present	X		Х	Present	Х	Present	Х

USA

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazardous Categorization

Chronic health hazard NO
Acute health hazard yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any HAPs.

CERCLA

SARA Product RQ 0

RCRA

Pesticide Information

Component	FIFRA - Restricted Use	FIFRA - Pesticide Product Other Ingredients	FIFRA - Listing of Pesticide Chemicals	California Pesticides - Restricted Materials
Kaolin 1332-58-7 (31.95)			X	
Napropamide 15299-99-7 (50)			X	
Titanium dioxide 13463-67-7 (5)			Х	

State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	CAS-No	CATEGORY	California Prop. 65	Non-additive, corrosive chemical type
Titanium dioxide	13463-67-7	Carcinogen	Carcinogen	

State Right-to-Know

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Kaolin	X	X	X		
Titanium dioxide	Х	Х	Х		

International regulations

Mexico - Grade

Severe risk, Grade 4

Component	CATEGORY	Carcinogen Status	Exposure limits
Kaolin			Mexico: TWA 10 mg/m ³
1332-58-7 (31.95)			Mexico: STEL 20 mg/m ³
Titanium dioxide	Carcinogen		Mexico: TWA 10 mg/m ³
13463-67-7 (5)	_		Mexico: STEL 20 mg/m ³

CANADA

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

Not Determined

The preparation is classified as dangerous in accordance with Directive 1999/45/EC

16. Other Information

Revision date

06-Jan-2015

Revision Summary

Add to system

UPI, Inc. believes that the information and recommendations container herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPI, Inc. UPI, Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of MSDS