Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.



FIFRA 2(ee) Recommendation

FOR DISTRIBUTION AND USE IN ALL REGISTERED STATES (EXCEPT TX)

EPA REG. NO. 279-3313

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.

This recommendation for BRIGADE® 2EC Insecticide/Miticide is valid until 12/31/2030, or until withdrawn, canceled or suspended.

Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

FOR CONTROL OF BROWN MARMORATED STINK BUG				
CROP	RATE OF APPLICATION	RESTRICTIONS		
Artichokes	6.4 fl. oz./A (0.1 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz/A (0.1 lb. ai/A) of product per application. DO NOT apply more than 32 fl. oz/A (0.5 lb. ai/A) of product per year. Minimum re-treatment interval (RTI) is 15 days. DO NOT apply within 5 days of harvest. 		
Bushberries	6.4 fl. oz./A (0.1 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz./A (0.1 lb. ai/A) of product per application. DO NOT apply more than 32 fl. oz./A (0.5 lb. ai/A) of product per season. Minimum re-treatment interval (RTI) is 7 days. DO NOT apply within 1 day of harvest. 		
Caneberries	6.4 fl. oz./A (0.1 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz./A (0.1 lb. ai/A) of product per application. DO NOT apply more than 12.8 fl. oz./A (0.2 lb. ai/A) of product per year. DO NOT make more than 2 applications per year. DO NOT apply within 3 days of harvest. 		



Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

FOR CONTROL OF BROWN MARMORATED STINK BUGS		
CROP	RATE OF APPLICATION	RESTRICTIONS
Cilantro**, Coriander**	6.4 fl. oz./A (0.1 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz./A (0.1 lb. ai/A) of product per application. DO NOT apply more than 32 fl. oz./A (0.5 lb. ai/A) of product per year. DO NOT make more than 5 applications per year. Minimum re-treatment interval (RTI) is 7 days. DO NOT apply within 3 days of harvest.
Grape	6.4 fl. oz./A (0.1 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz./A (0.1 lb. ai/A) of product per application. DO NOT apply more than 6.4 fl. oz./A (0.1 lb. ai/A) of product per year. DO NOT make more than 1 application per year. DO NOT apply within 30 days of harvest.
Hops**	6.4 fl. oz./A (0.1 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz./A (0.1 lb. ai/A) of product per application. DO NOT apply more than 19.2 fl. oz./A (0.3 lb. ai/A) of product per year. DO NOT make more than 3 applications per year. Minimum re-treatment interval (RTI) is 21 days. DO NOT apply within 14 days of harvest. Use of ultra low volume (ULV) application on hops is prohibited.
Mayhaw	6.4 fl. oz./A (0.1 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz./A (0.1 lb. ai/A) of product per application. DO NOT apply more than 12.8 fl. oz./A (0.2 lb. ai/A) of product per season. DO NOT make more than 2 applications per year. Minimum re-treatment interval (RTI) is 7 days. DO NOT apply within 30 days of harvest.
Root Crops (except sugarbeet)	6.4 fl. oz./A (0.1 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz./A (0.1 lb. ai/A) of product per application. DO NOT apply more than 32 fl. oz./A (0.5 lb. ai/A) of product per year. DO NOT make more than 5 applications per year. Minimum re-treatment interval (RTI) is 7 days. DO NOT apply within 21 days of harvest.



Due to toxicity to fish and aquatic organismsFor retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

FOR CONTROL OF BROWN MARMORATED STINK BUGS		
CROP	RATE OF APPLICATION	RESTRICTIONS
Spinach	6.4 fl. oz./A (0.10 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz./A (0.1 lb. ai/A) of product per application. DO NOT apply more than 25.6 fl. oz./A (0.4 lb. ai/A) of product per year. DO NOT make more than 4 applications per year. Minimum re-treatment interval (RTI) is 7 days. DO NOT apply within 40 days of harvest.
Tuberous and Corm Vegetables**	6.4 fl. oz./A (0.1 lb. ai/A)	 DO NOT make more than 2 foliar applications per year. DO NOT apply more than 32 fl. oz./A (0.5 lb. ai/A) of product per year, including soil applications. Minimum re-treatment interval (RTI) is 21 days. DO NOT apply within 21 days of harvest.
** Not for use in CA unless accompanied by supplemental labeling.		

FOR USE IN WASHINGTON AND OREGON ONLY				
CROP	RATE OF APPLICATION	RESTRICTIONS		
Christmas Trees	6.4 fl. oz./A (0.10 lb. ai/A)	 DO NOT apply more than 6.4 fl. oz./A (0.10 lb. ai/A) of product per application. DO NOT apply more than 12.8 fl. oz./A (0.20 lb. ai/A) of product per year. DO NOT make more than 2 foliar applications of bifenthrin (all products) per season. Minimum re-treatment interval (RTI) is 21 days. 		



Due to toxicity to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

FOR USE ONLY IN ALABAMA, ARKANSAS, FLORIDA, GEORGIA, LOUISIANA, MISSISSIPPI, OKLAHOMA, SOUTH CAROLINA, TENNESSEE, AND VIRGINIA				
CROP	RATE OF APPLICATION	RESTRICTIONS		
Conifer Seed Orchards	6.4-12.8 fl. oz./A (0.1-0.2 lb. ai/A)	 Begin application 7 days following peak pollen flight and repeat at 30-day intervals to a maximum of 38.4 fl. oz./A (0.6 lb. ai/A) per year. DO NOT apply more than 12.8 fl. oz./A (0.2 lb. ai/A) of product per 		
		 application. DO NOT apply more than 38.4 fl. oz./A (0.6 lb. ai/A) per season. DO NOT make more than 3 applications per year at 12.8 fl. oz/A. DO NOT make more than 6 applications per year at 6.4 fl. oz/A. Minimum re-treatment interval (RTI) is 30 days. 		

DIRECTIONS FOR USE

Apply Brigade® 2EC Insecticide/Miticide at crop specific rate by ground or aerial equipment using sufficient spray volume to obtain thorough and uniform coverage of the target plant and foliage. Use a minimum of 2 gallons of finished spray per acre by air or 10 gallons of finished spray per acre by ground. The addition of 1-2 quarts of emulsified oil per acre to the spray solution may improve spray deposition and insect control. Apply as required by scouting. Timing and frequency of applications should be based upon insect populations reaching locally determined economic thresholds.

Repeat applications of BRIGADE 2EC Insecticide/Miticide as necessary to maintain control and prevent reinfestation from migrating adults into the crop. Brown marmorated stink bugs are very mobile and may re-infest crops quickly. Consult the label for maximum application rates, number and retreatment intervals. If another application is needed prior to the minimum retreatment interval, use another insecticide to maintain control.

FMC, the FMC logo and Brigade are trademarks of FMC Corporation or an affiliate. $©2025\ FMC$ Corporation.

