

SPECTICLE® TOTAL

Version 4.0 / USA 102000025082

1/12 Revision Date: 05/11/2022 Print Date: 05/12/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name SPECTICLE® TOTAL

Product code (UVP) 80197926

SDS Number 102000025082

EPA Registration No. 432-1532

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Inhalation): Category 4

Skin irritation: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning



SPECTICLE® TOTAL

 Version 4.0 / USA
 Revision Date: 05/11/2022

 102000025082
 Print Date: 05/12/2022

Hazard statements

Harmful if inhaled. Causes skin irritation.

Precautionary statements

Avoid breathing mist/ spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN: Wash with plenty of water/ soap.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

Hazards Not Otherwise Classified (HNOC)

No health hazards not otherwise classified. No physical hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Indaziflam	950782-86-2	0.089
Diquat dibromide	85-00-7	0.89
Isopropylamine salt of glyphosate	38641-94-0	20.46
Poly(oxy-1,2-ethanediyl),.alphaphosphonoomega	431040-31-2	1.5
butoxy, isopropylamine salt		

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.



SPECTICLE® TOTAL

 Version 4.0 / USA
 Revision Date: 05/11/2022

 102000025082
 Print Date: 05/12/2022

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Specific hazards from the substance or mixture which can increase the fire

Flash point >93.3 °C / 199.94 °F

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity No data available



SPECTICLE® TOTAL

Version 4.0 / USA 102000025082

Revision Date: 05/11/2022 Print Date: 05/12/2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away

from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components CAS-No.	Control parameters	Update	Basis	
--------------------	--------------------	--------	-------	--



SPECTICLE® TOTAL

Version 4.0 / USA Revision Date: 05/11/2022 102000025082 Print Date: 05/12/2022

Indaziflam	950782-86-2	0.56 mg/m3 (TWA)		OES BCS*
Diquat dibromide	85-00-7	0.5 mg/m3 (TWA PEL)	09 2006	US CA OEL
(Total dust.)				
Diquat dibromide	85-00-7	0.5 mg/m3 (TWA)	06 2008	TN OEL
Diquat dibromide	85-00-7	0.5 mg/m3 (REL)	2005	NIOSH
Diquat dibromide	85-00-7	0.1 mg/m3 (TWA)	03 2014	ACGIH
(Respirable fraction.)				
Diquat dibromide	85-00-7	0.5 mg/m3 (TWA)	03 2014	ACGIH
(Inhalable fraction.)				

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form Liquid

Colourwhite to pinkOdourslight, fruity

Odour Threshold No data available

pH 4.0 - 6.0 (100 %) (23 °C)



SPECTICLE® TOTAL

Version 4.0 / USA 102000025082

Revision Date: 05/11/2022 Print Date: 05/12/2022

Melting point/range No data available **Boiling Point** No data available > 93.3 °C / 199.94 °F Flash point **Flammability** No data available **Auto-ignition temperature** No data available

Minimum ignition energy No data available **Self-accelarating** No data available

decomposition temperature

(SADT)

Upper explosion limit No data available Lower explosion limit No data available

Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available Relative density No data available 1.10 g/cm3 (20 °C) **Density**

Water solubility soluble

Partition coefficient: n-

octanol/water

Indaziflam: log Pow: 3.7 (20 °C) (pH 7)

Diquat dibromide: log Pow: -4.6 Glyphosate: log Pow: -3.2

Viscosity, dynamic 300 - 800 cps (25 °C) Viscosity, kinematic No data available Oxidizing properties No data available

Explosivity No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.



SPECTICLE® TOTAL

 Version 4.0 / USA
 Revision Date: 05/11/2022

 102000025082
 Print Date: 05/12/2022

Conditions to avoid Extremes of temperature and direct sunlight.

freezing

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Skin Absorption, Eye contact

Immediate Effects

Eye May cause temporary eye irritation.

Skin Causes skin irritation. May be harmful in contact with skin.

Ingestion May be harmful if swallowed.Inhalation May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg
Acute inhalation toxicity LC50 (Rat) > 2.04 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Skin corrosion/irritation Moderate skin irritation. (Rabbit)

Serious eye damage/eye

irritation

Mild eye irritation. (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Guinea pig) sensitisation OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity - single exposure

Indaziflam: May cause damage to organs in nervous system following oral route.

Diquat dibromide: May cause respiratory irritation.

Glyphosate: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Indaziflam caused neurobehavioral effects and/or neuropathological changes in subchronic studies in rats and dogs. Indaziflam: May cause damage to organs (Nervous system) through prolonged or repeated exposure.

Diquat dibromide caused specific target organ toxicity in experimental animal studies in the following organ(s): Eyes, Kidney. Diquat dibromide caused Cataract in animal studies.

Glyphosate did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity



SPECTICLE® TOTAL

Version 4.0 / USA 102000025082

Revision Date: 05/11/2022 Print Date: 05/12/2022

Indaziflam was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Diquat dibromide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Glyphosate was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Indaziflam was not carcinogenic in lifetime feeding studies in rats and mice.

Diquat dibromide was not carcinogenic in lifetime feeding studies in rats and mice.

Glyphosate was not carcinogenic in lifetime feeding studies in rats and mice.

Important comment to IARC Listing:, Our expert opinion is that classification as a carcinogen is not warranted.

ACGIH

Diquat dibromide 85-00-7 Group A4

NTP None.

IARC

Isopropylamine salt of glyphosate

38641-94-0

Overall evaluation: 2A

Assessment toxicity to reproduction

Indaziflam was not a primary reproductive toxicant in a two-generation study in rats. Diquat dibromide did not cause reproductive toxicity in a two-generation study in rats. Glyphosate did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Indaziflam did not cause developmental toxicity in rats and rabbits.

Diquat dibromide caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Diquat dibromide are related to maternal toxicity.

Glyphosate did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.572 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient indaziflam.

LC50 (Lepomis macrochirus (Bluegill sunfish)) 13.9 ppm

The value mentioned relates to the active ingredient diquat dibromide.

LC50 (Oncorhynchus mykiss (rainbow trout)) 14.8 ppm

The value mentioned relates to the active ingredient diguat dibromide.

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) > 9.88 mg/l



SPECTICLE® TOTAL

Version 4.0 / USA Revision Date: 05/11/2022 102000025082 Print Date: 05/12/2022

invertebrates Exposure time: 48 h

The value mentioned relates to the active ingredient indaziflam.

EC50 (Daphnia (water flea)) 0.77 - 1.19 ppmThe value mentioned

relates to the active ingredient diquat dibromide.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) 0.134 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient indaziflam.

Biodegradability Indaziflam:

Not rapidly biodegradable

Diquat dibromide:

Not rapidly biodegradable

Glyphosate:

Not rapidly biodegradable

Koc Indaziflam: Koc: 496

Diquat dibromide: Koc: 2184750

Glyphosate: Koc: 6920

Bioaccumulation Indaziflam: Bioconcentration factor (BCF) 66

Does not bioaccumulate.

Diguat dibromide: Bioconcentration factor (BCF) 1

Does not bioaccumulate.

Glyphosate:

Does not bioaccumulate.

Mobility in soil Indaziflam: Moderately mobile in soils

Diquat dibromide: Immobile in soil Glyphosate: Immobile in soil

Results of PBT and vPvB assessment

PBT and vPvB assessment Indaziflam: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Diquat dibromide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Glyphosate: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Drift or runoff from treated areas may adversely affect non-target plants.

Do not apply when weather conditions favor runoff or drift.

Apply this product as specified on the label.



SPECTICLE® TOTAL

 Version 4.0 / USA
 Revision Date: 05/11/2022

 102000025082
 Print Date: 05/12/2022

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Never place unused product down any indoor or outdoor drain.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(INDAZIFLAM, DIQUAT DIBROMIDE SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(INDAZIFLAM, DIQUAT DIBROMIDE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEEDKILLING, N.O.I., other than

poison; HAVING A DENSITY OF GREATER THAN 20 LBS.

PER CUBIC FOOT



SPECTICLE® TOTAL

Version 4.0 / USA 102000025082

11/12 Revision Date: 05/11/2022 Print Date: 05/12/2022

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1532

US Federal Regulations

TSCA list

7732-18-5 Water Poly(oxy-1,2-ethanediyl),.alpha.-431040-31-2

phosphono-.omega.-butoxy,

isopropylamine salt

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

Safe Drinking Water Act Maximum Contaminant Levels

Diquat dibromide 85-00-7

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed or absorbed through skin.

Causes moderate eye irritation.



SPECTICLE® TOTAL

Version 4.0 / USA 102000025082

Revision Date: 05/11/2022 Print Date: 05/12/2022

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological Information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 05/11/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.