

## Fungicide/Bactericide EPA Reg. No. 80289-12-10163

Rates for Suppression of Citrus Canker in the State of Florida

## FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF FLORIDA

**FIFRA §2(ee) RECOMMENDATION:** This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the United States Environmental Protection Agency (EPA).

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product bulletin must be in the possession of the user at the time of pesticide application of Badge ® SC Fungicide/Bactericide. This labeling contains supplemental instructions that may not appear on the product label. All applicable directions, restrictions, and precautions on the product label are to be followed.

CROP	DISEASE	APP. RATE (LBS PRODUCT/A)	MAX ANNUAL RATE LBS Cu/A	USE INSTRUCTIONS
Citrus	Citrus Canker (Suppression)	2 - 4	12.6 <sup>1</sup>	Citrus canker is best managed when applications are made to protect new leaf flushes. Depending on the disease pressure and environmental conditions, applications may be required on 7 to 21 day intervals. For adequate protection, it is recommended that each new leaf flush receives a copper application and additional applications may be needed to protect expanding fruits.

<sup>&</sup>lt;sup>1</sup>Maximum annual amount allowed for all disease applications combined.

Badge is a registered trademark of Isagro S.p.A. ID # 18-04-01





Manufactured by Isagro SpA for: Isagro USA, Inc., 430 Davis Drive, Suite 240, Morrisville, NC 27560 Distributed by : Gowan Company LLC P.O. Box 5569 Yuma, AZ 85366-5569