

PMRA Approved Label
2024-0608
2025-05-06

MASTERLOCK®

A surfactant blend, deposition aid and drift control agent.

Emulsifiable Concentrate

SPRAY ADJUVANT

COMMERCIAL

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

Surfactant Blend 100%

Warning: contains the allergen soy

REGISTRATION NO: 34451 PEST CONTROL PRODUCTS ACT

NET CONTENT: 1L-Bulk

**WINFIELD SOLUTIONS, LLC
P.O. BOX 64589
ST. PAUL, MN 55164
USA
1-888-975-4769**

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Do not contaminate water, food or feed. Store this product away from food or feed.

Apply only to agricultural crops when the potential for drift to areas of human habitation and human activity, such as houses, cottages, schools and recreational areas, is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings.

Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair. Gloves are not required during application within a closed cab or cockpit.”

When tank-mixes are permitted, read and observe all label directions, including rates and restrictions for each product used in the tank-mix. Follow the more stringent label precautionary measures for mixing, loading and applying stated on both product labels.

Restricted-entry interval(s): DO NOT enter or allow worker entry into treated areas during the restricted-entry interval(s) stated on the label of the pesticide applied in conjunction with MASTERLOCK.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

GENERAL INFORMATION

MASTERLOCK is an all-in-one, surfactant blend, deposition aid and drift control agent designed to maximize pesticide performance by improving deposition, and canopy penetration. MASTERLOCK includes DropTight™ Technology for optimized coverage, spreading, and sticking of the spray application onto the intended target. MASTERLOCK reduces drift and evaporation of pesticides being applied by ground or air.

MASTERLOCK does not negatively affect spray pattern like other drift control adjuvants even when using air assisted type nozzles. MASTERLOCK should be used in conjunction with proper spray equipment selection set-up and use including boom height, nozzle type, size and pressure. Along with good judgment and the proper selection and use of spray equipment, MASTERLOCK can help professional applicators optimize performance of pesticides.

DIRECTIONS FOR USE

MASTERLOCK is designed for use with pesticides that are labeled for use with a surfactant.

Prior to use, read all directions on this label.

Control Product Spray Mixture	Crop	Amount of MASTERLOCK to be added based on application method	
		Ground	Aerial
Proline 480 SC Foliar Fungicide	Canola	310-495 mL/hectare in 95-190 litres of water per hectare.	0.30-0.50% v/v in 20-50 litres of water per hectare.
Miravis Bold Fungicide	Canola	0.125-0.50% v/v	
Miravis Ace Fungicide	Wheat (durum, spring or winter)	0.125-0.50% v/v	
Arrow 240 EC, Clethodim 240		0.5% v/v	
Cadillac 240 Unpacked, Nufarm Signal Herbicide, Slam'R			
Reflex Liquid Herbicide			
Crush'R 540, Stonewall 540			
Assure II Herbicide, Leopard, Marshall Unpacked, Yuma GL Liquid EC Herbicide			
Marshall Unpacked + Crush'R 540, Marshall Unpacked + Stonewall 540			
Agrogill Quizalofop-P-Ethyl Herbicide, Idol Herbicide	Refer to the herbicide labels	0.5% v/v	0.5% v/v
Agrogill Pinoxaden 100EC Herbicide, Epic II Herbicide, Crestivo Herbicide			Not applicable
Aim EC Herbicide		0.3% v/v	0.3% v/v
Drifast Desiccant			

Before mixing pesticides with MASTERLOCK, conduct a jar test to determine compatibility

MIXING

Add MASTERLOCK as the last ingredient. Consult each pesticide label for use information. Mix all pesticides in half tank of water first, then add MASTERLOCK® after pesticides but prior to complete filling of the spray tank. Then finish filling the tank with water.

For Direct Injection: MASTERLOCK can be applied through injection systems where MASTERLOCK is added to one of the system's chemical injection tanks. An in-line mixing chamber is recommended.

- Step 1 Add MASTERLOCK to the chemical injection tank.
- Step 2 Pump the correct amount of MASTERLOCK into the line.
- Step 3 Pump the proper amount of water, pesticide, and other adjuvants into the line for mixing with MASTERLOCK and chemicals before going into the spray boom.

Do not mix other adjuvants in an induction system or container when all the products are undiluted. Once mixed in water, all the products are compatible in any mixing order.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

STORAGE: Store in original container only and keep sealed. Store in closed storage areas. Store this product away from food or feed.

DISPOSAL:

Disposal of unused, unwanted product: For information on disposal of unused, unwanted product contact the registrant or the provincial or territorial regulatory agency. Contact the registrant and the provincial or territorial regulatory agency in case of a spill, and for clean-up of spills.

Recyclable Container Disposal: DO NOT reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site.

Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unusable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial or territorial requirements.

Returnable container disposal: DO NOT reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase (distributor/dealer).

Refillable container disposal: For disposal, this empty container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. DO NOT reuse this container for any other purpose.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

MASTERLOCK is a registered trademarks of Winfield Solutions, LLC.