



We create chemistry

# Safety Data Sheet

## Stature SC Fungicide

Revision date : 2023/02/18  
Version: 9.0

Page: 1/13  
(30345654/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

## Stature SC Fungicide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, fungicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF Agricultural Solutions US LLC  
2 TW Alexander Drive  
Research Triangle Park, NC 27713  
USA

Telephone: +1 973 245-6000

#### Emergency telephone number

#### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number:	181832
Registration number:	EPA Registration number: 241-428
Molecular formula:	C(21) H(22) Cl N O(4)
Synonyms:	dimethomorph

### 2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Acute Tox.

4 (oral)

Acute toxicity

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 2/13  
(30345654/SDS\_CPA\_US/EN)

Carc.	1A (by inhalation)	Carcinogenicity
Repr.	2 (fertility)	Reproductive toxicity
Repr.	2 (unborn child)	Reproductive toxicity
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic

### Label elements

Pictogram:



Signal Word:  
Danger

Hazard Statement:

H302	Harmful if swallowed.
H350	May cause cancer by inhalation.
H361	Suspected of damaging fertility. Suspected of damaging the unborn child.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

### 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

Dimetomorph

CAS Number: 110488-70-5

Content (W/W): 43.5 %

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 3/13  
(30345654/SDS\_CPA\_US/EN)

Synonym: 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Methanone, (4-chlorophenyl)(3,4-dimethoxyphenyl)-

CAS Number: 116412-83-0

Content (W/W): > 0.0 - < 1.0%

Synonym: No data available.

crystalline silica

CAS Number: 14808-60-7

Content (W/W): > 0.0 - < 0.2%

Synonym: No data available.

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

#### If swallowed:

Immediate medical attention required. Do not give solids or liquids. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 4/13  
(30345654/SDS\_CPA\_US/EN)

Suitable extinguishing media:  
water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:  
water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, carbon dioxide, Hydrogen chloride, nitrogen oxides, halogenated compounds, Phosphorus compounds, silica compounds  
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 5/13  
(30345654/SDS\_CPA\_US/EN)

substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Sources of ignition should be kept well clear. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures above: 40 °C  
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

---

## 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

### Components with occupational exposure limits

dimethomorph                      TWA value 0.67 mg/m<sup>3</sup> ;

### **Advice on system design:**

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### **RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

### **Eye protection:**

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 6/13  
(30345654/SDS\_CPA\_US/EN)

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form:	liquid
Odour:	characteristic
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	white
pH value:	approx. 7 - 9 ( 1 %(m), approx. 20 °C)
Freezing point:	approx. 0 °C Information applies to the solvent.
Boiling point:	approx. 100 °C Information applies to the solvent.
Flash point:	> 207 °F
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	Based on the water content the product does not ignite.
Density:	approx. 1.15 g/cm <sup>3</sup> ( 20 °C) approx. 9.5972 Lb/USg ( 68 °F)
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	approx. 157 mPa.s ( 20 °C)
Solubility in water:	dispersible

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 7/13  
(30345654/SDS\_CPA\_US/EN)

Molar mass:	387.9 g/mol
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:  
Corrosive effects to metal are not anticipated.

Oxidizing properties:  
Not an oxidizer.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is chemically stable.  
Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### Incompatible materials

strong bases, strong acids, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:  
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:  
No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18

Version: 9.0

Page: 8/13

(30345654/SDS\_CPA\_US/EN)

### Oral

Type of value: LD50

Species: rat

Value: > 500 - < 2,000 mg/kg (OECD Guideline 423)

### Inhalation

Type of value: LC50

Species: rat

Value: > 5.0 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol was tested.

No mortality was observed.

### Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 4,000 mg/kg (OECD Guideline 402)

No mortality was observed.

### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Not irritating to the skin. Not irritating to the eyes.

### Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

### Eye

Species: rabbit

Result: non-irritant

Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test

Species: guinea pig

Result: Non-sensitizing.

Method: OECD Guideline 406

### Aspiration Hazard

The product has not been tested. The statement has been derived from the properties of the individual components. No aspiration hazard expected.

## Chronic Toxicity/Effects



# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 9/13  
(30345654/SDS\_CPA\_US/EN)

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Dimethomorph techn.*

*Assessment of repeated dose toxicity: The substance may cause damage to the prostate after repeated ingestion. Based on available data, the classification criteria are not met.*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

*Information on: Dimethomorph techn.*

*Assessment of mutagenicity: No mutagenic effect was found in various tests with microorganisms and mammals.*

-----

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

*Information on: crystalline silica*

*Assessment of carcinogenicity: May cause cancer by inhalation. The substance was found to cause cancer in animal experiments. Epidemiological studies stated a carcinogenic activity also in humans. The substance and its compounds in the form of respirable dusts/aerosols is classified by the German MAK commission as a category 1 carcinogen (substances that cause cancer to humans). The International Agency for Research on Cancer (IARC) has classified this substance as a Group 1 (known) human carcinogen.*

*NTP listed carcinogen*

*OSHA (Occupational Safety and Health Administration) has classified this substance as carcinogenic.*

-----

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Dimethomorph techn.*

*Assessment of reproduction toxicity: The results of animal studies suggest a fertility impairing effect.*

-----

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Dimethomorph techn.*

*Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.*

-----

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 10/13  
(30345654/SDS\_CPA\_US/EN)

### Other Information

Misuse can be harmful to health.

### Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

## 12. Ecological Information

### Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely toxic for fish. Acutely harmful for aquatic invertebrates. Acutely harmful for aquatic plants.

### Toxicity to fish

Information on: Dimethomorph techn.

LC50 (96 h) 6.1 mg/l, *Oncorhynchus mykiss* (static)

### Aquatic invertebrates

Information on: Dimethomorph techn.

EC50 (48 h) > 7.92 mg/l, *Americamysis bahia* (OPP 72-2 (EPA-guideline), static)

### Aquatic plants

Information on: Dimethomorph techn.

EC50 (72 h) 82.2 mg/l (growth rate), *Pseudokirchneriella subcapitata*

EC10 (72 h) 27.3 mg/l (growth rate), *Pseudokirchneriella subcapitata*

### Chronic toxicity to fish

Information on: Dimethomorph techn.

EC10 (60 d) 0.116 mg/l, *Oncorhynchus mykiss*

No observed effect concentration (34 d) 0.107 mg/l, *Pimephales promelas*

### Chronic toxicity to aquatic invertebrates

Information on: Dimethomorph techn.

No observed effect concentration (21 d) 0.22 mg/l, *Daphnia magna*

EC10 (21 d) 0.421 mg/l, *Daphnia magna*

### Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

### Other terrestrial non-mammals

Information on: Dimethomorph techn.

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 11/13  
(30345654/SDS\_CPA\_US/EN)

### Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Dimethomorph techn.*

*The substance will not evaporate into the atmosphere from the water surface.*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

## 13. Disposal considerations

### **Waste disposal of substance:**

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **Container disposal:**

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

### **RCRA:**

This product is not regulated by RCRA.

## 14. Transport Information

### **Land transport**

USDOT

Not classified as a dangerous good under transport regulations

### **Sea transport**

IMDG

Hazard class: 9

Packing group: III

ID number: UN 3082

Hazard label: 9, EHSM

Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMETHOMORPH)

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18  
Version: 9.0

Page: 12/13  
(30345654/SDS\_CPA\_US/EN)

### Air transport

IATA/ICAO  
Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMETHOMORPH)

### Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### State regulations

State RTK	CAS Number	Chemical name
PA	57-55-6	Propylene glycol
	75-21-8	Ethylene Oxide
	123-91-1	1,4-dioxane
NJ	57-55-6	Propylene glycol
	100-41-4	ethylbenzene
	14808-60-7	crystalline silica

### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

### BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

# Safety Data Sheet

## Stature SC Fungicide

Revision date: 2023/02/18

Version: 9.0

Page: 13/13

(30345654/SDS\_CPA\_US/EN)

### CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HARMFUL IF SWALLOWED.

HARMFUL IF ABSORBED THROUGH SKIN.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking and using tobacco.

Remove personal protective equipment and decontaminate prior to reuse.

---

## 16. Other Information

### SDS Prepared by:

BASF Agricultural Solutions US NA Product Regulations

SDS Prepared on: 2023/02/18

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET