

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Radiant[®] SC

EPA Reg. No. 62719-545

2(ee) Recommendation[†]

For Distribution and Use Only in the States of Alabama, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina, South Carolina, Tennessee, and Virginia

Early Season Suppression of Thrips in Cotton

ATTENTION

[†] This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to container for Radiant[®] SC insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Except as specified in this product bulletin, use of Radiant SC is subject to all use precautions and limitations imposed by the label affixed to the container for Radiant SC.

Directions for Use

Apply 1.5 to 3 fl oz of this product per acre to provide early season suppression of thrips in cotton. For heavier infestations, use a higher rate in the rate range.

Using Radiant SC is not a replacement for insecticide seed treatments or in-furrow insecticide applications at planting. Early season, foliar applications of Radiant SC to suppress thrips in cotton should only be made to fields that have already received an insecticide seed treatment or in-furrow insecticide application for thrips control.

Use of an adjuvant may increase the level of thrips control.

[®]Trademark of Dow AgroSciences LLC

R358-016

Issued: 04/04/11

Replaces R358-008