

SAFETY DATA SHEET

An Employee-Owned Company

Issue Date 28-Jul-2014 Revision Date 30-Jul-2021 Version 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier.

Product Name FeRROMEC® AC Liquid Iron 15-0-0

Other means of identification

Product CodePBI FP 9701016Product Size55 U. S. Gal.

Recommended use of the chemical and restrictions on use

Recommended Use Fertilizers

Uses advised against No information available

Details of the supplier of the safety data sheet

<u>Supplier Address</u> <u>Company Name</u> <u>Manufacturer</u>

PBI-Gordon Corporation
P.O. Box 860350
Shawnee, KS 66286
PBI-Gordon Corporation
P.O. Box 860350
P.O. Box 860350
P.O. Box 860350
Shawnee, KS 66286
Shawnee, KS 66286

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Skin Corrosion/Irritation Category	Category 2
Serious eye damage/eye irritation	Category 2A

Label elements

Emergency Overview

Signal word

Warning

Hazard statements

- Harmful if swallowed
- Causes skin irritation
- Causes serious eye irritation



Appearance Liquid Physical state Liquid Odor No discernible odor

Precautionary Statements - Prevention

Do not eat, drink or smoke when using this product

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

Other information

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS-No	Weight-%	
Urea	57-13-6	32.61	
Ferrous sulfate heptahydrate	7782-63-0	29.83	

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. If symptoms persist, call a physician.

Skin contactWash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Inhalation Get medical attention immediately if symptoms occur. Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms No information available

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

<u>Unsuitable extinguishing media</u> No information available.

Specific hazards arising from the

chemical

In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead

to release of irritating and toxic gases and vapors.

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas Do not flush into

surface water or sanitary sewer system Prevent further leakage or spillage if safe to do so Prevent product from entering drains Avoid release to the environment Collect spillage Dispose of contents/container to an approved waste disposal plant See Section 12 for

additional ecological information

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Take off contaminated clothing and wash before reuse. Handle in accordance with good

industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat,

drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place. Keep in properly labeled containers. Undiluted product is corrosive to

mild steel, aluminum, and brass and must be stored and/or shipped in fiberglass,

polypropylene, or stainless steel.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ferrous sulfate heptahydrate	TWA: 1 mg/m³ Fe	(vacated) TWA: 1 mg/m³ Fe	TWA: 1 mg/m³ Fe
7782-63-0			

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Chemical resistant gloves.

Skin and body protection Wear long-sleeved shirt, long pants, socks and shoes.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid
Color Green

Odor No discernible odor No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 2.0 - 2.5

Melting point/freezing point

-5 °C / 23 °F

Boiling point / boiling range

> 121 °C / 212 °F

Flash point

> 96 °C / 199 °F

Evaporation rate < 1

Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit:

Lower flammability limit:

Vapor pressure

No data available
No data available
<17 mm Hg

Vapor density >1 Specific Gravity 1.32

Water solubility Soluble in water

Solubility in other solventsNo data availableNone knownPartition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone known

Other Information

Liquid Density 11.0 pounds/gallon

Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

No information available.

Stability

Stable under recommended storage conditions

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Will not occur.

Conditions to avoid

Keep out of reach of children. Exposure to air over prolonged periods.

Incompatible materials

Strong bases. Strong oxidizing agents. Avoid contact with unfinished wood products, painted surfaces, or concrete as this product may cause staining.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye contact Causes serious eye irritation.

Skin contact Causes skin irritation.

Ingestion Harmful if swallowed.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Urea	= 8471 mg/kg (Rat)	-	-
57-13-6			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1535 mg/kg
ATEmix (dermal) 40526 mg/kg
ATEmix (inhalation-dust/mist) 2.9 mg/L

Unknown Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target Organ Effects Teeth, Liver, Respiratory system, Eyes, Skin, Gastrointestinal tract (GI).

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Urea	-	16200 - 18300: 96 h Poecilia	-	3910: 48 h Daphnia magna
57-13-6		reticulata mg/L LC50		mg/L EC50 Static

Persistence and degradability No information available.

Bioaccumulation No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note: Products under 305 gallons not regulated by DOT. Below are

designations for products over 305 gallons. See RQ

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

International Inventories

Listed **TSCA DSL/NDSL** Not Listed **EINECS/ELINCS** Not Listed **ENCS** Listed **IECSC** Listed **KECL** Not Listed **PICCS** Listed **AICS** Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ferrous sulfate heptahydrate	-	-	-	X
7782-63-0				

CERCI A

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name		Hazardous Substances RQs	Extremely Hazardous Substances RQs
	Ferrous sulfate heptahydrate	1000 lb	-
	7782-63-0		

US State Regulations

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ferrous sulfate heptahydrate 7782-63-0	-	X	X
Trade Secret	X	X	Х

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 1 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection X

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of PBI-Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI-GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI-Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

End of Safety Data Sheet