

FIFRA Section 24 (c) Special Local Need (SLN) Label

Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

FIFRA 24(c) SPECIAL LOCAL NEED LABEL (SLN) FOR DISTRIBUTION AND USE ONLY IN THE STATE OF CALIFORNIA

For Aerial Application to Control Walnut Blight on Walnut Trees with Standing Water

Dithane F-45® Rainshield®

EPA Reg. No. 62719-396

EPA SLN No: CA-210005

This label expires and must not be distributed or used in accordance with this SLN registration after
December 31, 2025.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA-registered label for Dithane F-45® Rainshield (EPA Reg. No. 62719-396) and this label.

Directions for Use

Refer to product label for Precautions and Restrictions, Mixing Instructions and Application Directions.

Requirements

1. For aerial applications to walnut orchards that have standing water due to a storm event:
2. Water must be standing and will not flow into state waterways where fish and wildlife are likely to be affected.
3. Applications are made in accordance with all other label directions.
4. The County Agricultural Commissioner must assure the required conditions are met.

Restrictions:

1. No fungicide application shall occur if:
 - a. Soil moisture is at field capacity and a storm event, forecasted by the National Oceanic and Atmospheric Administration (NOAA) or National Weather Service (NWS), is to occur within 48 hours following applications; or
 - b. A storm event likely to produce runoff from the treated area is forecasted by NOAA/NWS to occur within 48 hours following the application.
2. Applications are not allowed if water is flowing off the intended application sites.
3. Standing water will not be pumped or removed from the orchard after the fungicide application.
4. Do not apply this product through any type of irrigation system.

Crop	Diseases Controlled	Dithane F-45 Rate per Application (qt/acre)	Application Directions (Also Refer To Directions For Use)	Restrictions
walnuts	walnut blight	1.8	<p>Begin applications at early pre-bloom prior to or when catkins are partially expanded. Make additional applications during bloom and early nutlet stage or as needed if frequent rainfall occurs. Apply in a minimum of 100 gallons of water per acre by ground and in a minimum of 10 gallons of water per acre by air.</p> <p>In California, this product must be tank mixed with a fixed copper product registered for use on walnuts.</p>	<p>Do not exceed 10 applications per season.</p> <p>Preharvest Interval: Do not apply within 75 days of harvest.</p> <p>Do not apply more than 18 pounds product (18 lbs ai) per acre per use season</p> <p>The minimum retreatment interval is 10 days</p> <p>Do not feed the crop or crop by-products to livestock. Do not graze livestock in treated orchards.</p> <p>Chemigation: Do not apply this product through any type of irrigation system.</p>

24c Registrant:

Corteva Agriscience LLC
9330 Zionsville Road
Indianapolis, IN 46268-1054 USA
Phone: 800-258-3033

™® Trademarks of Corteva Agriscience and its affiliated companies

R822-010

Accepted: 02/24/2021

Replaces: R822-006