FIFRA §2(ee) RECOMMENDATION FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF CALIFORNIA and FLORIDA

GROUP 21A ACARICIDE



- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable directions, restrictions, and precautions on the EPA registered label are to be followed.
- This recommendation must be in the possession of the user at the time of pesticide application.
- This recommendation is made as permitted under FIFRA §2(ee) and has not been submitted to or approved by the EPA.

CROP	PEST	RATE OZ/ACRE	COMMENTS
Citrus fruit group 10-10 (7 day PHI)	Asian Citrus Psyllid	16 - 17	Apply 16-17 oz in sufficient water to achieve thorough coverage. Use the higher rate of to ensure adequate concentration in full size trees with dense foliage. In Florida Only - may be applied in low volume application equipment with a minimum water volume of 20 gallons of water per acre. It is the user's responsibility to ensure thorough spray coverage in these low volume applications.

- Do not make more than two applications per year.
- Do not apply more than 17 oz per acre per application
- Apply on a 90 day interval.

Follow all directions for use, restrictions and precautions given on Nexter SC federal label.

Nexter® is a registered trademark of Nissan Chemical Industries, Ltd.



Distributed by: Gowan Company, LLC P.O. Box 5569 Yuma, AZ 85366-5569