# Product Bulletin



**Dow AgroSciences LLC** 

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

SpinTor® 2SC EPA Reg. No. 62719-294

2(ee) Recommendation<sup>†</sup>
For Distribution and Use Only in Flathead and Lake Counties in the State of Montana

# Control of Cherry Fruit Fly and Western Cherry Fruit Fly in Cherries

# **ATTENTION**

- <sup>†</sup> This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.
- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to container for SpinTor<sup>®</sup> 2SC Naturalyte<sup>®</sup> insect control before applying. Carefully follow all precautionary statements and applicable use directions.
- Except as specified in this product bulletin, use of SpinTor 2SC is subject to all use precautions and limitations imposed by the label affixed to the container for SpinTor 2SC.

# **Directions for Use**

SpinTor 2SC is recommended for control of cherry fruit fly and western cherry fruit fly in cherries. Consult the product label for SpinTor 2SC for complete use directions, precautions, and restrictions. Check with your state agricultural experiment station or extension specialist for specific application timings in your area.

### **Application Rates:**

	Application Rate of SpinTor 2SC	
Pests	(fl oz/acre)	Dilute Spray (fl oz/100 gal)
cherry fruit fly	4 - 8	1 - 2
western cherry fruit fly		

### **Restrictions:**

- Do not apply more than 29 fl oz of SpinTor (0.45 lb a.i. of spinosad) per acre per year.
- Preharvest Interval: Do not apply within 7 days of harvest of cherries.

Trademark of Dow AgroSciences LLC

R064-016 Issued: 03/28/06 Initial printing