

SAFETY DATA SHEET



WILBUR-ELLIS

1. Identification

Product identifier VERSATILE AGRA-MIX 5-0-3
Other means of identification None.
Recommended use Ag Product - Plant Nutrition
Recommended restrictions None known.
Manufacturer/Importer/Supplier/Distributor information
Manufacturer
Company name Wilbur-Ellis Company LLC
Address 16300 Christensen Rd. Ste 135
Tukwila, WA 98188
United States
Telephone Branded Products (800) 500-1698
Information
E-mail SDS@wilburellis.com
Emergency phone number Chemtrec - Domestic (800) 424-9300
Chemtrec - International +1 703-741-5970
Manufactured For: Not available.

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2A
Environmental hazards Not classified.
OSHA defined hazards Not classified.
Label elements



Signal word Warning
Hazard statement Causes skin irritation. Causes serious eye irritation.
Precautionary statement
Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.
Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage Not available
Disposal Not available.
Hazard(s) not otherwise classified (HNOC) None known.
Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|------------|-------|
| Monoethanolamine Borate | | 68130-12-1 | 14-18 |
| Dipotassium Manganese EDTA | | 68015-77-0 | 12-18 |
| Diammonium Zinc EDTA | | 67859-51-2 | 10-15 |

| Chemical name | Common name and synonyms | CAS number | % |
|--|--|-------------|-------------|
| Diammonium Copper EDTA | | 67989-88-2 | 3-5 |
| Proprietary Ingredient(s) | | Proprietary | Proprietary |
| Other components below reportable levels | | | 57.05 |
| Composition comments | Occupational Exposure Limits for impurities are listed in Section 8. | | |
| 4. First-aid measures | | | |
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. | | |
| Skin contact | Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. | | |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. | | |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. | | |
| Most important symptoms/effects, acute and delayed | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. | | |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. | | |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. | | |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). | | |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. | | |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. | | |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | | |
| Fire fighting equipment/instructions | Move containers from fire area if you can do so without risk. | | |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. | | |
| General fire hazards | No unusual fire or explosion hazards noted. | | |
| 6. Accidental release measures | | | |
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. | | |
| Methods and materials for containment and cleaning up | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. | | |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. | | |
| 7. Handling and storage | | | |
| Precautions for safe handling | Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. | | |
| Conditions for safe storage, including any incompatibilities | Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). | | |

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|---|---------|------------------|
| Dipotassium Manganese EDTA (CAS 68015-77-0) | Ceiling | 5 mg/m3 |
| Proprietary Ingredient(s) | PEL | 6 mg/m3 3 ppm |

US. ACGIH Threshold Limit Values (TLV)

| Components | Type | Value | Form |
|---|------|-----------|----------------|
| Diammonium Copper EDTA (CAS 67989-88-2) | TWA | 1 mg/m3 | Dust and mist. |
| | | 0.2 mg/m3 | Fume. |
| Proprietary Ingredient(s) | STEL | 6 ppm | |
| | TWA | 3 ppm | |

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

| Components | Type | Value |
|---------------------------|------|---------------|
| Proprietary Ingredient(s) | IDLH | 3 % 30 ppm |

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

| Components | Type | Value | Form |
|---|------|-----------|----------------|
| Diammonium Copper EDTA (CAS 67989-88-2) | TWA | 1 mg/m3 | Dust and mist. |
| | | 0.1 mg/m3 | Fume. |
| Dipotassium Manganese EDTA (CAS 68015-77-0) | STEL | 3 mg/m3 | Fume. |
| | TWA | 1 mg/m3 | Fume. |
| Proprietary Ingredient(s) | STEL | 15 mg/m3 | |
| | | 6 ppm | |
| | TWA | 8 mg/m3 | |
| | | 3 ppm | |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear blue liquid.

| | |
|---|----------------------|
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Blue |
| Odor | Sweet. |
| Odor threshold | Not available. |
| pH | > 8.5 - < 9 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Density | 10.66 lb/gal typical |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |
| Specific gravity | 1.28 typical |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|---|
| Inhalation | Prolonged inhalation may be harmful. |
| Skin contact | Causes skin irritation. |
| | Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans. |
| Eye contact | Causes serious eye irritation. |
| Ingestion | Expected to be a low ingestion hazard. |

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

| Product | Species | Test Results |
|---------|---------|--------------|
|---------|---------|--------------|

VERSATILE AGRA-MIX 5-0-3

Acute

Dermal

Liquid

LD50 Rabbit > 2000 mg/kg, 24 hours

Oral

Liquid

LD50 Rat > 4000 mg/kg

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

Diammonium Copper EDTA (CAS 67989-88-2)

Acute

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Diammonium Zinc EDTA (CAS 67859-51-2)

Acute

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Oral

LD50 Rat >= 2000 mg/kg

Monoethanolamine Borate (CAS 68130-12-1)

Acute

Oral

Liquid

LD50 - > 5000 mg/kg, 24 hours

Proprietary Ingredient(s)

Acute

Inhalation

Vapor

LC50 Rat > 1.3 mg/l, 6 Hours

Oral

LD50 Rat 1515 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

| | |
|---|---|
| Specific target organ toxicity - single exposure | Due to partial or complete lack of data the classification is not possible. |
| Specific target organ toxicity - repeated exposure | Due to partial or complete lack of data the classification is not possible. |
| Aspiration hazard | Due to partial or complete lack of data the classification is not possible. |
| Chronic effects | <p>Prolonged inhalation may be harmful. May be harmful if absorbed through skin.</p> <p>Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.</p> |

12. Ecological information

| | |
|--|--|
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| Persistence and degradability | No data is available on the degradability of any ingredients in the mixture. |
| Bioaccumulative potential | |
| Partition coefficient n-octanol / water (log Kow) | |
| Proprietary Ingredient(s) | -1.31 |
| Mobility in soil | No data available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

13. Disposal considerations

| | |
|--|--|
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport information

| | |
|---|-----------------------------------|
| DOT | Not regulated as dangerous goods. |
| IATA | Not regulated as dangerous goods. |
| IMDG | Not regulated as dangerous goods. |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not established. |

15. Regulatory information

| | | |
|--|--|--|
| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are listed on or exempted from the U.S. EPA TSCA Inventory List. | |
| Toxic Substances Control Act (TSCA) | All components of the mixture on the TSCA 8(b) inventory are designated "active". | |
| TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) | Not regulated. | |
| CERCLA Hazardous Substance List (40 CFR 302.4) | | |
| Diammonium Copper EDTA (CAS 67989-88-2) | Listed. | |
| Diammonium Zinc EDTA (CAS 67859-51-2) | Listed. | |
| SARA 304 Emergency release notification | Not regulated. | |

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical

Yes

Classified hazard categoriesSkin corrosion or irritation
Serious eye damage or eye irritation**SARA 313 (TRI reporting)**

| Chemical name | CAS number | % by wt. |
|------------------------------------|------------|----------|
| Copper compounds (with exceptions) | 67989-88-2 | 3-5 |
| MANGANESE COMPOUNDS | 68015-77-0 | 12-18 |
| Zinc Compounds | 67859-51-2 | 10-15 |

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.


US state regulations**California Proposition 65**

WARNING: This product can expose you to cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Cadmium (CAS 7440-43-9)

16. Other information, including date of preparation or last revision

Issue date 11-06-2024
Version # 01
NFPA ratings Health: 2
Flammability: 0
Instability: 0

NFPA ratings**Disclaimer**

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and the manufacturer disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.