



**DuPont Crop
Protection**

SUPPLEMENTAL LABELING

**PREQUEL™ HERBICIDE
FOR CONTROL OF BROADLEAF
WEEDS AND GRASSES IN CORN
IN THE STATE OF SOUTH
DAKOTA**

RESTRICTED USE PESTICIDE

May injure (phytotoxic) susceptible non-target plants.

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Commercial and certified applicators must ensure that all persons involved in these activities are informed of the precautionary statements.

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF SOUTH DAKOTA

PREQUEL™ HERBICIDE

EPA Reg. No. 352-779

**FOR CONTROL OF BROADLEAF WEEDS AND GRASSES IN CORN
IN THE STATE OF SOUTH DAKOTA**

DIRECTIONS FOR USE

This product bulletin serves as supplemental labeling for use of PREQUEL™ herbicide in South Dakota. The following restrictions include specific requirements beyond those found under the "Restrictions For Use On Field Corn" section of the container label. Refer to the PREQUEL™ herbicide label and technical bulletins for full descriptions of use restrictions.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ENVIRONMENTAL PRECAUTIONS

Refer to the container label for additional use precautions and directions. Agricultural chemicals have the potential to move into shallow groundwater. The following restrictions have been developed to protect drinking water supplies.

In fields having soils with less than 15% field moisture holding capacity, special care must be taken not to over-irrigate, since substantial over-irrigation promotes the leaching of chemicals.

SOIL TYPE RESTRICTIONS

If the water table is less than 25 feet below ground surface, do not apply to the following vulnerable sandy loam, loamy sand or sand soils. If the water table is unknown, do not apply PREQUEL™ herbicide to a restricted soil.

Almeria	Dailey	Glendive	Minne-	Talmo
Alwilda	Dix	Hamar	waukan	Tassel
Anselmo	Doger	Hanly	Munjoy	Telfer
Arvilla	Dogiecreek	Hecla	O'Neill	Thurman
Assinniboine	Duda	Henkin	Orton	Trembles
Aylmer	Dunday	variant	Orwet	Trey
Bankard	Dwyer	Holt	Platte	Tryon
Banks	Eckley	Hopdraw	Renshaw	Tusler
Bantry	Egeland	Inavale	Reva	Tuthill
Beisigl	Ekalaka	Ipage	Rhame	Twilight
Blackhall	Els	Ladner	Riverwash	Ulen
Blendon	Elsmere	Las Animas	Rockoa	Valent
Boel	Evridge	Lihen	Ronson	Valentine
Butche	Fedora	Lute	Sarpy	Vebar
Cass	Flasher	Maddock	Schamber	Venlo
Chappell	Fleak	Manning	Serden	Wabek
Chinook	Fossum	Manter	Seroco	Whitelake
Claire	Gannett	Marlake	Simeon	Yecross
Cohagen	Glenberg	Mawer	Sioux	Zeona
Craft	Glenberg	McCaffery	Stirum	
	variant	Meadin	Storla	

If a field contains several soil types, one of which is a vulnerable soil listed above, and the water table is less than 25 feet, do not apply PREQUEL™ herbicide.

For Product Information Call 1-888-6-DUPONT

© 2010 E. I. du Pont de Nemours and Company, Crop Protection, Wilmington, Delaware 19898

SPRAY DRIFT PRECAUTIONS

Controlling spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making application decisions.

Do not apply this product using aerial application equipment.

Do not apply when wind conditions favor drift to non-target sites.

To minimize spray drift to non-target areas:

- Use low pressure application equipment capable of producing a large droplet spray. Do not use nozzles that produce fine droplet spray. Minimize drift by using sufficient spray volume to ensure adequate coverage with large droplet size sprays.
- Keep ground driven spray boom as low as possible above target surface.
- Make application when the wind velocity favors on-target product deposition. Do not spray near sensitive plants if wind is gusty or in excess of 10 mph and moving in the direction of sensitive plants or sensitive areas.
- Low humidity and high temperatures increase the likelihood of spray drift to sensitive areas. Avoid spraying during conditions of low humidity and/or high temperatures. Do not apply during inversion conditions.

MIXING, LOADING AND HANDLING PRECAUTIONS

Do not clean, wash, load, rinse, or empty equipment containing PREQUEL™ herbicide within 150 feet of any well, lake, stream, stream bed, or wetland unless it is done so over a South Dakota Department of Agriculture approved operational area containment.

Any spilled material must be immediately recovered. Discharges in excess of 25 pounds active ingredient must be reported to the department. Recovered material must be properly stored and handled until proper disposal or use has occurred. The owner or operator shall provide written documentation to the department describing the cause of the discharge, recovery and sampling procedures, analysis reports, and disposition of the recovered materials within 30 days following the date of the discharged material.

IMPORTANT

BEFORE USING THIS PRODUCT, READ AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA-REGISTERED LABEL.

This bulletin contains new or supplemental instructions for use of this product which do not appear on the EPA-registered package label. Follow the instructions carefully.

This labeling must be in the possession of the user at the time of pesticide application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using THIS product. If terms are not acceptable, return the unopened package at once to Seller for full refund of purchase price paid. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability on the Section 3 Federal product label.

(Derived from SL-1463MSTR 083110 08-24-10)

R-1136 091710 08-24-10

