An American Vanguard Company

SAFETY DATA SHEET

1. Identification

Product identifier AZTEC® 4.67 G

Other means of identification

SDS number 292

Product registration

number

5481-9028

Recommended use Organophosphate insecticide. For control of corn rootworms, cutworms and other listed soil insect

This is a Restricted Use Pesticide and is for use by licensed applicators only. **Recommended restrictions**

Keep out of the Reach of Children!

EPA Registration number EPA: 5481-9028

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name **AMVAC Chemical Corporation**

Address 4695 MacArthur Court

Suite 1200

Newport Beach, CA 92660

AMVAC Chemical Corp 949-260-1200 **Telephone**

> **AMVAC Chemical Corp** 949-260-6270(FAX)

Website www.amvac.com CustServ@amvac.com E-mail

Medical 888-681-4261 **Emergency phone number CHEMTREC®**

800-424-9300

(USA+Canada)

Product Use 888-462-6822 CHEMTREC® (Outside +1-703-527-3887

USA)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 3

> Acute toxicity, inhalation Category 4 Carcinogenicity Category 1A Category 1

Specific target organ toxicity, repeated

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

long-term hazard

Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Toxic if swallowed.

Harmful if inhaled.

May cause cancer by inhalation.

Causes damage to organs through prolonged or repeated exposure by inhalation.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Material name: AZTEC® 4.67 G 1593 Version #: 5.0 Revision date: Jan-06-2021 Issue date: Aug-27-2015

Precautionary statement

Prevention Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust.

Do not eat, drink or smoke when using this product.

Avoid release to the environment. Wash thoroughly after handling.

Response If swallowed: Immediately call a poison center/doctor. Rinse mouth.

Specific treatment is urgent (see this label).

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Get medical advice/attention if you feel unwell.

If exposed or concerned: Get medical advice/attention.

Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal SmartBox® containers should be returned to the manufacturer by following the directions on the

label

Dispose of waste and residues in accordance with all applicable regulatory requirements.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Tebupirimphos	O-(2-tert-butylpyrimidin-5-yl) O-ethyl O-isopropyl phosphorothioate phostebupirim	96182-53-5	4.45
Cyfluthrin	Cyano(4-fluoro-3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethyl-cyclopropanecarboxylate	68359-37-5	0.22
Carrier		1318-93-0	75 - 95
Additional components			
Chemical name	Common name and synonyms	CAS number	%
free respirable Crystalline (quartz) Silica		14808-60-7	0 - 9.5 (from carrier)

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contactDo not rub eyes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of

the eyes and lids with water. If there will be a delay in getting medical attention, rinse the eyes an

additional 15 minutes.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting without advice from poison control center. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give

anything by mouth to a victim who is unconscious or is having convulsions.

Most important symptoms/effects, acute and

delayed

This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. these include: (for plasma) chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia. Dusts may irritate the respiratory tract, skin and eyes.

Indication of immediate medical attention and special treatment needed

Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been attained as determined by a blood test. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube. This product is an Organophosphate (OP) Insecticide. Do not handle the patient without the following protective equipment in place: chemical resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information. Keep victim under observation. Keep victim warm. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. This product is a Cholinesterase Inhibitor. A physician should be contacted in all cases of exposure to the technical and its formulations.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

None known.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use water spray to cool unopened containers. Dike and collect extinguishing water.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Shovel the material into waste container. Prevent product from entering drains. Clean surface thoroughly to remove residual contamination. Scrub contaminated area with detergent and bleach solution.

Never return spills to original containers for re-use.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe dust. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Keep product away from food, drink, cosmetics, and tobacco products. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Additional components	Туре	Value	Form
free respirable Crystalline (quartz) Silica (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFR 1910.1	•		_
Additional components	Туре	Value	Form
Nuisance Dust	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
free respirable Crystalline (quartz) Silica (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
US. ACGIH Threshold Limit Values			
Additional components	Туре	Value	Form
free respirable Crystalline (quartz) Silica (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chemic	cal Hazards		
Additional components	Туре	Value	Form
free respirable Crystalline (quartz) Silica (CAS	TWA	0.05 mg/m3	Respirable dust.

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Other Wear appropriate chemical resistant clothing (see label). The following clothing is required:

overalls or pants and long-sleeved shirt, chemical resistant gloves (preferably nitrile), chemical resistant boots. For added protection a chemical resistant apron and a full face shield are recommended. It there is a risk of splashing, misting or release the following additional PPE is required: two piece hooded chemical resistant suit with either a full face respirator or a SCBA. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are available, use detergent and hot water. Keep and wash PPE separately. The label should be

consulted for more detailed instructions on appropriate PPE.

dust/fume at levels exceeding the exposure limits. The label should be consulted for more specific

information with regards to respiratatory protection.

Thermal hazards Not available.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

Material name: AZTEC® 4.67 G

1593 Version #: 5.0 Revision date: Jan-06-2021 Issue date: Aug-27-2015

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Dry flowable granules.
Color Gray, tan, or reddish
Odor Slight onion-like odor

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) negligible solubility

Solubility (solvents) Aliphatic and aromatic solvents, ketones and halogenated solvents (a.i.'s)

Auto-ignition temperatureNot applicableDecomposition temperatureNot available.ViscosityNot applicable

Other information

Bulk density 38 - 46 lb/ft³

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

Hazardous polymerization does not occur.

reactions

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong acids. Strong bases.

Hazardous decomposition

products

Not established.

11. Toxicological information

Information on likely routes of exposure

InhalationHarmful if inhaled. May cause cancer by inhalation.Skin contactProlonged skin contact may cause temporary irritation.

Eye contact May be irritating to eyes. **Ingestion** Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision,

tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur.

Information on toxicological effects

Acute toxicity Toxic if swallowed. Harmful if inhaled.

Product Species Test Results

AZTEC® 4.67 G

Acute

Dermal

LD50 Rat > 5040 mg/kg

Inhalation

Dust

LC50 Rat > 2.06 mg/l, 4 h male

> 0.87 mg/l, 4 h female

Oral

LD50 Rat 145 mg/kg male

52.8 mg/kg female

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Irritation Corrosion - Skin

AZTEC® 4.67 G Result: non-irritating

Species: Rabbit Organ: Skin

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Eve

AZTEC® 4.67 G

Result: Moderately irritatiing

Species: Rabbit Organ: eye

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not sensitizing.

Sensitization

AZTEC® 4.67 G Result: not a dermal sensitizer

Species: Guinea pig

Organ: skin

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Respirable crystalline silica is listed as being carcinogenic by both IARC and NTP. It is present at Carcinogenicity

0 to 9.5% in the product, based on the range expected to be in the carrier. Due to a combination of factors, including the toxicity of the product by respiration and the methods used for applying

the product, it is highly unlikely exposure to this product will lead to cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

1 Carcinogenic to humans. free respirable Crystalline (quartz) Silica

(CAS 14808-60-7)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

free respirable Crystalline (quartz) Silica Cancer

(CAS 14808-60-7)

US. National Toxicology Program (NTP) Report on Carcinogens

free respirable Crystalline (quartz) Silica Known To Be Human Carcinogen.

(CAS 14808-60-7)

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Due to the presence of respirable crystalline silica in the carrier for this product, there may be damage to the lungs through prolonged or repeated exposure by inhalation. However, because of the acute toxicity of the product through inhalation, it is unlikely damage to the lungs from

repeated exposure to the crystalline silica will occur.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Species Test Results Components

Cyfluthrin (CAS 68359-37-5)

Aquatic

LC50 Water flea (Daphnia magna) 0 - 0.0005 mg/l, 48 hours Crustacea Fish LC50 Rainbow trout, donaldson trout 0.0005 - 0.0007 mg/l, 48 hours

(Oncorhynchus mykiss)

Tebupirimphos (CAS 96182-53-5)

Aquatic Acute

Crustacea EC50 Daphnia magna 0.0012 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 0.089 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Cyfluthrin 5.94

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds,

waterways or ditches with chemical or used container. Return the damaged SmartBox® container

to AMVAC Chemical Corporation. See box label for more complete instructions.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Return unused product and empty SmartBox® containing residues to AMVAC Chemical Corporation. See the label on the box for more complete instructions. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

manner (see: Disposal methods/information). Dispose of container and residues in accordance

with all applicable regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal Contaminated packaging according to all applicable regulations. Empty SmartBox® containers should be returned to

AMVAC Chemical Corporation per instructions provided. See the label on the container for more

complete information.

14. Transport information

DOT

UN2783 **UN** number

UN proper shipping name

Organophosphorus pesticides, solid, toxic (Tebupirimphos, Cyfluthrin)

Transport hazard class(es)

6.1(PGIII) **Class**

Subsidiary risk Label(s) 6.1 Packing group Ш

Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB8, IP3, N77, T1, TP33 Special provisions

Packaging exceptions 153 213 Packaging non bulk Packaging bulk 240

IATA

UN number UN2783

UN proper shipping name

Transport hazard class(es)

Organophosphorus pesticides, solid, toxic (Tebupirimphos, Cyfluthrin)

Class 6.1(PGIII)

Subsidiary risk

Label(s)6.1Packing groupIIIEnvironmental hazardsNo

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

Read safety instructions, SDS and emergency procedures before handling.

Not applicable.

IMDG

UN number UN2783

UN proper shipping name

Organophosphorus pesticides, solid, toxic (Tebupirimphos, Cyfluthrin), MARINE POLLUTANT

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1
Packing group III

Environmental hazards

Marine pollutant Yes

Em\$ Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

Material name: AZTEC® 4.67 G

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

WARNING

May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapor or dust. Avoid contact with eyes, skin, and clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present (except for application to cranberry bogs) or to intertidal areas below the mean high water mark. Do not allow this material to drift onto neighboring crops or non crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues, or other undesirable results may occur.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

free respirable Crystalline (quartz) Silica

(CAS 14808-60-7)

Cancer

lung effects

immune system effects

kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Acute toxicity (any route of exposure)

categories Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to free respirable Crystalline (quartz) Silica, which is known to the

State of California to cause cancer.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

free respirable Crystalline (quartz) Silica Listed: October 1, 1988

(CAS 14808-60-7)

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryNo

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue dateAug-27-2015Revision dateJan-06-2021

References ACGIH®: American Conference of Governmental Industrial Hygienists

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

EPA: Environmental Protection Agency

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Agency

SARA: Superfund Amendments and Reauthorization Act

TSCA: Toxic Substances Control Act DOT: Department of Transportation

IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association

Version # 5.0

HMIS® ratings Health: 3*

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 3

Flammability: 0 Instability: 0

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2021 AMVAC Chemical Corporation. AMVAC and the AMVAC Logo are trademarks owned by

AMVAC Chemical Corporation. All Rights Reserved.

AZTEC is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: AZTEC® 4.67 G