


FENAZAQUIN	GROUP	21	ACARICIDE
FENAZAQUIN	GROUP	39	FUNGICIDE

**FIFRA §2(ee) RECOMMENDATION  
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WASHINGTON AND OREGON  
MITES AND POWDERY MILDEW ON THE FOLLOWING CROPS**



**EPA REG. NO. 10163-322**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable directions, restrictions, and precautions on the EPA registered label are to be followed.
- This recommendation must be in the possession of the user at the time of pesticide application.
- This recommendation is made as permitted under FIFRA §2(ee) and has not been submitted to or approved by the EPA.

CROP	RATE FL OZ/ACRE	RATE LB A.I./ACRE	COMMENTS
<b>CANEBERRY SUBGROUP 13-07A (7)</b>  Blackberry; loganberry; raspberry, black and red; wild raspberry; cultivars, varieties, and/or hybrids of these	24 - 36	0.32 – 0.48	<b>Ground:</b> Apply in at least 50 gallons of water per acre. Use higher labeled rates for heavier mite pressure. <b>Air Application:</b> Apply the labeled rate of Magister SC by air in a minimum of 10 GPA. Applications made by air to dense foliage may not provide adequate coverage of lower leaf surfaces for sufficient control. Use of higher labeled rates may be necessary.
			<b>Restrictions:</b> <ul style="list-style-type: none"> <li>• Do not make more than one application per year.</li> <li>• Do not exceed application rate of 36 fl oz of product (0.48 lb a.i.) per acre per year.</li> <li>• Do not apply this product until crop is through petal fall unless the conditions under the Direction For Use section on Section 3 label have been met.</li> </ul>
<b>HOPS (7)</b>	24 - 36	0.32 – 0.48	<b>Ground:</b> Apply in at least 100 gallons of water per acre. Use higher labeled rates for heavier mite pressure. <b>Air Application:</b> Apply the labeled rate of Magister SC by air in a minimum of 10 GPA. Applications made by air to dense foliage may not provide adequate coverage of lower leaf surfaces for sufficient control. Use of higher labeled rates may be necessary.
			<b>Restrictions:</b> <ul style="list-style-type: none"> <li>• Do not make more than one application per year.</li> <li>• Do not exceed application rate of 36 fl oz of product (0.48 lb a.i.) per acre per year.</li> </ul>

**RESTRICTIONS ON ALL CROPS:**

- Do not apply by any type of irrigation system.
- Only ground sprayer, airblast and aerial applications are permitted.
- Do not apply during conditions when product will drift to other crops and non-target areas.
- Do not apply within 100 feet of water bodies (including, but not limited to, lakes; reservoirs; rivers; permanent streams; marshes or natural ponds; estuaries; and commercial fish farm ponds).
- Do not plant rotational crops, other than those on this label, within 30 days of this application. Do not plant root, tuber and bulb vegetables within 120 days of this application.