# SAFETY DATA SHEET WC-CFZ

**SDS #**: FO004353-1-A **Revision date**: 2021-01-22

Format: NA Version 1



# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name WC-CFZ

Other means of identification

Product Code(s) FO004353-1-A

Legacy Product Code PJ997-R001

Synonyms CARFENTRAZONE-ETHYL:

 $ethyl \ \alpha, 2-dichloro-5-[4-(difluoromethyl)-4, 5-dihydro-3-methyl-5-oxo-1H-1, 2, 4-triazol-1-yl]\\$ 

-4-fluorobenzenepropanoate (CAS name);

ethyl (RS)-2-chloro-3-[2-chloro-5- (4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl) -4-fluorophenyl] propionate (IUPAC name)

Active Ingredient(s) Carfentrazone-ethyl

Chemical Family Triazolinones

PCP#

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

**Restrictions on Use:** Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

# 2. HAZARDS IDENTIFICATION

Classification

**OSHA Regulatory Status** 

Version 1

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation Category 2

#### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

## Signal Word: Warning

#### Hazard Statements

H319 - Causes serious eye irritation



## **Precautionary Statements - Prevention**

P264 - Wash hands thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

# **Precautionary Statements - Disposal**

P501 - Dispose of contents/container according to label directions

## Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

Very toxic to aquatic life with long lasting effects.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Chemical Family**

Triazolinones.

Chemical name	CAS-No	Weight %
Carfentrazone-ethyl	128639-02-1	40
Crystalline silica, quartz	14808-60-7	<1
Naphthalene sulfonic acid-formaldehyde condensate, sodium salt	9084-06-4	15 - 20

Synonyms are provided in Section 1.

# 4. FIRST AID MEASURES

**Eye Contact** Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

WC-CFZ

SDS #: FO004353-1-A **Revision date: 2021-01-22** 

Version 1

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Call a poison control center or doctor immediately for treatment advice Have person sip a Ingestion

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

control center or doctor. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed May cause eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Immediate medical attention is required in cases of ingestion. It may be helpful to show this safety data sheet to physician.

Notes to physician: A specific antidote for exposure to this material is not known. Gastric lavage and/or the administration of activated charcoal can be considered. After decontamination, treatment should be directed at the control of symptoms and the clinical

condition.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Dry chemical. Carbon dioxide (CO<sub>2</sub>). **Small Fire** 

Water spray. Foam. Large Fire

Unsuitable extinguishing media Avoid heavy hose streams.

Specific Hazards Arising from the

Chemical

None known

**Hazardous Combustion Products** 

The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as nitrogen oxides, hydrogen fluoride, hydrogen chloride, sulphur dioxide, carbon monoxide, carbon dioxide and various fluorinated and chlorinated organic compounds.

**Explosion data** 

**Sensitivity to Mechanical Impact** Sensitivity to Static Discharge

No information available. No information available.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate upwind.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

**Environmental Precautions** Keep people and animals away from and upwind of spill/leak. Keep material out of

lakes, streams, ponds, and sewer drains. Keep out of waterways. Do not release to the

environment.

**Methods for Containment** Nearby surface water drains should be covered. Minor spills on the floor or other impervious

> surface should immediately be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with detergent and water. Do not let wash liquid enter drains or waterways. Absorb wash liquid with an inert absorbent such as universal binder, Fuller's earth, bentonite or other absorbent clay and collect in suitable containers. The used containers should be properly closed and labelled.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Version 1

# 7. HANDLING AND STORAGE

**Handling** Handle in accordance with good industrial hygiene and safety practice. Do not contaminate

other pesticides, fertilizers, water, food, or feed by storage or disposal. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wash thoroughly after handling. Remove

contaminated clothing and shoes.

Storage Store in closed, labelled containers. The storage room should be constructed of

incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should

not be present. A hand wash station should be available.

Packaging material Must only be kept in original packaging.

Incompatible products None known

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Carfentrazone-ethyl (128639-02-1)	TWA: 1 mg/m <sup>3</sup>	-	-	-
Crystalline silica, quartz (14808-60-7)	TWA: 0.025 mg/m <sup>3</sup>	TWA: 50 μg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	Mexico: TWA 0.025 mg/m <sup>3</sup>
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Crystalline silica, quartz (14808-60-7)	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.10 mg/m³ respirable	TWA: 0.025 mg/m <sup>3</sup>

#### Appropriate engineering controls

**Engineering measures** Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** For dust, splash, mist or spray exposure, wear chemical protective goggles. Maintain eye

wash fountain and quick-drench facilities in work area.

**Skin and Body Protection** Wear suitable protective clothing. Protective shoes or boots.

**Hand Protection** Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection The product does not automatically present an airborne exposure concern during normal

handling. In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers should put on officially approved respiratory protection equipment

with a universal filter type including particle filter.

**Hygiene measures**Clean water should be available for washing in case of eye or skin contamination. Remove

and wash contaminated clothing before re-use. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Launder work clothing

separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

Version 1

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Granules **Appearance Physical State** Solid

Off-white to beige Color

Odor Latex

**Odor threshold** No information available

рН 8.63

Melting point/freezing point No information available **Boiling Point/Range** No information available Not applicable

Flash point **Evaporation Rate** No information available

Flammability (solid, gas)

Flammability Limit in Air

No information available Upper flammability limit: Lower flammability limit: No information available No information available Vapor pressure No information available Vapor density

Relative density Pour density: 44.7 lbs/ft3 (0.716 g/mL) Tap density: 45.9 lbs/ft3 (0.735 g/mL)

No information available

No information available Specific gravity Water solubility Emulsifies in water Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available

**Explosive properties** Not explosive Non-oxidizing **Oxidizing properties** 

No information available Molecular weight

Pour density: 44.7 lbs/ft3 (0.716 g/mL) **Bulk density** 

Tap density: 45.9 lbs/ft3 (0.735 g/mL)

#### 10. STABILITY AND REACTIVITY

None under normal use conditions Reactivity

**Chemical Stability** Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Heating of the product will produce harmful and irritant vapors. Conditions to avoid

Incompatible materials None known.

Hazardous Decomposition Products See Section 5 for more information.

# 11. TOXICOLOGICAL INFORMATION

**Product Information** 

I D50 Oral > 5000 mg/kg (female rat) > 5000 mg/kg (rat) (male/female) LD50 Dermal > 5.18 mg/L 4 hr (rat) (male/female) LC50 Inhalation (dust)

Serious eye damage/eye irritation

Skin corrosion/irritation Sensitization

Moderately irritating (rabbit). Slightly irritating (rabbit). Non-sensitizing (mice-LLNA).

Version 1

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Carfentrazone-ethyl (128639-02-1)	= 5143 mg/kg (rat)	> 4000 mg/kg (rat)	> 5 mg/L 4h (rat)
Naphthalene sulfonic acid-formaldehyde condensate, sodium salt (9084-06-4)	= 3800 mg/kg(Rat)		

#### Information on toxicological effects

**Symptoms** May cause eye irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Long-term exposure caused neurotoxicity (body tremors, decreased motor activity),

decreased body weight and increased liver and spleen weight

**Mutagenicity** Carfentrazone-ethyl: Not genotoxic in laboratory studies.

Carcinogenicity Carfentrazone-ethyl No evidence of carcinogenicity from animal studies.

**Neurological effects**Carfentrazone-ethyl Not neurotoxic.

**Reproductive toxicity**Carfentrazone-ethyl . No toxicity to reproduction in animal studies.

**Developmental toxicity**Carfentrazone-ethyl . Not teratogenic in animal studies.

STOT - single exposure Not classified. STOT - repeated exposure Not classified.

**Neurological effects** Carfentrazone-ethyl Not neurotoxic.

Aspiration hazard The product does not present an aspiration pneumonia hazard.

Chemical name	ACGIH	IARC	NTP	OSHA
Crystalline silica, quartz	A2	Group 1	Known	X
14808-60-7				

#### Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Carfentrazone-ethyl (128639-0	) <b>2-1</b> )			
Active Ingredient(s)	Duration	Species	Value	Units
	72 h EC50	Algae	0.012	mg/L
	96 h LC50	Rainbow trout	1.6	mg/L
	48 h LC50	Daphnia	>9.8	mg/L
	96 h NOEC	Algae	1.0	μg/L
	21 d NOEC	Fish	0.0187	mg/L
	21 d NOEC	Crustacea	0.22	mg/L
	LC50	Eisenia fetida	> 820	mg/kg
	LD50 Oral	Bee	> 200	μg/bee
	LD50 contact	Bee	> 200	μg/bee
_	LD50 acute oral	Northern bobwhite	>2250	mg/kg
	LD50 Oral	Bobwhite quail	>2000	mg/kg

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Carfentrazone-ethyl	EC50 = 12 μg/l	96 h LC50 = 1,6 mg/L&0,0187	48 h EC50 > 9,8 mg/L&0,22
128639-02-1	14d EC50 = 0,0057 mg/L		
Sodium Benzoate		96 h LC50: 420 - 558 mg/L	48 h EC50: < 650 mg/L (Daphnia

Version 1

532-32-1	(Pimephales promelas) flow-throug 96 h LC50: > 100 mg/L (Pimephale	
Dia/O attackle and a a divisa	promelas) static	40 h F050; - 20 mm/l /Dombnia
Bis(2-ethylhexyl) sodium sulfosuccinate 577-11-7	96 h LC50: 20 - 40 mg/L (Oncorhynchus mykiss) semi-stati 96 h LC50: < 24 mg/L	48 h EC50: = 36 mg/L (Daphnia magna)
	(Oncorhynchus mykiss) static 96 LC50: = 37 mg/L (Lepomis macrochirus) static	

Persistence and degradability Carfentrazone-ethyl . Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Bioaccumulation Carfentrazone-ethyl . The substance does not have a potential for bioconcentration.

Mobility Carfentrazone-ethyl . Not relevant.

#### 13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

> wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and

packages

Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

## 14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation

> 49 CFR Parts 100 through 185, unless shipped in bulk packaging. The classification

below pertains to the shipment in bulk packaging (>119 gal/882 lb).

TDG Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

**UN/ID** no

**Proper Shipping Name** 

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carfentrazone-ethyl) Hazard class 9 Ш **Packing Group** 

Marine Pollutant

UN3077, Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl), 9, III, Description

Marine Pollutant

UN3077

Yes.

ICAO/IATA

UN3077 UN/ID no

**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carfentrazone-ethyl)

**Hazard class Packing Group** 

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl), 9, III,

Marine Pollutant

IMDG/IMO

UN/ID no

**Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carfentrazone-ethyl)

**Hazard class** Ш Packing Group F-A, S-F EmS No. **Environmental Hazards** Marine Pollutant

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl), 9, III,

Marine Pollutant

Version 1

# 15. REGULATORY INFORMATION

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **FIFRA Information**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### Warning

Causes moderate eye irritation. DO NOT get in eyes.

Avoid breathing dust. Avoid contact with eyes, skin or clothing.

Wash thoroughly with soap and water after handling.

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Crystalline silica, quartz	X	X	X
14808-60-7			

# **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Carfentrazone-ethyl 128639-02-1					Х			
Crystalline silica, quartz 14808-60-7	Х	Х	Х	Х	Х	Х	Х	Х
Naphthalene sulfonic	Х	Х		X	X	Х	Х	Х

Version 1

acid-formaldehyde				
condensate, sodium salt				
9084-06-4				

#### **CANADA**

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

# **16. OTHER INFORMATION**

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1	Flammability 1	Physical hazard 0	Personal Protection X

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2021-01-22 Reason for revision: Initial Release

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet