

FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

FENPYROXIMATE	GROUP	21A	INSECTICIDE
---------------	-------	-----	-------------



EPA Reg. No. 71711-57

Crop: Almond; Pistachio; Walnut

Pest: Frosted Scale (*Parthenolecanium pruinosum*)

State: California

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This labeling and the EPA approved container label must be in the possession of the user at the time of application. Read the label affixed to the container for FujiMite® 20SC Miticide/Insecticide before applying. Use of FujiMite 20SC Miticide/Insecticide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for FujiMite 20SC Miticide/Insecticide.

For Control of Frosted Scale (*Parthenolecanium pruinosum*) in Almond, Pistachio, and Walnut

- Apply FujiMite 20SC Miticide/Insecticide at 7.45 to 11.2 fl oz (0.105 to 0.158 lb ai) per acre.
- Use the higher rate for heavy infestations.
- Apply by ground using 100 to 200 gallons of water per acre or an adequate spray volume to achieve complete spray coverage and to make direct contact with the insect.
- Apply FujiMite 20SC Miticide/Insecticide with a silicone, NIS, or mineral oil type spray adjuvant to aid in spray coverage.
- FujiMite 20SC Miticide/Insecticide is effective on nymphal stages only, prior to the "frosted" stage.
- Applications can be made at delayed dormant, targeting overwintering nymphs on the wood or in-season, targeting nymphs on the leaves.
- For best results, tractor speed should not exceed 2 mph.

©2025 Nichino America, Inc. FujiMite is a registered trademark of Nichino America, Inc.



Nichino America, Inc.
4550 Linden Hill Road, Suite 501
Wilmington, DE 19808
888-740-7700