SAFETY DATA SHEET



1. Identification

Product identifier TILL-IT® CHARGED UP™ 6-0-0

Other means of identification

Ag Product - Plant Nutrition Recommended use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Wilbur-Ellis Company LLC Company name **Address** 16300 Christensen Rd. Ste 135

Tukwila, WA 98188

United States

Telephone Branded Products Information (800) 500-1698

E-mail SDS@wilburellis.com

Chemtrec - Domestic **Emergency phone number** (800) 424-9300 Chemtrec - International +1 703-741-5970

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1

> Serious eye damage/eye irritation Category 1 Specific target organ toxicity, repeated Category 2

exposure

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. Causes serious eye damage. May cause damage to

organs through prolonged or repeated exposure.

Precautionary statement

Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective Prevention

clothing/eye protection/face protection. Wear eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Material name: TILL-IT® CHARGED UP™ 6-0-0 SDS US

| Chemical name | Common name and synonyms | CAS number | % |
|-------------------------------------|--------------------------|------------|-----------|
| Urea Sulfuric Acid | | 21351-39-3 | 20 - < 30 |
| Ferrous Sulfate Heptahydrate | | 7782-63-0 | 10 - < 20 |
| Manganese Sulfate | | 10034-96-5 | 3 - < 5 |
| Urea | | 57-13-6 | 3 - < 5 |
| Zinc Sulfate Monohydrate | | 7446-19-7 | 3 - < 5 |
| Other components below reportable I | evels | | 40 - < 50 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or Skin contact

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Ingestion

media

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Should not be released into the environment. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Never return spills to original containers for re-use.

Environmental precautions

Do not contaminate water. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

3927 Version #: 03 Revision date: 12-04-2017 Issue date: 02-09-2017

7. Handling and storage

Precautions for safe handling Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Provide adequate

ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

practices. Use care in handling/storage. Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

| Components | Туре | Value | |
|----------------------------------------------------|----------------------------|------------|----------------------|
| Manganese Sulfate (CAS 10034-96-5) | Ceiling | 5 mg/m3 | |
| US. ACGIH Threshold Limit Value | es | | |
| Components | Туре | Value | Form |
| Ferrous Sulfate Heptahydrate (CAS 7782-63-0) | TWA | 1 mg/m3 | |
| Manganese Sulfate (CAS 10034-96-5) | TWA | 0.1 mg/m3 | Inhalable fraction. |
| , | | 0.02 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide to Che | mical Hazards | | |
| Components | Туре | Value | Form |
| Ferrous Sulfate Heptahydrate (CAS 7782-63-0) | TWA | 1 mg/m3 | |
| Manganese Sulfate (CAS 10034-96-5) | STEL | 3 mg/m3 | Fume. |
| , | TWA | 1 mg/m3 | Fume. |
| US. Workplace Environmental Ex | posure Level (WEEL) Guides | | |
| - | • • • | | |

Biological limit values

Components

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Urea (CAS 57-13-6)

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Value

10 mg/m3

Form

Total particulate.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Type TWA

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear green liquid.

Physical state Liquid. **Form** Liquid. Color Green. Odor Not available.

Material name: TILL-IT® CHARGED UP™ 6-0-0

SDS US 3927 Version #: 03 Revision date: 12-04-2017 Issue date: 02-09-2017

Odor threshold Not available.

pH <

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Relative density

Not available.

Not available.

Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

Pounds per gallon 11.07 Specific gravity 1.33

10. Stability and reactivity

Reactivity Reacts violently with strong alkaline substances. This product may react with reducing agents.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials. Do not mix with other chemicals.

Incompatible materials Bases. Reducing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. May cause

irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contactCauses severe skin burns.Eye contactCauses serious eye damage.IngestionCauses digestive tract burns.

Symptoms related to the physical, chemical and

physical, chemical a toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Permanent eye damage including blindness could result. Symptoms may include stinging, tearing, redness,

swelling, and blurred vision.

Information on toxicological effects

SDS US

Acute toxicity

Components **Species Test Results** Ferrous Sulfate Heptahydrate (CAS 7782-63-0) **Acute Dermal** LD50 Rat > 2000 mg/kg, 24 Hours Oral LD50 Mouse 670 - 680 mg/kg Mouse, Rat 2625 mg/kg Rat > 2000 mg/kg 3.2 g/kg Manganese Sulfate (CAS 10034-96-5) Acute Inhalation LC50 Rat > 4.45 mg/l, 4 Hours Oral Mouse LD50 2330 mg/kg Rat 2150 mg/kg Urea (CAS 57-13-6) **Acute** Oral LD50 Mouse 13000 mg/kg Rat 15000 mg/kg Urea Sulfuric Acid (CAS 21351-39-3) **Acute Dermal** LD50 Rat > 2000 mg/kg, 24 Hours Oral Rat > 2000 mg/kg LD50 Zinc Sulfate Monohydrate (CAS 7446-19-7) Acute **Dermal** LD50 Rabbit > 2000 mg/kg, 24 Hours Oral LD50 Mouse 1891 mg/kg Rat 2280 mg/kg Other LD50 Mouse 316 mg/kg Rat 200 mg/kg * Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

SDS US 3927 Version #: 03 Revision date: 12-04-2017 Issue date: 02-09-2017

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated

May cause damage to organs through prolonged or repeated exposure.

exposure

Aspiration hazard Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful.

12. Ecological information

EcotoxicityBecause of the low pH of this product, it would be expected to produce significant ecotoxicity upon

exposure to aquatic organisms and aquatic systems.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packagingSince emptied containers may retain product residue, follow label warnings, if applicable, even

after container is emptied. Empty containers should be taken to an approved waste handling site

for recycling or disposal.

14. Transport information

DOT

UN number UN3264

UN proper shipping name

Transport hazard class(es)

Corrosive liquid, acidic, inorganic, n.o.s. (Urea Sulfuric Acid)

Class 8
Subsidiary risk Label(s) 8
Packing group ||

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions B2, IB2, T11, TP2, TP27

Packaging exceptions 154
Packaging non bulk 202
Packaging bulk 242

IATA

UN number UN3264

UN proper shipping name Cor

Transport hazard class(es)

Corrosive liquid, acidic, inorganic, n.o.s. (Urea Sulfuric Acid)

Class 8 Subsidiary risk -

Material name: TILL-IT® CHARGED UP™ 6-0-0
3927 Version #: 03 Revision date: 12-04-2017 Issue date: 02-09-2017

П Packing group **Environmental hazards** No **ERG Code** 8L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN3264 **UN number**

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Urea Sulfuric Acid)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards**

Marine pollutant No. **EmS** F-A. S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

DOT



IATA; IMDG



15. Regulatory information

All components are listed on or exempted from the U.S. EPA TSCA Inventory List. US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ferrous Sulfate Heptahydrate (CAS 7782-63-0) Listed. Manganese Sulfate (CAS 10034-96-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Material name: TILL-IT® CHARGED UP™ 6-0-0

SDS US

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. |
|---------------------|------------|----------|
| MANGANESE COMPOUNDS | 10034-96-5 | 3 - < 5 |
| ZINC COMPOUNDS | 7446-19-7 | 3 - < 5 |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

02-09-2017 Issue date 12-04-2017 **Revision date**

Version # 03

NFPA ratings Health: 3

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

SDS US 3927 Version #: 03 Revision date: 12-04-2017 Issue date: 02-09-2017