

RESTRICTED USE PESTICIDE TOXIC TO FISH AND AQUATIC ORGANISMS

For retail sale to and use only by certified applicators or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

FIFRA §2(ee) RECOMMENDATION

For Control of Cranberry Weevil on Cranberry

FIFRA Section 2(ee) recommendation for use in MASSACHUSETTS, WISCONSIN and NEW JERSEY.

FANFARE® EC

EPA Reg. No. 66222-261

FIFRA Section 2 (ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2 (ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This product bulletin must be in the possession of the user at the time of pesticide application.
- Read the "Limitation of Warranty and Liability" in the label booklet for FANFARE EC before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

Cranberry

CROP	PEST	DOSAGE		00445470
		LB AI/A	FL OZ/A	COMMENTS
Cranberry	Cranberry Weevil (Anthonomus musculus)	0.10	6.4	Ground application : Apply in water in a minimum of 24 gallons per acre.
	Blunt nosed leafhoppers (Limotettix vaccinii)			Air application : May be applied via air.

Use Notes:

- DO NOT apply more than 0.3 lb active ingredient (19.2 ounces formulated) per acre per year.
- Do not apply to running water
- Repeat applications if needed to maintain control, but do not make applications less than 7 days apart.
- Preharvest interval 30 days.

Fanfare is a registered trademark of ADAMA.

Makhteshim Agan of North America, Inc., d/b/a ADAMA 8601 Six Forks Rd, Ste. 300., Raleigh, NC 27615 T: 866.406.6262 F: 919.256.9308

