

Revision date: 09/16/2025 Page: 1/14

Version: 3.0

1. Identification

Product identifier used on the label

Autonomy ULTRA Herbicide

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company:

Tenkoz, Inc. 1725 Windwared Concourse, Suite 410 Alpharetta, GA 30005

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

Other means of identification

Registration number: EPA Registration number: 7969-500-55467

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. 4 (Inhalation - mist) Acute toxicity

Skin Corr./Irrit. 2 Skin corrosion/irritation

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Repr. 1B (fertility) Reproductive toxicity
Repr. 2 (unborn child) Reproductive toxicity

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Safety Data Sheet

Autonomy ULTRA Herbicide

Revision date: 09/16/2025 Page: 2/14

Version: 3.0

STOT RE 2 Specific target organ toxicity — repeated

exposure

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

H315 Causes skin irritation. H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H360 May damage fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P260 Do not breathe dust/gas/mist/vapours.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P310 Immediately call a POISON CENTER or physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P308 + P313 IF exposed or concerned: Get medical attention. P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P391 Collect spillage.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Revision date: 09/16/2025 Page: 3/14

Version: 3.0

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

L-Glufosinate-ammonium 88% TC

CAS Number: 73777-50-1 Content (W/W): 18.69 % Synonym: No data available.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)

CAS Number: 68891-38-3

Content (W/W): >= 20.0 - < 25.0%

Synonym: Poly(oxy-1,2-ethanediyl), α -sulfo- ω -hydroxy-, C12-14-alkyl ethers,

sodium salts

D-Glucopyranose, oligomers, decyl octyl glycosides

CAS Number: 68515-73-1 Content (W/W): >= 7.0 - < 10.0% Synonym: No data available.

1-methoxypropan-2-ol

CAS Number: 107-98-2 Content (W/W): >= 5.0 - < 7.0%

Synonym: 1-Methoxy-2-propanol; Propylene glycol monomethyl ether

Sodium Hydroxide

CAS Number: 1310-73-2 Content (W/W): > 0.0 - < 0.2%

Synonym: Sodium hydroxide; Caustic soda

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Revision date: 09/16/2025 Page: 4/14

Version: 3.0

If swallowed:

Do not induce vomiting. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

vomiting, diarrhea, abdominal cramps, tremors, hypotension (low blood pressure), weakness, unconsciousness, coma, convulsions, respiratory arrest, nausea, tachycardia, Symptoms may be delayed for several hours.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Administer activated charcoal. If necessary, give oxygen. Monitor respiratory, cardiac and central nervous system. Medical monitoring for at least 24-48 hours.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides, ammonia oxides, Phosphorus compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Revision date: 09/16/2025 Page: 5/14

Version: 3.0

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

1-methoxypropan-2-ol ACGIH, US: TWA value 50 ppm;

ACGIH, US: STEL value 100 ppm;

Revision date: 09/16/2025 Page: 6/14

Version: 3.0

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid

Odour: ammonia-like

Odour threshold: Not determined since harmful by inhalation.

Colour: reddish

pH value: approx. 6.5 - 8.5

(20 °C) (undiluted)

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point: No flash point - Measurement made

up to pilot light extinguishes.

Flammability: not applicable

Revision date: 09/16/2025 Page: 7/14

Version: 3.0

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: 400 °C

Vapour pressure: approx. 23.4 hPa

(20°C)

Information based on the main

component/s.

Density: approx. 1.13 g/cm3

(20°C)

Vapour density: not applicable

Partitioning coefficient n- not applicable for mixtures

octanol/water (log Pow):

Thermal decomposition: 140 °C, 90 kJ/kg

320 °C, 40 kJ/kg

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: approx. 130 mPa.s

(20°C)

Viscosity, kinematic: approx. 43 mm2/s

(40°C)

Particle size: The substance / product is marketed

or used in a non solid or granular

form.

Solubility in water: completely soluble Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Revision date: 09/16/2025 Page: 8/14

Version: 3.0

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: ammonia

Thermal decomposition:

140 °C, 3 K/min

320 °C, 3 K/min

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after short-term inhalation. Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50 Species: rat (female)

Value: > 2,000 mg/kg (OECD Guideline 423)

Inhalation

Type of value: LC50 Species: rat (male/female)

Value: > 2.083 mg/l (OECD Guideline 403)

Exposure time: 4 h

Dermal

Type of value: LD50 Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Revision date: 09/16/2025 Page: 9/14

Version: 3.0

Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the

Skin

Species: rabbit Result: Irritant.

Method: OECD Guideline 404

Eye

Species: rabbit

Result: irreversible damage Method: OECD Guideline 405

Sensitization

Assessment of sensitization: No sensitizing effect.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: Non-sensitizing. Method: OECD Guideline 429

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: L-Glufosinate-ammonium 88% TC

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs.

Information on: 1-methoxypropan-2-ol

Assessment of repeated dose toxicity: May affect the liver as indicated in animal studies. The substance may cause damage to the kidney after repeated inhalation. Effect found in rodents only. The relevance to humans is questionable.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: L-Glufosinate-ammonium 88% TC

Assessment of reproduction toxicity: Causes impairment of fertility in laboratory animals.

Revision date: 09/16/2025 Page: 10/14

Version: 3.0

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: L-Glufosinate-ammonium 88% TC

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen

in animal studies.

.....

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: L-Glufosinate-ammonium 88% TC LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss

Aquatic invertebrates

Information on: L-Glufosinate-ammonium 88% TC

LC50 (48 h) > 100 mg/l, Daphnia magna

Aquatic plants

Information on: L-Glufosinate-ammonium 88% TC

EC50 (72 h) 37.7 mg/l (other), algae

EC50 (96 h) 0.049 mg/l (growth rate), Anabaena flos-aquae

No observed effect concentration (96 h) 0.0063 mg/l (other), Anabaena flos-aquae

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: L-Glufosinate-ammonium 88% TC

Biodegradable.

Revision date: 09/16/2025 Page: 11/14

Version: 3.0

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: L-Glufosinate-ammonium 88% TC

Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Study scientifically not justified.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Revision date: 09/16/2025 Page: 12/14

Version: 3.0

Sea transport

IMDG

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains GLUFOSINATE-L-AMMONIUM)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains GLUFOSINATE-L-AMMONIUM)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

CERCLA RQ
100 LBSCAS Number
107-98-2Chemical name
1-methoxypropan-2-ol

State regulations

State RTK	CAS Number	Chemical name
NJ	107-98-2	1-methoxypropan-2-ol
PA	107-98-2	1-methoxypropan-2-ol
	25265-71-8	dipropylene alycol

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

Revision date: 09/16/2025 Page: 13/14

Version: 3.0

WARNING: This product can expose you to chemicals including METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Hazards to humans and domestic animals.

HARMFUL IF SWALLOWED.

Harmful if absorbed through skin.

HARMFUL IF INHALED.

Do not get in eyes or on clothing.

Avoid contact with skin.

Wear protective eyewear (goggles, face shield, or safety glasses).

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Wear a long-sleeved shirt, long pants, socks and shoes.

Wear chemical resistant protective gloves.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

Avoid contact with skin or clothing.

Avoid breathing mist/spray.

16. Other Information

SDS Prepared by:

Tenkoz, İnc.

SDS Prepared on: 09/16/2025 based on manufacturer version 2025/01/17

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED

Revision date: 09/16/2025 Page: 14/14

Version: 3.0

A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET