



FIFRA 2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF TEXAS.

This recommendation is valid until December 31, 2027.

MINUET™

EPA Reg. No. 264-1202

Foliar application for suppression of Bakanae – *Gibberella fujikuroi*, *Fusarium* spp., *Macrophomina* spp., *Phytophthora* spp., *Pythium* spp., *Rhizoctonia* spp., and *Verticillium* spp. as a foliar application to crops of Rice subgroups (15 – 22f): Rice; Rice, African; Wild rice; Wild rice, eastern; cultivars, varieties, and hybrids of these commodities.

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

Foliar Spray Application Instructions

Begin applications when environmental conditions are conducive to disease development and repeat as needed. MINUET has a 0-Day Pre-Harvest Interval for all crops contained on this label. Applying MINUET to the soil at plant establishment will enhance root colonization. For improved performance under moderate to severe disease pressure, use the stated higher rates and reduced spray intervals as stated or use MINUET in a tank-mix or rotational program with other registered fungicides.

Use Rates

Apply MINUET at 6 to 12 oz/acre in sufficient water to achieve thorough coverage. Overall, to achieve good coverage, use proper spray pressure, gallonage per acre, nozzles, nozzle spacing and ground speed.

RICE – FOLIAR APPLICATION

Crops of Rice subgroup (15 – 22F): Rice; Rice, African; Wild rice; Wild rice, eastern; cultivars, varieties, and hybrids of these commodities.

Target Diseases	Rate (oz/acre)
Bakanae* – <i>Gibberella fujikuroi</i> <i>Fusarium</i> spp. <i>Macrophomina</i> spp. <i>Phytophthora</i> spp. <i>Pythium</i> spp. <i>Rhizoctonia</i> spp. <i>Verticillium</i> spp.	6 - 12
*NOT FOR USE IN CALIFORNIA	

IMPORTANT

Refer to the MINUET label for additional information and use directions. The most restrictive provision of any label should apply.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937).

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

**Bayer CropScience LP
800 N. Lindbergh Blvd.
St. Louis, MO 63167**