

Safety Data Sheet Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date : 2024/01/30 Page: 1/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

Recommended use*: insecticide

Details of the supplier of the safety data sheet

Company:

BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713 USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 603706

Registration number: EPA Registration number: 499-513 Synonyms: Pyrethrins + piperonyl butoxide

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 2/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Eye Dam./Irrit. 2B Serious eye damage/eye irritation

STOT SE 3 (May cause Specific target organ toxicity — single exposure

drowsiness and

dizziness.)

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

Flam. Aerosol 1 Flammable aerosols

Label elements

Pictogram:



Signal Word: Danger

Hazard Statement:

H222 Extremely flammable aerosol.

H320 Causes eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area.
P261 Avoid breathing mist or vapour or spray.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P391 Collect spillage.

P337 + P313 If eye irritation persists: Get medical attention.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50

°C/122°F.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 3/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Hazards not otherwise classified

<u>Labeling of special preparations (GHS):</u>
May cause paraesthesia. Contains: Pyrethrins

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Pyrethrins

CAS Number: 8003-34-7 Content (W/W): 1.0 % Synonym: Pyrethrin

Piperonylbutoxide

CAS Number: 51-03-6 Content (W/W): 5.0 % Synonym: Piperonylbutoxide

2-Propanol

CAS Number: 67-63-0 Content (W/W): 15.0 - 20.0%

Synonym: 2-Propanol; Isopropyl alcohol, Isopropanol

Ethane, 1,1-difluoro-

CAS Number: 75-37-6 Content (W/W): 50.0 - 75.0% Synonym: No data available.

Acetone

CAS Number: 67-64-1 Content (W/W): 3.0 - 5.0%

Synonym: 2-Propanone Acetone; Dimethyl ketone

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 4/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Vomiting may cause aspiration pneumonia due to the ingredients.

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen fluoride, halogenated hydrocarbons, hydrocarbons If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 5/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 6/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Storage duration: 24 Months

Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

2-Propanol ACGIH, US: STEL value 400 ppm;

ACGIH, US: TWA value 200 ppm; OSHA Z1: PEL 400 ppm 980 mg/m3;

Acetone ACGIH, US: TWA value 250 ppm ;

ACGIH, US: STEL value 500 ppm;

OSHA Z1: PEL 1,000 ppm 2,400 mg/m3;

Pyrethrins ACGIH, US: TWA value 5 mg/m3;

OSHA Z1: PEL 5 mg/m3;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 7/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: aerosol

Odour: characteristic, of the solvent contained in the product Odour threshold: Not determined due to potential health hazard by inhalation.

Colour:

approx. 3.1 - 5.1 pH value: (pH Meter)

(approx. 23 °C)

Melting point: approx. -117 °C

Information applies to the propellant.

approx. -25 °C Boiling point:

Information applies to the propellant.

Flash point: approx. -50 °C

Information applies to the propellant.

Flammability of Aerosol (ASTM D 3065) 9.7 in

Products:

no flashback NFPA 30B flammability: Level 1 Aerosol

Lower explosion limit: 2 %(V)

Information applies to the solvent.

Upper explosion limit: 17.4 %(V)

Information applies to the solvent.

Autoignition: approx. 440 °C

Information applies to the propellant.

approx. 4,270 hPa Vapour pressure:

(20°C)

Information based on the main

component/s.

Density: approx. 0.82 g/cm3

(20°C)

Vapour density: not applicable Partitioning coefficient nnot applicable

octanol/water (log Pow): Thermal decomposition: carbon monoxide, carbon dioxide, hydrogen fluoride,

> halogenated hydrocarbons, To be archived: Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To

avoid thermal decomposition, do not overheat.

Viscosity, dynamic: approx. 2.88 mPa.s (ASTM D 2983)

(approx. 22 °C)

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 8/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Solubility in water: dispersible Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong oxidizing agents, alkali or alkaline-earth metal

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, hydrogen fluoride, halogenated hydrocarbons, To be archived: Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 9/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Oral

Type of value: LD50 Species: rat (female) Value: > 2,000 mg/kg No mortality was observed.

Inhalation

Type of value: LC50 Species: rat (male/female) Value: > 2.08 mg/l Exposure time: 4 h

An aerosol with respirable particles was tested.

No mortality was observed.

Dermal

Type of value: LD50 Species: rat (male/female) Value: > 2,000 mg/kg No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause moderate but temporary irritation to the eyes. May cause slight irritation to the skin.

Skin

Species: rabbit Result: non-irritant

Eye

Species: rabbit Result: Irritant.

Sensitization

Assessment of sensitization: No sensitizing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Buehler test

Species: guinea pig Result: Non-sensitizing.

Chronic Toxicity/Effects

Repeated dose toxicity

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 10/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Piperonylbutoxide

Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.

Information on: 2-Propanol

Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated inhalation.

.

Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyrethrum

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components. No mutagenic effects reported.

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-Assessment of mutagenicity: Not classified, due to lack of data.

Information on: Distillates, petroleum

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not genotoxic in mammalian cell culture. The substance was not mutagenic in mammalian cell culture. The substance was not genotoxic in a test with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: 2-Propanol

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals.

Carcinogenicity

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Teratogenicity

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Other Information

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 11/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: pyrethrum

LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static)

LC50 (96 h) 0.01 mg/l, Lepomis macrochirus

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

LC50 3.49 mg/l, Cyprinodon variegatus LC50 1.9 mg/l, Oncorhynchus mykiss

Information on: Distillates, petroleum

LL50 (96 h) 2 - 5 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic)

The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal values (confirmed by concentration control analytics)

Information on: 2-Propanol

LC50 (96 h) 9,640 mg/l, Pimephales promelas (EPA 72-1, Flow through.)

The statement of the toxic effect relates to the analytically determined concentration. Literature data.

Aquatic invertebrates

Information on: pyrethrum

EC50 (48 h) 0.012 mg/l, Daphnia magna EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

LC50 0.51 mg/l, Gammarus fasciatus LC50 0.49 mg/l, Mysidopsis bahia

Information on: Distillates, petroleum

EL50 (48 h) 1.4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: 2-Propanol

LC50 (24 h) > 10,000 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 12/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Aquatic plants

Information on: Distillates, petroleum

EL50 (72 h) 1 - 3 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No observed effect concentration (72 h) 1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: 2-Propanol

Toxic limit concentration (7 d) 1,800 mg/l, Scenedesmus quadricauda (other, static)

Literature data.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Pyrethrins

Not readily biodegradable (by OECD criteria).

Information on: Piperonylbutoxide

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: Pyrethrins

Bioconcentration factor: 471

Accumulation in organisms is not to be expected.

Information on: Piperonylbutoxide

Bioconcentration factor: 91 - 380 (28 d), Lepomis macrochirus (OECD Guideline 305 E)

Mobility in soil

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 13/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyrethrins

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Piperonylbutoxide

Adsorption to solid soil phase is not expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1

ID number: UN 1950

Hazard label: 2.1, EHSM

Proper shipping name: AEROSOLS

Sea transport

IMDG

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM

Marine pollutant: YES

Proper shipping name: AEROSOLS (contains 1,1-DIFLUOROETHANE, PYRETHRINS)

Air transport

IATA/ICAO

Hazard class: 2.1 ID number: UN 1950

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 14/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

CAS NumberChemical name67-63-02-Propanol51-03-6Piperonylbutoxide

CERCLA RQ CAS Number Chemical name

100 LBS 67-63-0; 64742- 2-Propanol; Distillates (petroleum), hydrotreated light

47-8

1 LBS 8003-34-7 Pyrethrins

State regulations

State RTK	CAS Number	Chemical name
PA	67-63-0	2-Propanol
	67-64-1	Acetone
	8003-34-7	Pyrethrins
NJ	67-63-0	2-Propanol
	67-64-1	Acetone
	8003-34-7	Pyrethrins
	75-37-6	Ethane, 1,1-difluoro-
	51-03-6	Piperonylbutoxide

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Hazards to humans and domestic animals.

HARMFUL IF ABSORBED THROUGH SKIN.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

Prescription Treatment Brand Clear Zone Metered Pyrethrins Spray III

Revision date: 2024/01/30 Page: 15/15 Version: 4.0 (30712809/SDS_CPA_US/EN)

Avoid inhalation of mists/vapours.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Aerosol container contains flammable gas under pressure.

Remove PPE immediately after handling this product.

Wash the outside of gloves before removing.

As soon as possible, wash thoroughly and change into clean clothing.

Keep away from heat, open flames, and sparks.

16. Other Information

SDS Prepared by:

BASF Agricultural Solutions US NA Product Regulations

SDS Prepared on: 2024/01/30

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET