

Revision date: 2025/10/24 Page: 1/15

Version: 6.0 (30523611/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

MICROCARE PRESSURIZED CAPSULE SUSPENSION

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 465826 Registration number: EPA Registr

Registration number: EPA Registration number: 499-539
Chemical family: No applicable information available.
Synonyms: Pyrethrins + piperonyl butoxide

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Aerosol 1 Aerosols

Asp. Tox. 1 Aspiration hazard Resp. Sens. 1B Respiratory sensitization

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2025/10/24 Page: 2/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

Carc. 2 Carcinogenicity

STOT SE 3 (May cause Specific target organ toxicity — single exposure

drowsiness and

dizziness.)

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

Label elements

Pictogram:





Signal Word: Danger

Hazard Statement:

H222 Extremely flammable aerosol.

H229 Pressurized container: May burst if heated.

H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.
 H351 Suspected of causing cancer.
 H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P261 Avoid breathing mist or vapour or spray.
P273 Avoid release to the environment.
P201 Obtain special instructions before use.
P271 Use only outdoors or in a well-ventilated area.

P202 Do not handle until all safety precautions have been read and

understood.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P284 In case of inadequate ventilation wear respiratory protection.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or physician.

P308 + P313 IF exposed or concerned: Get medical attention.

P391 Collect spillage.

P331 Do NOT induce vomiting.

Precautionary Statements (Storage):

Revision date: 2025/10/24 Page: 3/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50

°C/122°F.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Piperonylbutoxide

CAS Number: 51-03-6 Content (W/W): 2.5 % Synonym: Piperonylbutoxide

Pyrethrins

CAS Number: 8003-34-7 Content (W/W): 0.5 % Synonym: Pyrethrin

Distillates, petroleum

CAS Number: 64742-47-8

Content (W/W): >= 10.0 - <= 30.0%

Synonym: Distillates, petroleum, hydrotreated light

propane

CAS Number: 74-98-6

Content (W/W): >= 5.0 - <= 10.0%

Synonym: Propan

n-Butane

CAS Number: 106-97-8

Content (W/W): >= 5.0 - <= 10.0%

Synonym: n-Butan

Diphenylmethane Diisocyanate, isomers and homologues

CAS Number: 9016-87-9

Content (W/W): >= 0.1 - <= 1.0%

Synonym: Isocyanic acid polymethylenepolyphenylene ester; Polymethylene

polyphenylene isocyanate

The actual concentration is withheld as a trade secret. NJ TSRN: New Jersey Trade Secret Registry Number

4. First-Aid Measures

Description of first aid measures

Revision date: 2025/10/24 Page: 4/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Revision date: 2025/10/24 Page: 5/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

Revision date: 2025/10/24 Page: 6/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

propane OSHA Z1: PEL 1,000 ppm 1,800 mg/m3; ; D: Simple asphyxiant, EX: Explosion hazard ACGIH. US: IDLH 2,100 ppm; IDLH values based on the NIO ID, US: 1994 Revised Criteria NIO ID, US: LEL 2.1 % : n-Butane NIO ID, US: IDLH 2,000 ppm; IDLH values based on the 1994 Revised Criteria NIO ID, US: IDLH 1,600 ppm; New/updated values (2016present). IDLH values based on the 2014 publication Current Intelligence Bulletin (CIB) 66: Derivation of Immediately Dangerous to Life or Health (IDLH). NIO ID, US: LEL 1.6 %; ACGIH, US: ; D: Simple asphyxiant, EX: Explosion hazard ACGIH, US: STEL value 1,000 ppm; Explosion hazard. Distillates, petroleum ACGIH, US: Skin Designation Non-aerosol (total hydrocarbon vapor); Danger of cutaneous absorption ACGIH, US: TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

exposures.

conditions in which there are negligible aerosol

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Revision date: 2025/10/24 Page: 7/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Physical state: liquid

Form: liquid, aerosol Odour: characteristic

Odour threshold: Not determined due to respiratory tract sensitizing properties.

Colour: whitish

pH value: approx. 5.5 - 7.5

(approx. 25 °C)

Sublimation point: No applicable information available.

Flash point: > -104 °C

Information applies to the propellant.

(ASTM D 3065)

Flammability of Aerosol > 18 in

Products: no flashback

NFPA 30B flammability: Level 1 Aerosol

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Heat of Combustion: 6.83 kJ/g

Calculated using literature data

Autoignition: approx. 220 - 250 °C

Information applies to the solvent.

Vapour pressure: approx. 4,826 hPa

(approx. 20 °C)

Information applies to the propellant.

Density: approx. 0.92 g/cm3

(20 °C)

Revision date: 2025/10/24 Page: 8/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

Relative density: No data available. Relative vapour density: not applicable

Thermal decomposition: carbon monoxide, carbon dioxide, halogenated hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To

avoid thermal decomposition, do not overheat.

Viscosity, dynamic: approx. 118 mPa.s

(22.7 °C)

Viscosity, kinematic:
Solubility (quantitative):
Solubility (qualitative):
Molecular weight:
Evaporation rate:

No data available.
No data available.
No data available.
not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Incompatible materials

No substances known that should be avoided. strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, halogenated hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

Revision date: 2025/10/24 Page: 9/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg No mortality was observed.

Inhalation

Type of value: LC50 Species: rat (male/female) Value: > 5.16 mg/l Exposure time: 4 h An aerosol was tested. No mortality was observed.

<u>Dermal</u>

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Skin contact causes slight irritation. Not irritating to the eyes.

Skin

Species: rabbit

Result: Slightly irritating.

Eye

Species: rabbit

Revision date: 2025/10/24 Page: 10/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

Result: non-irritant

Sensitization

Assessment of sensitization: The substance may cause sensitization of the respiratory tract. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Diphenylmethane Diisocyanate, isomers and homologues Assessment of sensitization:

The substance may cause sensitization of the respiratory tract. Sensitization after skin contact possible.

Buehler test

Species: guinea pig Result: Non-sensitizing.

Aspiration Hazard

The product has not been tested. The statement has been derived from the properties of the individual components. May also damage the lung at swallowing (aspiration hazard).

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Piperonylbutoxide

Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.

Information on: Isocyanic acid, polymethylenepolyphenylene ester

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Piperonylbutoxide

Assessment of carcinogenicity: IARC Group 3 (not classifiable as to human carcinogenicity). In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

Information on: Distillates, petroleum

Assessment of carcinogenicity: Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Revision date: 2025/10/24 Page: 11/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: Pyrethrins

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

LC50 3.49 mg/l, Cyprinodon variegatus LC50 1.9 mg/l, Oncorhynchus mykiss

Information on: Distillates, petroleum

LL50 (96 h) 2 - 5 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic)

The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar

structure or composition. Nominal values (confirmed by concentration control analytics)

Aquatic invertebrates

Information on: pyrethrum

EC50 (48 h) 0.012 mg/l, Daphnia magna EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia

Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

LC50 0.51 mg/l, Gammarus fasciatus LC50 0.49 mg/l, Mysidopsis bahia

Information on: Distillates, petroleum

EL50 (48 h) 1.4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants

Revision date: 2025/10/24 Page: 12/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

Information on: Pyrethrins

Information on: Piperonylbutoxide

EC50 (72 h) 3.89 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

No observed effect concentration (72 h) 0.824 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Pyrethrins

Not readily biodegradable (by OECD criteria).

Information on: Piperonylbutoxide

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Pyrethrins

Information on: Piperonylbutoxide

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyrethrins

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Revision date: 2025/10/24 Page: 13/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

Information on: Piperonylbutoxide

Adsorption to solid soil phase is not expected.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM
Proper shipping name: AEROSOLS

Sea transport

IMDG

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM

Marine pollutant: YES

Proper shipping name: AEROSOLS (contains SOLVENT NAPHTHA, PETROLEUM

GASES, LIQUEFIED, SWEETENED)

Air transport

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / listed

Revision date: 2025/10/24 Page: 14/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

CAS NumberChemical name51-03-6Piperonylbutoxide

CERCLA RQ	CAS Number	Chemical name
100 LBS	106-97-8; 74-98-6;	n-Butane; propane; Distillates (petroleum),
	64742-47-8;	hydrotreated light; Distillates, petroleum
	64742-47-8	
1 LBS	8003-34-7	Pyrethrins

State regulations

State RTK	CAS Number	Chemical name
PA	74-98-6	propane
	106-97-8	n-Butane
	64742-47-8	Distillates, petroleum
NJ	74-98-6	propane
	64742-47-8	Distillates, petroleum
	51-03-6	Piperonylbutoxide
	106-97-8	n-Butane

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

FLAMMABLE.

KEEP OUT OF REACH OF CHILDREN.

Hazards to humans and domestic animals.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HARMFUL IF ABSORBED THROUGH SKIN.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Wear a long-sleeved shirt, long pants, socks and shoes.

Wear chemical resistant protective gloves.

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment. If no such instructions for washables exists, use detergent and hot water.

Keep and wash personal protective equipment separately from other laundry.

Keep away from heat, open flames, and sparks.

Aerosol container contains flammable gas under pressure.

Revision date: 2025/10/24 Page: 15/15 Version: 6.0 (30523611/SDS_CPA_US/EN)

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/10/24

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/10/24 Version: 6.0
Date / Previous version: 2018/05/02 Previous version: 5.0

END OF DATA SHEET