

# Safety Data Sheet Lexicon Intrinsic Brand Fungicide

Revision date: 2022/03/29 Page: 1/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

## 1. Identification

### Product identifier used on the label

# **Lexicon Intrinsic Brand Fungicide**

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, fungicide

### Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

## **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Substance number: 619007

Registration number: EPA Registration number: 7969-350 Synonyms: Pyraclostrobin + Fluxapyroxad

### 2. Hazards Identification

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

### Classification of the product

Acute Tox. 4 (oral) Acute toxicity

Skin Corr./Irrit. 2 Skin corrosion/irritation Carc. 2 Carcinogenicity

Repr. Add. cat. lact. Reproductive toxicity

STOT SE 3 (irritating to Specific target organ toxicity — single exposure

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# **Lexicon Intrinsic Brand Fungicide**

Revision date: 2022/03/29 Page: 2/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

respiratory system)

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

#### Label elements

#### Pictogram:





# Signal Word: Warning

Hazard Statement:

H315 Causes skin irritation. H302 Harmful if swallowed.

H362 May cause harm to breast-fed children.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P273 Avoid release to the environment.
P201 Obtain special instructions before use.

P271 Use only outdoors or in a well-ventilated area.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust or mist.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.
P263 Avoid contact during pregnancy and while nursing.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical attention.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P330 Rinse mouth P391 Collect spillage.

P332 + P313 If skin irritation occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

### Hazards not otherwise classified

Labeling of special preparations (GHS):

# **Lexicon Intrinsic Brand Fungicide**

Revision date: 2022/03/29 Page: 3/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

## 3. Composition / Information on Ingredients

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Pyraclostrobin

CAS Number: 175013-18-0 Content (W/W): 28.58 % Synonym: No data available.

### Fluxapyroxad

CAS Number: 907204-31-3 Content (W/W): 14.33 % Synonym: No data available.

#### 1,2-benzisothiazol-3(2H)-one

CAS Number: 2634-33-5 Content (W/W): < 0.1% Synonym: No data available.

## 2-Methyl-4-Isothiazolin-3-one

CAS Number: 2682-20-4 Content (W/W): < 0.1% Synonym: Kathon CG 243

## 4. First-Aid Measures

### **Description of first aid measures**

#### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

#### If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

### If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

## Most important symptoms and effects, both acute and delayed

# **Lexicon Intrinsic Brand Fungicide**

Revision date: 2022/03/29 Page: 4/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

## 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

## Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

## Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### **Further information:**

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

#### **Environmental precautions**

Contain contaminated water/firefighting water.

#### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

## 7. Handling and Storage

## Precautions for safe handling

# Safety Data Sheet Lexicon Intrinsic Brand Fungicide

Revision date: 2022/03/29 Page: 5/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

#### Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

## Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No substance specific occupational exposure limits known.

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

#### Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

# **Lexicon Intrinsic Brand Fungicide**

Revision date: 2022/03/29 Page: 6/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form: liquid

Odour: faint odour, fruity

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: off-white

pH value: approx. 6 - 8 (pH Meter)

(20 °C)

(measured with the undiluted

substance)

Boiling point: approx. 100 °C (measured)

Flash point: No flash point - Measurement made

up to the boiling point.

Flammability: not applicable

Autoignition: 535 °C (Directive

92/69/EEC, A.15)

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4,

28.4.4)

Density: approx. 1.16 g/cm3 (OECD Guideline

(20 °C) 109)

approx. 9.6807 Lb/USg

(68°F)

Vapour density: not applicable Partitioning coefficient n- not applicable

octanol/water (log Pow):

Thermal decomposition: 95 °C, 20 kJ/kg (DSC (OECD 113))

165 °C, 140 kJ/kg (DSC (OECD 113)) 270 °C, 590 kJ/kg (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: 63 mPa.s (OECD 114)

( 20 °C)

Solubility in water: dispersible Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# **Lexicon Intrinsic Brand Fungicide**

Revision date: 2022/03/29 Page: 7/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Directive 2004/73/EC, A.21)

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage.

## Incompatible materials

strong acids, strong bases, strong oxidizing agents

## Hazardous decomposition products

### Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

95 °C, 2.5 K/min (DSC (OECD 113))

165 °C, 2.5 K/min (DSC (OECD 113))

270 °C, 2.5 K/min (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Relatively nontoxic after short-term inhalation. Relatively nontoxic after short-term skin contact.

#### Oral

Type of value: LD50 Species: rat (female)

Value: > 500 - < 2,000 mg/kg (OECD Guideline 423)

#### **Inhalation**

# Lexicon Intrinsic Brand Fungicide

Revision date: 2022/03/29 Page: 8/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

Type of value: LC50 Species: rat (male)

Value: > 6.11 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol with respirable particles was tested.

**Dermal** 

Type of value: LD50 Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### <u>Irritation / corrosion</u>

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause moderate irritation to the skin.

Skin

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

<u>Eye</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

#### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406

### Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

## **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### Information on: pyraclostrobin

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: Fluxapyroxad

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in

animal studies.

\_\_\_\_\_

## Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

# **Lexicon Intrinsic Brand Fungicide**

Revision date: 2022/03/29 Page: 9/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Information on: Pyraclostrobin

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

given by reed, a caremogerne

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility

impairing effect. May cause harm to children via breast-feeding.

\_\_\_\_\_

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Other Information

Misuse can be harmful to health.

## 12. Ecological Information

### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic invertebrates. Very toxic (acute effect) to fish. Acutely toxic for aquatic plants.

## Toxicity to fish

Information on: pyraclostrobin

LC50 (96 h) > 0.0121 - < 0.0258 mg/l, Cyprinus carpio

LC50 (96 h) > 0.0196 - < 0.0335 mg/l, Lepomis macrochirus

LC50 (96 h) 0.00616 mg/l, Oncorhynchus mykiss

Information on: Fluxapyroxad

LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static)

LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

-----

## Toxicity to fish

# **Lexicon Intrinsic Brand Fungicide**

Revision date: 2022/03/29 Page: 10/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

Information on: pyraclostrobin

LC50 (96 h) 0.00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

Information on: Fluxapyroxad

LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static) LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static) LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

-----

#### Aquatic invertebrates

Information on: pyraclostrobin

EC50 (48 h) 0.0157 mg/l, Daphnia magna

Information on: Fluxapyroxad

EC50 (48 h) 6.78 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

\_\_\_\_\_

### Aquatic invertebrates

Information on: pyraclostrobin

EC50 (48 h) 0.0157 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on: Fluxapyroxad

EC50 (48 h) 6.78 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

\_\_\_\_\_

## Aquatic plants

Information on: pyraclostrobin

EC50 (72 h) > 0.843 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201) EC10 (72 h) 0.078 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Information on: Fluxapyroxad

EC50 (72 h) 0.70 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (96 h) 0.66 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (72 h) 0.31 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (96 h) 0.36 mg/l (growth rate), Pseudokirchneriella subcapitata

-----

#### Chronic toxicity to fish

Information on: Fluxapyroxad

No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)

Information on: pyraclostrobin

No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD

Guideline 210, Flow through.)

## Chronic toxicity to aquatic invertebrates

Information on: Fluxapyroxad

No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Information on: pyraclostrobin

# **Lexicon Intrinsic Brand Fungicide**

Revision date: 2022/03/29 Page: 11/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (28 d) 0.00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

\_\_\_\_\_\_

## Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

## **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## 13. Disposal considerations

## Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

## 14. Transport Information

#### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

Sea transport

**IMDG** 

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains PYRACLOSTROBIN, FLUXAPYROXAD)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082

# **Lexicon Intrinsic Brand Fungicide**

Revision date: 2022/03/29 Page: 12/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, FLUXAPYROXAD)

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

## 15. Regulatory Information

#### **Federal Regulations**

#### Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### State regulations

State RTK	<b>CAS Number</b>	<b>Chemical name</b>
PA	57-55-6	Propylene glycol
	108-88-3	Toluene
MA	108-88-3	Toluene
NJ	57-55-6	Propylene glycol
	108-88-3	Toluene

#### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

#### **BASF Risk Assessment, CA Prop. 65:**

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

## **NFPA Hazard codes:**

Health: 1 Fire: 1 Reactivity: 0 Special:

#### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

#### CAUTION:

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED.

# Safety Data Sheet Lexicon Intrinsic Brand Fungicide

Revision date: 2022/03/29 Page: 13/13 Version: 10.0 (30604404/SDS\_CPA\_US/EN)

Avoid contact with the skin, eyes and clothing.

#### 16. Other Information

## SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2022/03/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE. WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**