# **TAMVA** An American Vanguard Company

# SAFETY DATA SHEET

### 1. Identification

**Product identifier DURHAM® METALDEHYDE GRANULES 3.5** 

Other means of identification

SDS number 137

**Product registration** 

number

5481-91

Recommended use Molluscicide

**Recommended restrictions** Keep out of the Reach of Children!

Keep away from dogs and other domestic animals!

EPA: 5481-91 **EPA Registration number** 

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name **AMVAC Chemical Corporation** 

**Address** 4695 MacArthur Court

Suite 1200

Newport Beach, CA 92660

**AMVAC Chemical Corp** 949-260-1200 **Telephone** 

> **AMVAC Chemical Corp** 949-260-6270(FAX)

Website www.amvac.com

CustServ@amvac.com E-mail

**Emergency phone number** Medical 888-681-4261 **CHEMTREC®** 800-424-9300

(USA+Canada)

Product Use

888-462-6822 CHEMTREC® (Outside +1-703-527-3887

USA)

2. Hazard(s) identification

Physical hazards Not classified. Not classified. Health hazards **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

**Hazard symbol** None. None. Signal word

**Hazard statement** Not available.

**Precautionary statement** 

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

Dispose of contents/container in accordance with all applicable Disposal

local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information,

including directions for use.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name              | Common name and synonyms   | CAS number | %       |
|----------------------------|--|------------|---------|
| Metaldehyde                |  | 108-62-3   | 3.5     |
| Carrier                    |  | NA         | 85 - 95 |
| Constituents               |  |            |         |
| Chemical name              | Common name and synonyms   | CAS number | %       |
| Crystalline silica, quartz |  | 14808-60-7 | trace   |
| Composition comments       | Occupational Exposure Limits for constituents are listed in Section 8. |            |         |
| 4 First sid was saves      |  |            |         |

# 4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact

Remove contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before reuse.

Eye contact Ingestion Remove contact lenses, if present and easy to do. Continue rinsing.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.

Based o

Most important symptoms/effects, acute and delayed

Based on animal toxicity information for metaldehyde, it is anticipated that this material would be harmful upon ingestion and that direct contact may /elicit mild eye and skin irritation. Overexposure to metaldehyde may cause excessive salivation, vomiting, nausea, acetonuria (odor of acetone on breath), convulsions, increased body temperature, depression of medullary respiratory and vasomotor control centers. Coma. May be fatal. [Note: Because of the low amounts of metaldehyde in the product, it is unlikely the victim can be exposed to sufficient quantities of metaldehyde to have coma or death induced]. Overexposure may aggravate preexisting conditions associated with the kidney, liver, and brain.

Indication of immediate medical attention and special treatment needed

Metaldehyde is a systemic toxin. There is no antidote. According to Hazardous Substance Database (HSDB), gastric lavage should be considered if potentially life-threatening levels of Metaldehyde have been ingested, if the procedure can be performed within one hour of ingestion. Administration of Diazepam or Clonidine 20 minutes after ingestion of 1000 mg/kg of Metaldehyde by mice delayed the onset of symptoms and reduced mortality. This is equivalent to 0.6 lb of metaldehyde ingested for a 10 kg child. Therefore, Diazepam and Clonidine may be appropriate antidotes to reduce the symptomatology of Metaldehyde ingestion. For acute inhalation overexposure, the patient should be monitored as respiratory failure may occur 24 to 48 hours after exposure. Contact your local or state Poison Control Center for more information. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

**General information** 

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance. In case of shortness of breath, give oxygen. Keep victim warm. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

Carbon oxides, paraldehyde, acetaldehyde, and other unknown compounds can be formed during the combustion of Metaldehyde.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Use water spray to cool unopened containers.

equipment/instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Shovel up and place in a container for salvage or disposal. Following product recovery, flush area with water. For waste disposal, see section 13 of

the SDS

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Keep

away from food, drink and animal feedstuffs. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS). Do not store in direct sunlight.

# 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| LIS | OSHA: | Table 7-1 | l I imits fo  | r Air C | Contaminants             | (29 CF | R 1910 1000\ |
|-----|-------|-----------|---------------|---------|--------------------------|--------|--------------|
| UJ. | USHA  | I able 2- | i Liiiiilə io | IAIIU   | <i>,</i> Ulliallillialis | 123 66 | N 1310.10001 |

| Constituents                                   | Туре          | Value       | Form                 |
|--|---------------|-------------|----------------------|
| Crystalline silica, quartz<br>(CAS 14808-60-7) | PEL           | 0.05 mg/m3  | Respirable dust.     |
| US. OSHA Table Z-3 (29 CFR 191                 | 0.1000)       |             |                      |
| Components                                     | Туре          | Value       |                      |
| Carrier  | TWA           | 0.8 mg/m3   |                      |
|  |               | 20 mppcf    |                      |
| Constituents                                   | Туре          | Value       | Form                 |
| Crystalline silica, quartz<br>(CAS 14808-60-7) | TWA           | 0.1 mg/m3   | Respirable.          |
| US. ACGIH Threshold Limit Value                | es            |             |                      |
| Constituents                                   | Туре          | Value       | Form                 |
| Crystalline silica, quartz<br>(CAS 14808-60-7) | TWA           | 0.025 mg/m3 | Respirable fraction. |
| US. NIOSH: Pocket Guide to Che                 | mical Hazards |             |                      |
| Components                                     | Туре          | Value       |                      |
| Carrier  | TWA           | 6 mg/m3     |                      |
| Constituents                                   | Туре          | Value       | Form                 |
| Crystalline silica, quartz<br>(CAS 14808-60-7) | TWA           | 0.05 mg/m3  | Respirable dust.     |

# **Biological limit values**

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Gray to brown or blue granule **Appearance** 

Physical state Solid. **Form** Granular.

Color Gray to brown or blue

Odor Aldehyde odor Odor threshold Not available. Not available. Not applicable Melting point/freezing point Initial boiling point and boiling Not applicable

range

Not available. Flash point **Evaporation rate** Not available Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

1.90E+00 @ 24°C (active ingredient) Vapor pressure

Vapor density 6.06 (air = 1)1.3 - 1.4 Relative density

Solubility(ies)

0.2 g/l @ 17°C for active ingredient Solubility (water)

Not available Partition coefficient

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not available. **Viscosity** 

Other information

81.3 - 87.5 lb/ft3 **Bulk density Explosive properties** Not explosive. Not oxidizing. **Oxidizing properties** 

Percent volatile 5 %

pH in aqueous solution Not available

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid Conditions to avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Chlorine. Fluorine. Incompatible materials

**Hazardous decomposition** 

products

Emits hazardous fumes and smoke of unknown composition when heated to decomposition or burned. Acetaldehyde can be formed by decomposition of Metaldehyde. Decomposition by burning

may result in carbon monoxide and other toxic fumes and vapors of unknown composition.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Slight skin irritant.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Based on animal toxicity information for Metaldehyde, it is anticipated that this material would be harmful upon ingestion and that direct contact may elicit mild eye and skin irritation. Overexposure to Metaldehyde may cause excessive salivation, vomiting, nausea, acetonuria (odor of acetone on breath), convulsions, increased body temperature, depression of medullary respiratory and vasomotor control centers and coma. May be fatal. [Note: Because of the low amounts of Metaldehyde in the product, it is unlikely the victim can be exposed to sufficient quantities of Metaldehyde to have coma or death induced.] Overexposure may aggravate preexisting

conditions associated with the kidney, liver, and brain.

#### Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Product Species Test Results

Metaldehyde Granules 3.5

<u>acute</u>

dermal

LD50 Rabbit > 5050 mg/kg

oral

LD50 Rat > 5000 mg/kg

**Skin corrosion/irritation** Causes slight skin irritation.

Serious eye damage/eye

irritation

Slight irritant.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** Not a skin sensitizer.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

**Carcinogenicity**None of the components found in appreciable quantities has been found to be carcinogenic by

IARC, NTP, or OSHA. Acetaldehyde, a decomposition product of Metaldehyde, has been listed as carcinogenic in the IARC monographs. Respirable crystalline silica is listed as being carcinogenic

by both IARC and NTP. Both are present at less than 0.01% in the product.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carrier (CAS NA) 3 Not classifiable as to carcinogenicity to humans.

Crystalline silica, quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Crystalline silica, quartz (CAS 14808-60-7)

Cance

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Crystalline silica, quartz (CAS 14808-60-7)

Known To Be Human Carcinogen.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Material name: DURHAM® METALDEHYDE GRANULES 3.5

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed

containers. Dispose of contents/container in accordance with all applicable

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

### DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

Read safety instructions, SDS and emergency procedures before handling.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

# 15. Regulatory information

## **US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

United States Environmental Protection Agency (EPA) Labeling Requirements: This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

# HAZARD TO HUMANS AND DOMESTIC ANIMALS.

CAUTION! Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with on skin, in eyes, or on clothing. Avoid breathing dust.

IMPORTANT: This product can be harmful to children and fatal to domestic animals when ingested. Children and dogs may be attracted to the product. Application of this product is prohibited unless children and domestic animals can be excluded from the treated area from the start of the application until applied material is no longer visible.

# **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to mollusks (e.g., clams, oysters, scallops, mussels). Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate. This pesticide is toxic to birds and mammals. Granules on soil surface may be hazardous to terrestrial wildlife. Cover or collect any such materials spilled during loading.

#### **Toxic Substances Control Act (TSCA)**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Metaldehyde (CAS 108-62-3) Listed.

# SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Crystalline silica, quartz (CAS 14808-60-7)

lung effects

immune system effects

kidnev effects

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

## SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

#### California Proposition 65



This product can expose you to free respirable Crystalline (quartz) Silica, which is known to the WARNING:

State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

# California Proposition 65 - CRT: Listed date/Carcinogenic substance

Crystalline silica, quartz (CAS 14808-60-7) Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Crystalline silica, quartz (CAS 14808-60-7)

#### International Inventories

| Country(s) or region | Inventory name                                     | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Canada               | Domestic Substances List (DSL)                     | No                     |
| Canada               | Non-Domestic Substances List (NDSL)                | No                     |
| Europe               | European Inventory of Existing Commercial Chemical | No                     |

Substances (EINECS)

European List of Notified Chemical Substances (ELINCS) Europe No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

Apr-08-2015 Issue date **Revision date** Sep-16-2020

Version # 4.0 **HMIS®** ratings Health: 1

> Flammability: 1 Physical hazard: 0

Material name: DURHAM® METALDEHYDE GRANULES 3.5

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

NFPA ratings

Health: 1 Flammability: 1 Instability: 0

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the material to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2020 AMVAC Chemical Corporation. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation. All Rights Reserved.

Durham, Durham Metaldehyde Granules 3.5, Durham Ornamental 3.5, and Trails End are trademarks owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety.

SDS US

827 Version #: 4.0 Revision date: Sep-16-2020 Issue date: Apr-08-2015