



SOURCE XC-B is one part of a two part soil amendment system. SOURCE XC-B is intended to be mixed in the application tank and applied simultaneously with SOURCE XC-A. Read and follow all SOURCE XC label directions before using this product.

GUARANTEED ANALYSIS

94.7% OTHER INGREDIENTS:
DIALKYL LACTAMIDE

CONTAINS NON PLANT FOOD INGREDIENT(S):

ACTIVE INGREDIENT
5.3% MALTOL LACTONE

Net Content: 128 oz (1 gallon) Net Weight: 8.83 lbs (4.01 kg)

Density: 8.83 lbs/gal at 68 degrees F

FOR COMMERCIAL AGRICULTURAL USE ONLY

APPLICATION INSTRUCTIONS

CROP: Wheat, cotton, forages, soybeans

RATE: 1.25 fl oz/ac of SOURCE XC-B. Combine in tank

mix with equal volume of SOURCE XC-A.

TIMING: Safe to apply after emergence as a tank mix with herbicide or fungicide application. Please consult your Sound representative for specific application instructions.

FOR BEST RESULTS:

- Shake each component vigorously for 30 seconds.
- Add 1.25 fl oz / ac component XC-B to the mix tank and stir after addition of component XC-A to the mix tank.
- It is not recommended to mix the XC-A and XC-B components together outside of a mix tank. Doing so will require additional rinses to get all materials out of the measuring container.
- Apply with 10+ gallons of water per acre for best coverage
- Use non-ionic surfactant (NPE-free)
- Do not mix into water or solution pH>7
- · Apply same day as mixing
- Avoid mixing with high pH fertilizers
- Apply at least two hours before rain and allow to dry



6401 Hollis Street, Suite 100 Emeryville, CA 94608

Use the QR code to find detailed product information and terms and conditions. For more guidance, contact a Sound representative.



https://www.sound.ag/grower-resources

For customer service please contact (833) 768-6320 or support@sound.ag.

STORAGE AND DISPOSAL

Store in a cool, dry area out of reach of children and animals, as well as out of direct sunlight during storage for extended amounts of time. Store in original container. Keep container tightly sealed when not in use. Store at temperatures above 40°F. Do not reuse empty container. Dispose of according to state and federal guidelines.

USE PRECAUTIONS

Wear eye protection and impermeable gloves when handling. If applying with a backpack sprayer, use NIOSH approved respirator APF50 or APF1000. Do not eat, drink, or smoke when using this product. Refer to the Safety Data Sheet for additional details. Conduct a jar test before mixing to determine compatibility.

KEEP OUT OF REACH OF CHILDREN. In the event of a medical or transportation emergency call: 1-800-535-5053. Information regarding the contents and levels of metals in this product is available on the internet at: https://www.aapfco.org/metals.html

May present the following hazards:

- Human Health Specific Target Organ Toxicity, Reproductive Toxicity, Skin Irritation, Eye Irritation
- Environmental Toxic to Aquatic Life