

FLUOPYRAM	GROUP	7	FUNGICIDE
TRIFLOXYSTROBIN	GROUP	11	FUNGICIDE

## FIFRA 2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE(S) OF AL, AR, AZ, CA, CO, CT, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NV, OH, OK, OR, PA, PR, RI, SC, SD, TN, UT, VA, VT, WA, WI, WV, WY

## **BROADFORM®**

EPA Reg. No. 101563-158

## For Control of Beech Leaf Disease on Beech Trees

**FIFRA Section 2(ee) Recommendation:** This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

## **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its label.

Plant	Target Disease	Application Rate	Interval between applications (days)
Beech Tree	Beech Leaf Disease (BLD)  Do not appare per years Application operating	4 - 8 fluid ounces/100 gallons  oly more than 27.3 fl. oz. o ear.  ns are to be made through between 150-350 psi. preader sticker is recomm	7 - 21 until the threat of disease is over  f BROADFORM per hydraulic sprayers
	efficacy fo	r BLD.	

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-424-9300.

For PRODUCT USE Information Call 1-800-331-2867.

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-800-331-2867.

Environmental Science US, LLC. 5000 CentreGreen Way, Suite 400 Cary, NC 27513