RESTRICTED USE PESTICIDE

DUE TO TOXICITY TO NON-TARGET INVERTEBRATES, MAMMALS, AND AQUATIC ORGANISMS

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION



Section 2 (ee) Recommendation

Date: March 4, 2024

Product: Agri-Mek® SC Miticide/Insecticide, EPA Reg. No. 100-1351

Use: For Suppression of Nematodes in Potatoes

State: Oregon

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.
- This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

Agri-Mek SC Miticide/Insecticide will provide suppression of nematodes when applied as two sequential applications through overhead sprinkler chemigation at the rate of 3.5 fl oz/A in potatoes.

Refer to the Agri-Mek SC Miticide/Insecticide Section 3 label for all sprinkler chemigation directions and restrictions.

Apply as part of an overall nematode management program. For best results make two applications between 7 and 14 days apart through overhead sprinkler chemigation. Do not apply more than the maximum amount per application. Do not exceed 10.25 fl oz (0.056 lb ai/A) of Agri-Mek SC or any other abamectin-containing product per crop per year including all application types.

©2024 Syngenta

Agri-Mek® and the Syngenta logo are trademarks of a Syngenta Group Company.

2(ee) Registrant: Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, NC 27419-8300

Label Code: OR1351260BC0324