RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms. For retail sale to and use only by certified applicators or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

FIFRA Section 2(ee) Recommendation



EPA Reg. No. 91234-104

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the U.S. Environmental Protection Agency.

For Distribution and Use Only in the State of Washington For Control of Cutworms, Grape Berry Moth and Japanese Beetles on Grapes

CROP	PEST	RATE		APPLICATION INSTRUCTIONS
		LBS	FL	
		Al/A	OZ/A	
Grapes	Cutworms Grape berry moth	0.05 to 0.1	3.2 to 6.4	Ground Application: Apply in water in a miniumum of 25 gallons per acre.
	Japanese beetles adults			Air Application: Apply in water in a minimum of 10 gallons per acre.
				Emulsified oil may be substituted for water.
				See section entitled MIXING INSTRUCTIONS for details on the amount of oil to use in the spray tank in lieu of water.
				When pest presure is moderate to severe, use the higher rate.

RESTRICTIONS:

- Do not apply more than 0.1 lb. active ingredient (6.4 ounces formulated) per acre per season.
- Do not apply within 30 days of harvest (PHI).

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and follow all applicable directions for use, restrictions, worker protection standard requirements, and precautions on the EPA registered main label attached to the container of **BatallionTM 2 EC (EPA Reg. No. 91234-104).**



Manufactured for: Atticus, LLC 5000 CentreGreen Way, Suite 100 Cary, NC 27513