

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 07/26/2018

SST 28% SILICA SUPERSEDES: 09/11/2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name SST 28% SILICA

Other means of identification

Product Code FRT-0017A **Document** 1000238344 **Synonyms** None

Recommended use of the chemical and restrictions on use **Recommended Use** Soil Nutrient, Foliar Nutrient. Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address LOVELAND PRODUCTS, INC. P.O. Box 1286 Greeley, CO 80632-1286

Emergency telephone number

Company Phone Number Emergency Telephone

1-888-LPI-CUST (574-2878) Chemtrec 1-800-424-9300

Medical Emergencies: 1-866-944-8565

US regulations require reporting spills of this material that could reach any surface waters.

The toll-free phone number for the US Coast Guard National Response Center is

1-800-424-8802

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)

Category 4 - (H332)

Label elements



WARNING Signal word

Hazard statements H332 - Harmful if inhaled

Precautionary Statements -

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray Prevention

P271 - Use only outdoors or in a well-ventilated area

Precautionary Statements -

comfortable for breathing

Response

Page 1/9

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position



SST 28% SILICA

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 07/26/2018

SUPERSEDES: 09/11/2017

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

Hazards not otherwise classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

*The exact percentage (concentration) of composition has been withheld as a trade secret.

OSHA Hazard Communication 29 CFR 1910.1200

4. FIRST AID MEASURES

Description of first aid measures

General advice Get medical attention if symptoms occur.

Eye contact Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Hold

eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical

attention. Call a poison control center or doctor for treatment advice.

Skin contact Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center

or doctor for treatment advice. Take off contaminated clothing.

Inhalation Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor

for treatment advice.

Ingestion Call a poison control center or doctor for treatment advice. Have person sip a glass of water

if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

Self-protection of the first aiderUse personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed. Have the product container or label with

you when calling a poison control center or doctor or going for treatment. You may also call

1-866-944-8565 for emergency medical treatment information.

Note to physicians No specific antidote. Treat symptomatically.

Antidotes No data available



SST 28% SILICA SUPERSEDES: 09/11/2017

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 07/26/2018

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire, Use CO2, dry chemical, or foam

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use

personal protective equipment as required.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use with local exhaust ventilation. Use personal protective equipment as required. Do not

breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled

containers.

Incompatible materialsNone known based on information supplied.



SST 28% SILICA SUPERSEDES: 09/11/2017

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 07/26/2018

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection Dependent on job function. If vapors or dusts exceed acceptable levels, wear a

MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air

respirator if exposure concentrations are unknown.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.



SST 28% SILICA SUPERSEDES: 09/11/2017

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 07/26/2018

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceAqueous solutionColorNo data available

Odor Slight

Odor threshold No data available

Property Values (Remarks - Method)

pH No data available
Melting point / freezing point No data available
Boiling point No data available

Flash point > 100 > 212 (Tag Closed Cup)

Evaporation rate No data available Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
No data available
No data available
Vapor pressure
No data available
Vapor density
No data available

Specific Gravity 1.15 g/ml Water solubility Soluble

Solubility in other solvents No data available Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available No data available Dynamic viscosity No data available **Explosive properties** No data available **Oxidizing properties**

Other Information

VOC Content (%) No data available Density 9.60lbs/gal

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



SST 28% SILICA SUPERSEDES: 09/11/2017

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 07/26/2018

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Acute toxicity of the formulated product: Oral LD50 6031 Dermal LD50 2441 Inhalation (Dust) LC50 3

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Amorphous Silicon Dioxide	-	Group 3	-	-
7631-86-9				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Chronic toxicity

No information available.
No information available.
Avoid repeated exposure.

Target Organ Effects Eye damage/irritation, Respiratory system.

Aspiration hazard No information available.

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.



SST 28% SILICA SUPERSEDES: 09/11/2017

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 07/26/2018

12. ECOLOGICAL INFORMATION

Ecotoxicity

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or

equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/.

Do not contaminate water, food or feed by storage or disposal.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOT

UN/ID no Not regulated Proper shipping name Not regulated

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED

FERTILIZERS), NOI, LIQUID (NMFC 68140, SUB 6; CLASS 70)



SST 28% SILICA

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 07/26/2018

SUPERSEDES: 09/11/2017

15. REGULATORY INFORMATION

NFPA Health hazards 2 Flammability 0 Instability 0 **Physical and Chemical**

Properties -

HMIS **Health hazards** 2 Flammability 0 Physical hazards 0 Personal protection X

> 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Severe

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. EPA Label Information



SST 28% SILICA SUPERSEDES: 09/11/2017

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 07/26/2018

16. OTHER INFORMATION

Prepared By Product Stewardship and Regulatory Affairs

Reviewed By Safety, Health and Environment

 Issue Date
 07/26/2018

 Revision Date
 07/26/2018

 Revision Note
 07/26/2018

16 SDS sections updated

SST 28% SILICA is a registered trademark of Loveland Products, Inc.

Disclaimer

This safety data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

End of Safety Data Sheet