

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date : 2025/10/16

Version: 10.0

Page: 1/17

(30628484/SDS\_CPA\_US/EN)

### 1. Identification

**Product identifier used on the label**

**PT P.I. Pressurized Contact Insecticide**

**Recommended use of the chemical and restriction on use**

Recommended use\*: crop protection product, insecticide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

**Details of the supplier of the safety data sheet**

Company:

BASF CORPORATION

100 Park Avenue

Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

**Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

**Other means of identification**

Substance number: 413986

Registration number: EPA Registration number: 499-444

Chemical family: No applicable information available.

Synonyms: Pyrethrins + piperonyl butoxide

### 2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

**Classification of the product**

Aerosol	1	Aerosols
Asp. Tox.	1	Aspiration hazard
Acute Tox.	4 (Inhalation - mist)	Acute toxicity
STOT SE	3 (irritating to	Specific target organ toxicity — single exposure

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 2/17  
(30628484/SDS\_CPA\_US/EN)

STOT SE	respiratory system) 3 (May cause drowsiness and dizziness.)	Specific target organ toxicity — single exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

### Label elements

Pictogram:



Signal Word:  
Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H229	Pressurized container: May burst if heated.
H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P261	Avoid breathing mist.
P261	Avoid breathing mist or vapour or spray.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P391	Collect spillage.
P331	Do NOT induce vomiting.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

**Hazards not otherwise classified**

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 3/17  
(30628484/SDS\_CPA\_US/EN)

### Labeling of special preparations (GHS):

Repeated exposure may cause skin dryness or cracking.  
May cause paraesthesia. Contains: Pyrethrins

## 3. Composition / Information on Ingredients

### According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Piperonylbutoxide

CAS Number: 51-03-6  
Content (W/W): 4.0 %  
Synonym: Piperonylbutoxide

#### Pyrethrins

CAS Number: 8003-34-7  
Content (W/W): 0.5 %  
Synonym: Pyrethrin

#### Acetone

CAS Number: 67-64-1  
Content (W/W): > 45.0 - <= 70.0%  
Synonym: 2-Propanone Acetone; Dimethyl ketone

#### Distillates, petroleum

CAS Number: 64742-47-8  
Content (W/W): >= 10.0 - <= 30.0%  
Synonym: Distillates, petroleum, hydrotreated light

#### propane

CAS Number: 74-98-6  
Content (W/W): >= 5.0 - <= 13.0%  
Synonym: Propan

#### n-Butane

CAS Number: 106-97-8  
Content (W/W): >= 5.0 - <= 13.0%  
Synonym: n-Butan

#### carbon dioxide

CAS Number: 124-38-9  
Content (W/W): >= 3.0 - <= 10.0%  
Synonym: No data available.

The actual concentration is withheld as a trade secret.  
NJ TSRN: New Jersey Trade Secret Registry Number

## 4. First-Aid Measures

### Description of first aid measures

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 4/17  
(30628484/SDS\_CPA\_US/EN)

### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

### If inhaled:

Remove the affected individual into fresh air and keep the person calm.

Keep patient calm, remove to fresh air, seek medical attention.

### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

Immediately wash thoroughly with soap and water, seek medical attention.

### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

### If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Do not give solids or liquids.

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Vomiting may cause aspiration pneumonia due to the ingredients.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 5/17  
(30628484/SDS\_CPA\_US/EN)

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
foam, dry powder, carbon dioxide, water spray

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, carbon dioxide,  
Aerosol container contains flammable gas under pressure. Pressure inside container is increased when heated, and may cause explosion. If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

#### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

#### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

### 7. Handling and Storage

#### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 6/17  
(30628484/SDS\_CPA\_US/EN)

controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

Acetone	ACGIH, US:	TWA value 250 ppm ;
	ACGIH, US:	STEL value 500 ppm ;
	OSHA Z1:	PEL 1,000 ppm 2,400 mg/m3 ;
	NIO ID, US:	LEL 2.5 % ;
	NIO ID, US:	IDLH 2,500 ppm ; IDLH values based on the 1994 Revised Criteria
propane	OSHA Z1:	PEL 1,000 ppm 1,800 mg/m3 ;
	ACGIH, US:	; D: Simple asphyxiant, EX: Explosion hazard
	NIO ID, US:	IDLH 2,100 ppm ; IDLH values based on the 1994 Revised Criteria
	NIO ID, US:	LEL 2.1 % ;
n-Butane	NIO ID, US:	IDLH 2,000 ppm ; IDLH values based on the 1994 Revised Criteria
	NIO ID, US:	IDLH 1,600 ppm ; New/updated values (2016-present). IDLH values based on the 2014 publication Current Intelligence Bulletin (CIB) 66: Derivation of Immediately Dangerous to Life or Health (IDLH).
	NIO ID, US:	LEL 1.6 % ;
	ACGIH, US:	; D: Simple asphyxiant, EX: Explosion hazard
	ACGIH, US:	STEL value 1,000 ppm ; Explosion hazard.

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 7/17  
(30628484/SDS\_CPA\_US/EN)

carbon dioxide	ACGIH, US:	TWA value 5,000 ppm ;
	ACGIH, US:	STEL value 30,000 ppm ;
	NIOSH, US:	REL value 5,000 ppm 9,000 mg/m3 ;
	NIOSH, US:	STEL value 30,000 ppm 54,000 mg/m3 ;
	OSHA Z1:	PEL 5,000 ppm 9,000 mg/m3 ;
	NIO ID, US:	IDLH 40,000 ppm ; IDLH values based on the 1994 Revised Criteria
Distillates, petroleum	ACGIH, US:	Skin Designation Non-aerosol (total hydrocarbon vapor); Danger of cutaneous absorption
	ACGIH, US:	TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures.

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift.

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 8/17  
(30628484/SDS\_CPA\_US/EN)

No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

### 9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid	
Odour:	characteristic, of acetone	
Odour threshold:	Not determined since harmful by inhalation.	
Colour:	pale straw yellow	
pH value:	approx. 6 - 8 ( 23 °C)	
Melting point:	approx. -95 °C Information applies to the solvent.	
Boiling point:	approx. 56 °C ( 1,013 hPa) Information applies to the solvent.	
Sublimation point:	No applicable information available.	
Flash point:	-20 °C Information applies to the solvent.	(Tag closed cup)
Flammability of Aerosol Products:	> 18 in	(ASTM D 3065)
NFPA 30B flammability:	Level 3 Aerosol	
Lower explosion limit:	2.2 %(V)	(air)
Upper explosion limit:	9.5 %(V)	(air)
Heat of Combustion:	27.56 kJ/g Calculated using literature data	
Autoignition:	approx. 465 °C Information applies to the solvent.	
Vapour pressure:	approx. 6,550 hPa (approx. 20 °C) approx. 246 hPa ( 20 °C) Information applies to the solvent.	
Density:	approx. 0.80 g/cm3 ( 20 °C)	
Relative vapour density:	not applicable	
<i>Information on: propane</i>		
Partitioning coefficient n-octanol/water (log Pow):	2.36 ( 20 °C) Study scientifically not justified.	(Calculation Hansch/Leo)
<i>Information on: Distillates, petroleum</i>		
Partitioning coefficient n-octanol/water (log Pow):	> 3.0	(calculated)
<i>Information on: Acetone</i>		
Partitioning coefficient n-octanol/water (log Pow):	-0.24 ( 25 °C)	(Calculation Hansch/Leo)
Thermal decomposition:	carbon monoxide, carbon dioxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat. No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	approx. 0.83 mPa.s ( 22 °C)	



# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 9/17  
(30628484/SDS\_CPA\_US/EN)

Viscosity, kinematic:	No data available.
Solubility in water:	dispersible
Solubility (quantitative):	No data available.
Solubility (qualitative):	No data available.
Molecular weight:	No data available.
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

### Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

---

## 10. Stability and Reactivity

### **Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### **Possibility of hazardous reactions**

The product is chemically stable.

### **Conditions to avoid**

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### **Incompatible materials**

No substances known that should be avoided.  
strong bases, strong acids, strong oxidizing agents

### **Hazardous decomposition products**

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

No decomposition if stored and handled as prescribed/indicated.

---

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 10/17  
(30628484/SDS\_CPA\_US/EN)

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

##### Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

##### Inhalation

Type of value: LC50

Species: rat

Value: > 2.04 mg/l

##### Dermal

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

No mortality was observed.

##### Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness). Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

##### Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

##### Skin

Species: rabbit

Result: non-irritant

##### Eye

Species: rabbit

Result: non-irritant

##### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

##### Buehler test

Species: guinea pig

Result: Non-sensitizing.

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 11/17  
(30628484/SDS\_CPA\_US/EN)

### Aspiration Hazard

May also damage the lung at swallowing (aspiration hazard). The product has not been tested. The statement has been derived from the properties of the individual components.

### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: Piperonylbutoxide*

*Assessment of repeated dose toxicity: The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. Repeated dermal uptake of the substance did not cause substance-related effects.*

#### *Information on: carbon dioxide*

*Assessment of repeated dose toxicity: Prolonged or repeated exposure by inhalation to high concentrations may cause circulatory insufficiency leading to headache, nausea, vomiting and potentially death.*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: Distillates (petroleum), hydrotreated light*

*Assessment of carcinogenicity: Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

-----

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### *Information on: pyrethrum*

*Assessment of reproduction toxicity: No reproductive toxic effects reported.*

#### *Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-*

#### *Information on: Acetone*

*Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.*

-----

### Teratogenicity

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 12/17  
(30628484/SDS\_CPA\_US/EN)

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Has a degreasing effect on skin.  
Misuse can be harmful to health.

## 12. Ecological Information

### **Toxicity**

Aquatic toxicity  
Assessment of aquatic toxicity:  
Acutely toxic for fish.

#### Toxicity to fish

*Information on: pyrethrum*  
LC50 (96 h) 0.0052 mg/l, *Oncorhynchus mykiss* (static)  
LC50 (96 h) 0.01 mg/l, *Lepomis macrochirus*

*Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-*  
LC50 3.49 mg/l, *Cyprinodon variegatus*  
LC50 1.9 mg/l, *Oncorhynchus mykiss*

*Information on: Distillates, petroleum*  
LL50 (96 h) 2 - 5 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, semistatic)  
The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal values (confirmed by concentration control analytics)

*Information on: Acetone*  
LC50 (96 h) 6,210 mg/l, *Pimephales promelas* (OECD 203; ISO 7346; 84/449/EWG, C.1, Flow through.)  
The statement of the toxic effect relates to the analytically determined concentration.  
LC50 (96 h) 5,540 mg/l, *Oncorhynchus mykiss* (Fish test acute, static)  
Nominal concentration.  
-----

#### Toxicity to fish

*Information on: Piperonylbutoxide*  
LC50 (96 h) 3.49 mg/l, *Cyprinodon variegatus* (OECD Guideline 203, Flow through.)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

*Information on: Pyrethrins*  
LC50 (96 h) 0.0052 mg/l, *Oncorhynchus mykiss*  
-----

#### Aquatic invertebrates

*Information on: pyrethrum*  
EC50 (48 h) 0.012 mg/l, *Daphnia magna*

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 13/17  
(30628484/SDS\_CPA\_US/EN)

*EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia*

*Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
LC50 0.51 mg/l, Gammarus fasciatus  
LC50 0.49 mg/l, Mysidopsis bahia*

*Information on: Distillates, petroleum  
EL50 (48 h) 1.4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)  
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

*Information on: Acetone  
LC50 (48 h) 8,800 mg/l, Daphnia pulex (Daphnia test acute, static)  
Nominal concentration.  
LC50 (24 h) 2,100 mg/l, Artemia salina (Daphnia test acute, static)  
Nominal concentration.*

### Aquatic plants

*Information on: pyrethrum  
No toxic effects occur within the range of solubility.*

*Information on: 1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-  
EC50 (72 h) 3.89 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.  
No observed effect concentration (72 h) 0.824 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)  
The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*Information on: Distillates, petroleum  
EL50 (72 h) 1 - 3 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)  
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.  
No observed effect concentration (72 h) 1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)  
The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

*Information on: Acetone  
Toxic limit concentration (8 d) 530 mg/l (biomass), Microcystis aeruginosa (DIN 38412 Part 9, static)  
Nominal concentration.*

*Information on: propane  
EC50 (96 h) 20.59 mg/l, algae (calculated)*

### Chronic toxicity to fish

*Information on: Piperonylbutoxide*

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 14/17  
(30628484/SDS\_CPA\_US/EN)

*No observed effect concentration (35 d) 0.18 mg/l, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)*

*The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*Information on: Pyrethrins*

*No observed effect concentration 0.0019 mg/l, Pimephales promelas*  
-----

### Chronic toxicity to aquatic invertebrates

*Information on: Piperonylbutoxide*

*No observed effect concentration (21 d) 0.03 mg/l, Daphnia magna (OPP 72-4 (EPA-Guideline), Flow through.)*

*The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.*

*Information on: Pyrethrins*

*No observed effect concentration (28 d) 0.00086 mg/l, Daphnia magna*  
-----

## **Bioaccumulative potential**

### Bioaccumulation potential

*Information on: Piperonylbutoxide*

*Bioconcentration factor: 91 - 380 (28 d), Lepomis macrochirus (OECD Guideline 305 E)*

*Information on: Pyrethrins*

*Bioconcentration factor: 471*

*Accumulation in organisms is not to be expected.*  
-----

## **Mobility in soil**

### Assessment transport between environmental compartments

*The product has not been tested. The statement has been derived from the properties of the individual components.*

*Information on: Piperonylbutoxide*

*Adsorption to solid soil phase is not expected.*

*Information on: Pyrethrins*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*  
-----

## **Additional information**

*Other ecotoxicological advice:*

*Do not discharge product into the environment without control.*

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 15/17  
(30628484/SDS\_CPA\_US/EN)

---

### 13. Disposal considerations

#### Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

---

### 14. Transport Information

#### Land transport

USDOT

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Proper shipping name:	AEROSOLS

#### Sea transport

IMDG

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1, EHSM
Marine pollutant:	YES
Proper shipping name:	AEROSOLS (contains ACETONE/DIMETHYLKETONE, PIPERONYLBUTOXIDE)

#### Air transport

IATA/ICAO

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS, FLAMMABLE

#### Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

---

### 15. Regulatory Information

#### Federal Regulations

#### Registration status:

Crop Protection      TSCA, US    released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 16/17  
(30628484/SDS\_CPA\_US/EN)

### EPCRA 313:

#### CAS Number

51-03-6

#### Chemical name

Piperonylbutoxide

### CERCLA RQ

5000 LBS

100 LBS

1 LBS

#### CAS Number

67-64-1

106-97-8; 74-98-6;

64742-47-8;

64742-47-8

8003-34-7

#### Chemical name

Acetone

n-Butane; propane; Distillates (petroleum),

hydrotreated light; Distillates, petroleum

Pyrethrins

### State regulations

#### State RTK

PA

#### CAS Number

67-64-1

74-98-6

106-97-8

124-38-9

64742-47-8

NJ

67-64-1

74-98-6

124-38-9

64742-47-8

51-03-6

106-97-8

#### Chemical name

Acetone

propane

n-Butane

carbon dioxide

Distillates, petroleum

Acetone

propane

carbon dioxide

Distillates, petroleum

Piperonylbutoxide

n-Butane

### **Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:**

**WARNING:** This product can expose you to chemicals including Soots, tars, and mineral oils (untreated and mildly treated oils and used engine which is known to the State of California to cause cancer. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### **NFPA Hazard codes:**

Health: 1

Fire: 4

Reactivity: 1

Special:

### **Labeling requirements under FIFRA**

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

#### **CAUTION:**

KEEP OUT OF REACH OF CHILDREN.

Hazards to humans and domestic animals.

HARMFUL IF ABSORBED THROUGH SKIN.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Avoid inhalation of mists/vapours.

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product.

Wash the outside of gloves before removing.

As soon as possible, wash thoroughly and change into clean clothing.



# Safety Data Sheet

## PT P.I. Pressurized Contact Insecticide

Revision date: 2025/10/16  
Version: 10.0

Page: 17/17  
(30628484/SDS\_CPA\_US/EN)

Keep and wash personal protective equipment separately from other laundry.  
Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.  
Aerosol container contains flammable gas under pressure.  
Keep away from heat, open flames, and sparks.

---

### 16. Other Information

**SDS Prepared by:**  
BASF NA Product Regulations  
SDS Prepared on: 2025/10/16

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/10/16

Version: 10.0

Date / Previous version: 2023/11/10

Previous version: 9.0

---

END OF DATA SHEET