

FIFRA Section 2(ee) Recommendation

For Control of Fire Blight in Apples in CA, CT, DE, MD, MI, MN, NY, OH, OR, PA, RI, VA, VT, WA, WV

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the US Environmental Protection Agency.

All applicable directions, restrictions, and precautions on the EPA-registered labels must be followed. Please contact your Certis USA regional sales manager to determine the specific requirements for FIFRA §2(ee) recommendations in your respective state.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Crop: Apples

DISEASE	APPLICATION RATE/ACRE	MAXIMUM SEASONAL RATE/ACRE	USE INSTRUCTIONS
Fire Blight	4 – 12 lbs.	45.7 lbs.	Make application between silver-tip and green-tip. Apply as a full cover spray for early season disease suppression. NOTE: Moderate to severe crop injury may occur from late application; discontinue use when green-tip reaches 1/2 inch.
Fire Blight*	0.5 – 0.75 lbs.		Extended spray schedule where fruit finish is not a concern. Continued applications may be made at 5 to 7 day intervals if needed between 1/2 inch green-tip and first cover spray. NOTE: Moderate to severe crop injury may result from this extended spray schedule. It is not intended for fresh market apples or for apples where fruit finish is a concern, as it is likely to cause fruit russetting. The addition of 1 to 3 pounds of hydrated lime per pound of Kocide® 2000-O may reduce crop injury.

*Not registered for use in California

Crop-Specific Restrictions:

If Kocide® 2000-O is applied in a spray solution having a pH of less than 6.5, phytotoxicity may occur.

Do not tank mix Kocide® 2000-O with fungicides containing the active ingredient aluminum tris (O-ethyl phosphonate) for use on any registered crops unless appropriate precautions have been taken to buffer the spray solution because severe phytotoxicity may result.

Refer to EPA-approved label for complete list of **USE RESTRICTIONS**.

This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and observe the precautionary statements plus all other information appearing on the product labels. **For Washington, this recommendation is not required to be in the possession of the user at the time of pesticide application. For all other states, this recommendation must be in the possession of the user at the time of pesticide application.**