

**RESTRICTED USE PESTICIDE**

DUE TO TOXICITY CATEGORIES

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

**FIFRA §2(ee) RECOMMENDATION**

For distribution and use only within  
the state of Connecticut, Delaware,  
Kentucky, Maine, Maryland,  
Massachusetts, New Hampshire, New  
Jersey, New York, North Carolina,  
Ohio, Pennsylvania, Rhode Island,  
Vermont, Virginia, West Virginia

**EPA REGISTRATION NO. 5481-627****For control of Annual bluegrass weevil on golf course greens, tees and fairways.**

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This recommendation must be in the possession of the user at the time of pesticide application
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label
- This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by U.S. EPA.

Pest	Rate of Application		
	Fl. oz. of Product per 1,000 SQFT	Fl. oz. of Product Per Acre	lb AI/A
<b>Annual Bluegrass Weevil</b> <i>(Listronotus maculicollis)</i>	1.3	57	0.067

**DIRECTION FOR USE**

Initiate applications during early- to mid-April. Make three to four applications at 14 to 21 day intervals to prevent damage by first generation annual bluegrass weevil larvae. Apply Avensis insecticide/miticide to wet turf. The addition of a soil surfactant or soil wetting agent is recommended. Apply in the early morning while turf is wet with dew or irrigate the area with 0.1 inches of water prior to application. Irrigate treated areas with 0.1 to 0.5 inches of water within 1 hour after application. For best results, apply irrigation before the spray droplets have dried on the turf. Application in 2 gallons of water per 1,000 square feet is recommended.

**RESTRICTIONS**

- Do not apply to golf course roughs.
- Do not apply to turfgrass that is under heat or moisture stress.
- Do not graze treated turf or feed turf clippings from any treated area to poultry or livestock.
- Maximum single application rate for turfgrass application is 0.067 lb AI per acre (57 fl.oz. per acre).
- Minimum application interval for turfgrass applications is 14 days.
- Maximum yearly application rate for turfgrass application is 0.27 lb AI per acre per year (230 fl.oz. per acre per year).

Read **LIMITATION WARRANTY AND DISCLAIMER** in the label booklet for Avensis Insecticide/Miticide before using.

AMVAC, the AMVAC logo, and Avensis are trademarks owned by AMVAC Chemical Corporation.

AMVAC Chemical Corporation  
4695 MacArthur Court, Suite #1200  
Newport Beach, CA 92660