

### FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

FENPYROXIMATE	GROUP	21A	INSECTICIDE
---------------	-------	-----	-------------



EPA Reg. No. 71711-4

**Crop:** Pomegranate

**Pest:** Citrus Flat Mite (*Brevipalpus* sp.)

**States:** California Only

### DIRECTIONS FOR USE

**It is a violation of federal law to use this product in a manner inconsistent with its labeling.**

This labeling and the EPA approved container label must be in the possession of the user at the time of application. Read the label affixed to the container for FujiMite® SC Miticide/Insecticide before applying. Use of FujiMite SC Miticide/Insecticide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for FujiMite SC Miticide/Insecticide.

#### For Control of Citrus Flat Mite (*Brevipalpus* sp.) in Pomegranate

- Apply FujiMite SC Miticide/Insecticide at 2.0 pints (0.105 lb ai) per acre.
- Apply by ground using 200 GPA or an adequate spray volume to obtain complete spray coverage of the foliage and fruit.
- The addition of a silicone surfactant at 2.0 fl oz/100 gal is recommended to improve spray coverage.
- FujiMite SC Miticide/Insecticide is a contact miticide. To achieve maximum control, spray contact with the mite is necessary.
- Application should be made in early to mid-June targeting mites as they start to move to the fruit. Under heavy mite infestations, a second application may be necessary in August to provide complete control.

©2024 Nichino America, Inc. FujiMite is a registered trademark of Nichino America, Inc.



**NICHINO**

Nichino America, Inc.  
4550 Linden Hill Road, Suite 501  
Wilmington, DE 19808  
888-740-7700