

ETHALFLURALIN	GROUP	3	HERBICIDE
---------------	-------	---	-----------

**FIFRA SECTION 24(c) SPECIAL LOCAL NEED REGISTRATION
FOR DISTRIBUTION AND USE ONLY IN THE STATE OF ARKANSAS**

Sonalan[®] HFP

EPA Reg. No. 10163-356
EPA SLN No.: AR-250003

FOR USE ON SOYBEANS IN THE FALL WITHOUT FERTILIZER

Expiration Date: This label is valid until December 31, 2030 or until withdrawn, canceled, suspended, or otherwise amended.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Sonalan HFP before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Sonalan HFP according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Sonalan HFP.

SOYBEAN

Sonalan HFP - Alone

Apply and incorporate Sonalan HFP in the fall before planting.

Broadcast Application Rates for General Weed Control Except Groundcherry and Nightshade:

Soil Texture	Sonalan HFP (pt/acre)	Sonalan HFP (lb AI/acre)
coarse	1 1/2 - 2	0.5625 - 0.75
medium	2 - 2 1/2	0.75 - 0.9375
fine	2 1/2 - 3	0.9375 - 1.125

Broadcast Application Rates for General Weed Control Including Partial Control of Eastern Black Nightshade and Groundcherry:

Soil Texture	Sonalan HFP (pt/acre)	Sonalan HFP (lb AI/acre)
medium	3	1.125
fine	3 1/2	1.3125

Two incorporation passes are required for partial control of ground cherry and eastern black nightshade.

Precautions:

- When high rates for control of nightshade and groundcherry are applied, rotate only to crops listed on this label.
- Soybeans should be planted no more than 2 inches deep after early season adverse weather conditions have passed, especially when using higher rate programs. Excessively deep planting or cool, wet weather early in the growth cycle causes additional stress to the soybean plant. These factors may result in reduced stands, delayed maturity and reduced yields.

Tank Mix, Overlay or Postemergence Recommendations

For broader spectrum weed control, other products registered for use in soybean may be applied in tank mix combination or as a sequential overlay or postemergence treatment following application of Sonalan HFP. Consult the manufacturer's label for additional weeds controlled, directions for use, precautions and limitations before use. See detailed information for tank mixing in the Product Information section of this label. Do not use Scepter in tank mix combination with Sonalan HFP or as a sequential overlay or postemergence application following Sonalan HFP.