

1/13

SEPRESTO 75 WS

Version 6.0 / USA 102000017127

Print Date: 01/01/2025

Revision Date: 12/27/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name SEPRESTO 75 WS Product code (UVP) 79127731, 84110302

SDS Number 102000017127

EPA Registration No. 264-1081

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide, Seed treatment

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 4

Specific target organ toxicity - single exposure: Category 2

Combustible dust

Labelling in accordance with regulation HCS 29CFR §1910.1200





Signal word: Warning



2/13

SEPRESTO 75 WS

 Version 6.0 / USA
 Revision Date: 12/27/2024

 102000017127
 Print Date: 01/01/2025

Hazard statements

Harmful if swallowed.

May cause damage to organs (Nervous system).

May form combustible dust concentrations in air.

Conduct Dust Hazard Assessment (DHA).

Precautionary statements

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

		CAS-No.	Concentration % by weight	
	Clothianidin	210880-92-5	56.25	
	Clothianidin Imidacloprid	138261-41-3	18.75	
	Sodium İignosulphonate	8061-51-6	3 – 7	
	Naphthalenesulfonic acid, bis(1-methylethyl)-, Me derivs.,	68909-82-0	1 – 5	
	sodium salts			

The specific chemical identity and/or concentration range is being withheld because it is trade secret information.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.



SEPRESTO 75 WS

Version 6.0 / USA Revision Date: 12/27/2024 Print Date: 01/01/2025

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Dizziness, Abdominal pain, Nausea

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO),

Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulphur oxides

Accumulation of fine dust may entail the risk of a dust explosion in the

presence of air.

Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point

Auto-ignition temperature

Lower explosion limit

Upper explosion limit

No data available



SEPRESTO 75 WS

Version 6.0 / USA 102000017127

Revision Date: 12/27/2024 Print Date: 01/01/2025

92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces. Remove all sources of

ianition.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Use personal protective equipment. If the product is accidentally Additional advice

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid dust formation. Use only in area provided with appropriate

exhaust ventilation. Handle and open container in a manner as to

prevent spillage.

Advice on protection against fire and explosion Dust may form explosive mixture in air. Keep away from heat and sources of ignition. Take measures to prevent the build up of

electrostatic charge.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.



SEPRESTO 75 WS

Version 6.0 / USA Revision Date: 12/27/2024 Print Date: 01/01/2025

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Clothianidin	210880-92-5	0.1 mg/m3 (TWA)	01 2022	ACGIH
(Inhalable fraction.)				
Clothianidin	210880-92-5	2.8 mg/m3 (TWA)		OES BCS*
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form powder Colour grey

Odour characteristic
Odour Threshold No data available

pH 7.0 - 9.0 (1 %) (23 °C) (deionized water)

Melting point/ rangeNo data availableBoiling PointNo data available



SEPRESTO 75 WS

Version 6.0 / USA 102000017127

Revision Date: 12/27/2024 Print Date: 01/01/2025

Flash point No data available

Flammability The product is not highly flammable.

Auto-ignition temperature No data available

Thermal decomposition > 190 °C Heating rate:5 K/min Decomposition energy:1,083 kJ/kg,

Ignition temperature The product is not self-ignitable.

Minimum ignition energy 10 - 30 mJ

Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limit
Lower explosion limit
No data available
Vapour pressure
No data available
Evaporation rate
Relative vapour density
No data available
Relative density
No data available
No data available
No data available
No data available

Bulk density ca. 0.45 g/ml (bulk density tapped)

Water solubility No data available

Partition coefficient: n-

octanol/water

Clothianidin: log Pow: 0.9

Imidacloprid: log Pow: 0.57

Viscosity, dynamic No data available
Viscosity, kinematic No data available

Burning number CN5 Complete combustion with flames

Oxidizing properties The product has been shown not to be oxidizing in a test following

Directive 67/548/EEC (Method A17, Oxidizing properties).

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

Other information Further safety related physical-chemical data are not known.



SEPRESTO 75 WS

Version 6.0 / USA 102000017127

Revision Date: 12/27/2024 Print Date: 01/01/2025

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Eye contact, Inhalation, Skin contact

Immediate Effects

May cause temporary eye irritation. Eye Skin May be harmful in contact with skin.

Ingestion Harmful if swallowed.

Inhalation Not expected to produce significant adverse effects when

recommended use instructions are followed.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) 1,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 6.131 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

LD50 (male/female combined Rat) > 2,000 mg/kg Acute dermal toxicity

Skin corrosion/irritation No skin irritation (Rabbit) Serious eye damage/eye No eye irritation (Rabbit)

irritation

Skin: Non-sensitizing. (Mouse) Respiratory or skin

OECD Test Guideline 429, local lymph node assay (LLNA) sensitisation

Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity - single exposure

Clothianidin: Causes damage to organs (Nervous system)

Imidacloprid: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Clothianidin did not cause specific target organ toxicity in experimental animal studies.



SEPRESTO 75 WS

Version 6.0 / USA 102000017127

Revision Date: 12/27/2024 Print Date: 01/01/2025

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Clothianidin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Clothianidin was not carcinogenic in lifetime feeding studies in rats and mice. Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Clothianidin 210880-92-5 Group A4

NTP

None.

IARC

None.

Assessment toxicity to reproduction

Clothianidin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Clothianidin is related to parental toxicity. Clothianidin: Suspected of damaging fertility.

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Clothianidin did not cause developmental toxicity in rats.

Clothianidin caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Clothianidin are related to maternal toxicity.

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

No further toxicological information is available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 104.2 mg/l



SEPRESTO 75 WS

Version 6.0 / USA 102000017127

Revision Date: 12/27/2024 Print Date: 01/01/2025

Exposure time: 96 h

The value mentioned relates to the active ingredient clothianidin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

EC50 (Daphnia magna (Water flea)) > 40 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient clothianidin.

EC50 (Chironomus riparius (non-biting midge)) 0.029 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient clothianidin.

EC50 (Cloeon dipterum (Mayfly)) 0.00102 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Chronic toxicity to aquatic

invertebrates

EC10 (Caenis horaria (Mayfly)): 0.000024 mg/l

Exposure time: 28 d

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants

EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.

IC50 (Raphidocelis subcapitata (freshwater green alga)) > 120 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient clothianidin.

EC50 (Lemna gibba (gibbous duckweed)) > 121 mg/l

Exposure time: 14 d

The value mentioned relates to the active ingredient clothianidin.

Biodegradability Clothianidin:

Not rapidly biodegradable

Imidacloprid:

Not rapidly biodegradable

Koc Clothianidin: Koc: 84 - 345

Imidacloprid: Koc: 225

Bioaccumulation Clothianidin:

Does not bioaccumulate.

Imidacloprid:

Does not bioaccumulate.

Mobility in soil Clothianidin: Moderately mobile in soils

Imidacloprid: Moderately mobile in soils



Revision Date: 12/27/2024

Print Date: 01/01/2025

10/13

SEPRESTO 75 WS

Version 6.0 / USA 102000017127

Results of PBT and vPvB assessment

PBT and vPvB assessment Clothianidin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3077
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(CLOTHIANIDIN, IMIDACLOPRID MIXTURE)

IATA

UN number 3077
Class 9
Packaging group III
Environm. Hazardous Mark YES



11/13

SEPRESTO 75 WS

Version 6.0 / USA Revision Date: 12/27/2024 102000017127 Print Date: 01/01/2025

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(CLOTHIANIDIN, IMIDACLOPRID MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES O/T POISON

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1081

US Federal Regulations

TSCA list

Sodium aluminium silicate 1344-00-9 Sodium lignosulphonate 8061-51-6 Naphthalenesulfonic acid, bis(1-68909-82-0

methylethyl)-, Me derivs., sodium salts

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

US State Right-To-Know Ingredients

Sodium aluminium silicate 1344-00-9 CA

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:



Revision Date: 12/27/2024

SEPRESTO 75 WS

Version 6.0 / USA 102000017127

02000017127 Print Date: 01/01/2025

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed or absorbed through skin.

Causes moderate eye irritation.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 2 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 1 Flammability - 2 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

* = chronic health hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Reviewed and updated for general editorial purposes.

Revision Date: 12/27/2024

Changes since the last version are highlighted in the margin. This version replaces all previous versions.



SEPRESTO 75 WS

Version 6.0 / USA 102000017127

13/13Revision Date: 12/27/2024
Print Date: 01/01/2025

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.