

**FIFRA Section 24(c) Special Local Need (SLN) Label**  
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF  
OREGON



<b>GROUP</b>	<b>7</b>	<b>HERBICIDE</b>
--------------	----------	------------------

**KARMEX<sup>®</sup> DF**

EPA Reg. No. 66222-51

SLN No. OR-190001

**For Controlling Weeds in Red Clover Grown for Seed**

This label is valid until December 31, 2026 or until otherwise amended, withdrawn, cancelled, or suspended.

<b>ACTIVE INGREDIENT:</b>	<b>% BY WT.</b>
Diuron: 3-(3,4-dichlorophenyl)-1,1-dimethylurea.....	80.0%
<b>OTHER INGREDIENTS</b> .....	20.0%
<b>TOTAL:</b>	100.0%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**ENVIRONMENTAL HAZARDS**

Follow all applicable directions, restrictions, and precautions in the Environmental Hazards section of the label affixed to the main container of Karmex DF.

**DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Section 24(c) Special Local Need (SLN) label and the label affixed to the main container of Karmex DF must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the label affixed to the main container of Karmex DF.

### **Directions for Use on Red Clover Grown for Seed**

Make a single application of 2 lb. Karmex DF per acre on established red clover or new red clover stands at least 4 months old. Apply when red clover is dormant between October 15 and March 1. In the case of a mild winter, do not apply to red clover that has exited winter dormancy (i.e., no new green, spring regrowth).

Treatment will control annual weeds such as bluegrass, chickweed, hawksbeard, rattail fescue and velvetgrass.

**Precautions:** Plant damage (phytotoxicity) may occur when diuron is applied to red clover grown for seed, especially if labelled restrictions and precautions are not followed. Before applying Karmex DF to red clover grown for seed, the applicator should weigh the potential for plant phytotoxicity against the need for weed control and evaluate whether the weed control benefits outweigh the phytotoxicity risk associated with this application.

### **Restrictions:**

- Do not apply to seedling red clover less than 4 months old.
- Do not apply after March 1.
- Do not replant treated area to any crop within 1 year after last application as injury to subsequent crops may result.
- Do not apply by air
- Do not apply through any type of irrigation system.

### **Special Crop Use Restrictions**

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for use on this crop as specified under this SLN labeling. Consequently, no portion of this seed crop treated under this SLN labeling may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to, green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

**“This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for**

**human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies.”**

---

Kamex is a registered trademark of ADAMA Group Company

24(c) Registrant:  
Makhteshim Agan of North America, Inc.  
d/b/a ADAMA  
8601 Six Forks Road, Suite 300  
Raleigh, NC 27615



Rev. 02-13-2025