

FIFRA Section 24(c) Special Local Need Label
For Distribution and Use Only in the State of Oregon

CAPTAN GROUP MO4 FUNGICIDE

Drexel®

Captan 4 Flowable

Seed Protectant

EPA Reg. No. 19713-645

EPA SLN No. OR-220011

FOR TREATMENT OF STRAWBERRY SEED (FOR EXPORT ONLY)

This Label Is Valid Until December 31, 2027 Or Until Otherwise Amended, Withdrawn, Cancelled Or Suspended.

ACTIVE INGREDIENT:

Captan..... 38.5%

OTHER INGREDIENTS:..... 61.5%

TOTAL:..... 100.0%

This product contains 4 pounds of active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

ENVIRONMENTAL HAZARDS

This chemical is toxic to fish. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This SLN label and the main EPA-registered label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, and precautions on this SLN label and the main EPA-registered label. Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application.

USE INFORMATION

CAPTAN 4 FLOWABLE Seed Protectant is an aqueous suspension suitable for the treatment of seed prior to storage and planting; to protect seed from molds and other fungi causing storage loss; and to protect seed from seed-borne and soil-borne fungi which cause seed decay and seedling blight.

RATE:

Use 311 grams of Captan 4F (120 gal. a.i.) per 100 kilograms of seed.

Note – 311 grams of Captan 4F equals 11 fluid ounces Captan 4F.

Apply in sufficient water to give thorough coverage of seed. User must add an EPA-approved dye with this product during the seed treatment process.

USE PRECAUTIONS AND RESTRICTIONS

DO NOT use for planter box or hopper box farm treatments. Seed that has been treated with this product that is then packaged or bagged for future use must contain the following labeling: "This bag contains seed treated with Captan. Persons opening this bag or loading/pouring the treated seed must wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves. Treated Seed – Do not use for Food Feed or Oil Purposes. FOR EXPORT ONLY – Not to be sold or offered for sale in the United States."

Seed treated by the slurry method should not be stacked until such time as the seed has had an opportunity to dry. Store in well-ventilated areas. If seed is stacked when wet, heat is developed which impairs seed germination.

IMPORTANT: Treated seed must not be used for human consumption or as animal feed.

FOR EXPORT USE ONLY – Seed treated under SLN No. OR-220011 may not be planted in the U.S.

Manufactured By:

Drexel Chemical Company

P.O. Box 13327, Memphis, TN 38113-0327

SINCE 1972

The DREXEL logo is a registered trademark of Drexel Chemical Company.