

DELTADUST® INSECTICIDE

Version 5.0 / USA 102000004846

Revision Date: 09/29/2021 Print Date: 04/04/2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name DELTADUST® INSECTICIDE

Product code (UVP) 05952247

SDS Number 102000004846

EPA Registration No. 432-772

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Combustible dust

Specific target organ toxicity - repeated exposure: Category 1

Carcinogenicity: Category 1B

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Danger

Hazard statements

Causes damage to organs through prolonged or repeated exposure.



DELTADUST® INSECTICIDE

 Version 5.0 / USA
 Revision Date: 09/29/2021

 102000004846
 Print Date: 04/04/2023

May cause cancer.

May form combustible dust concentrations in air.

Conduct Dust Hazard Assessment (DHA).

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Do not breathe dust.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Get medical advice/ attention if you feel unwell.

IF exposed or concerned: Get medical advice/ attention.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component NameCAS-No.Concentration % by weightDeltamethrin52918-63-50.05Crystalline quartz (respirable)14808-60-75.0

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.



DELTADUST® INSECTICIDE

 Version 5.0 / USA
 Revision Date: 09/29/2021

 102000004846
 Print Date: 04/04/2023

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Carbon dioxide (CO2), Dry chemical, Foam, Water

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire., Dust can form an

explosive mixture in air.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Contain the spread of the

fire-fighting media.

Flash point

Auto-ignition temperature

Lower explosion limit

Upper explosion limit

Explosivity

No data available

No data available

No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.



DELTADUST® INSECTICIDE

Version 5.0 / USA 102000004846

Revision Date: 09/29/2021 Print Date: 04/04/2023

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and

local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|---------------------------------|------------|--|---------|-----------|
| Crystalline quartz (respirable) | 14808-60-7 | 2.4millions of particles per cubic foot of air (TWA) | 2000 | Z3 |
| (Respirable.) | | | | |
| Crystalline quartz (respirable) | 14808-60-7 | 0.1 mg/m3 (TWA) | 2000 | Z3 |
| (Respirable.) | | | | |
| Crystalline quartz (respirable) | 14808-60-7 | 0.05 mg/m3 (TWA PEL) | 10 2016 | US CA OEL |
| (Respirable dust.) | | | | |
| Crystalline quartz (respirable) | 14808-60-7 | 0.05 mg/m3 (REL) | 2016 | NIOSH |
| (Respirable dust.) | | | | |
| Crystalline quartz | 14808-60-7 | 0.05 mg/m3 | 03 2016 | OSHA Z1 |



DELTADUST® INSECTICIDE

Version 5.0 / USA Revision Date: 09/29/2021 102000004846 Print Date: 04/04/2023

| (respirable) | | (PEL) | | |
|---------------------------------|------------|---------------------------|---------|----------|
| (Respirable dust.) | | | | |
| Crystalline quartz (respirable) | 14808-60-7 | 0.05 mg/m3 (TWA) | 03 2016 | OSHA |
| Crystalline quartz (respirable) | 14808-60-7 | 0.025 mg/m3 (OSHA_ACT) | 03 2016 | OSHA |
| Crystalline quartz (respirable) | 14808-60-7 | 0.025 mg/m3 (TWA) | 02 2020 | ACGIH |
| (Respirable fraction.) | | | | |
| Crystalline quartz (respirable) | 14808-60-7 | 0.050 mg/m3 (TWA) | 01 2019 | TN OEL |
| (Respirable dust.) | | | | |
| Deltamethrin | 52918-63-5 | 0.01 mg/m3 (TWA) | | OES BCS* |

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form powder Colour white

Odour weak, characteristic



DELTADUST® INSECTICIDE

Version 5.0 / USA 102000004846

Revision Date: 09/29/2021 Print Date: 04/04/2023

Odour Threshold No data available pН No data available Melting point/range No data available **Boiling Point** No data available Flash point No data available **Flammability** No data available **Auto-ignition temperature** No data available Thermal decomposition No data available

Minimum ignition energy

> 10 mJ

MIE Cluster evaluated acc. to BTS report 2016/00141a

Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limit

Lower explosion limit

Vapour pressure

Evaporation rate

Relative vapour density

Relative density

No data available

Bulk density ca. 55.5 lb/ft³

Water solubility soluble

Partition coefficient: n-

octanol/water

Deltamethrin: log Pow: 6.4 (25 °C)

Viscosity, dynamic
Viscosity, kinematic
Oxidizing properties
No data available
No data available
Explosivity
No data available

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.



DELTADUST® INSECTICIDE

Version 5.0 / USA Revision Date: 09/29/2021 102000004846 Print Date: 04/04/2023

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong acids

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Inhalation, Ingestion

Immediate Effects

Eye Not expected to produce significant adverse effects when

recommended use instructions are followed.

Skin Not expected to produce significant adverse effects when

recommended use instructions are followed.

Ingestion Not expected to produce significant adverse effects when

recommended use instructions are followed.

Inhalation May be harmful by inhalation (after often repeated exposure).

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,050 mg/kg
Acute inhalation toxicity LC50 (Rat) > 26.1 mg/l

Exposure time: 4 h

Determined in the form of dust.

Acute dermal toxicity LD50 (Rabbit) > 2,020 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)
Serious eye damage/eye No eye irritation (Rabbit)

irritation

irritation

,

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - single exposure

Deltamethrin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.



DELTADUST® INSECTICIDE

Version 5.0 / USA Revision Date: 09/29/2021 102000004846 Print Date: 04/04/2023

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Crystalline quartz (respirable) 14808-60-7 Group A2

NTP

Crystalline quartz (respirable) 14808-60-7

IARC

Deltamethrin 52918-63-5 Overall evaluation: 3 Crystalline quartz (respirable) 14808-60-7 Overall evaluation: 1

OSHA None.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.00091 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.00056 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient deltamethrin.

Toxicity to aquatic plants EC50 (algae) > 9.1 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

Biodegradability Deltamethrin:

Not rapidly biodegradable

Koc Deltamethrin: Koc: 10240000



DELTADUST® INSECTICIDE

Version 5.0 / USA Revision Date: 09/29/2021 102000004846 Print Date: 04/04/2023

Bioaccumulation Deltamethrin: Bioconcentration factor (BCF) 1,400

Does not bioaccumulate.

Mobility in soil Deltamethrin: Immobile in soil

Results of PBT and vPvB assessment

PBT and vPvB assessment Deltamethrin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not apply when weather conditions favor runoff or drift.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packagingConsult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-772



10/11

DELTADUST® INSECTICIDE

Version 5.0 / USA Revision Date: 09/29/2021 102000004846 Print Date: 04/04/2023

US Federal Regulations

TSCA list

Calcium carbonate 1317-65-3 Crystalline quartz (respirable) 14808-60-7 Stearic acid 57-11-4

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Crystalline quartz (respirable) 14808-60-7 Carcinogenic.

US State Right-To-Know Ingredients

Calcium carbonate 1317-65-3 MN, RI Crystalline quartz (respirable) 14808-60-7 MN, RI Stearic acid 57-11-4 MN

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Hazard statements: Keep out of the reach of children.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate



DELTADUST® INSECTICIDE

Version 5.0 / USA Revision Date: 09/29/2021 102000004846 Print Date: 04/04/2023

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 14: Transport Information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 09/29/2021

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.