

LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA Revision Date: 04/29/2022 102000015064 Print Date: 04/30/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name LESCO® BANDIT 2F INSECTICIDE

Product code (UVP) 06004481

SDS Number 102000015064

EPA Registration No. 432-1312

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA Revision Date: 04/29/2022 102000015064 Print Date: 04/30/2022

Hazardous Component Name CAS-No. Concentration % by weight

Imidacloprid 138261-41-3 21.4 Naphthalene and alkyl naphthalene sulphonic acids 68425-94-5 2.0

formaldehyde condensate, sodium salt

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. DO NOT induce

vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable High volume water jet



LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA Revision Date: 04/29/2022 102000015064 Print Date: 04/30/2022

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point >93 °C / 199.4 °F

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.



LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA Revision Date: 04/29/2022 102000015064 Print Date: 04/30/2022

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3		OES BCS*
		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties



LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA 102000015064

Revision Date: 04/29/2022 Print Date: 04/30/2022

Form suspension

Colour white to light beige

Odour mild

Odour Threshold No data available

pH ca. 7.5

Melting point/range-6.7 °C / 19.94 °FBoiling PointNo data availableFlash point> 93 °C / 199.4 °FFlammabilityNo data availableAuto-ignition temperatureNo data available

Minimum ignition energy No data available
Self-accelarating No data available

decomposition temperature

(SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data available

Relative density

No data available

Density

1.12 g/cm³ (20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Imidacloprid: log Pow: 0.57

Viscosity, dynamic350 - 600 cps (25 °C)Viscosity, kinematicNo data availableOxidizing propertiesNo data available

Explosivity No data available



LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA Revision Date: 04/29/2022 102000015064 Print Date: 04/30/2022

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid freezing

Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Skin Absorption, Eye contact, Inhalation

Immediate Effects

Eye Not expected to produce significant adverse effects when

recommended use instructions are followed.

Skin May be harmful in contact with skin.

Ingestion May be harmful if swallowed.

May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (male Rat) > 4,870 mg/kg

LD50 (female Rat) 4,143 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 5.33 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

(actual)

Acute dermal toxicity LD50 (male/female combined Rabbit) > 2,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)
Serious eye damage/eye Minimally irritating. (Rabbit)

irritation

Respiratory or skin

sensitisation

Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - single exposure

Imidacloprid: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.



LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA Revision Date: 04/29/2022 102000015064 Print Date: 04/30/2022

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

Chronic toxicity to aquatic

invertebrates

EC10 (Chironomus riparius (non-biting midge)): 2,09 μg/l

Exposure time: 28 d



LESCO® BANDIT 2F INSECTICIDE

 Version 5.0 / USA
 Revision Date: 04/29/2022

 102000015064
 Print Date: 04/30/2022

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to bacteria EC50 (activated sludge) > 10,000 mg/l

Biodegradability Imidacloprid:

Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

Bioaccumulation Imidacloprid:

Does not bioaccumulate.

Mobility in soil Imidacloprid: Moderately mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material



LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA Revision Date: 04/29/2022 102000015064 Print Date: 04/30/2022

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1312

US Federal Regulations

TSCA list

Water 7732-18-5 Glycerine 56-81-5 Naphthalene and alkyl naphthalene 68425-94-5

sulphonic acids formaldehyde

condensate, sodium salt

Polyethylene-polypropylene copolymer 9003-11-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause



10/11

LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA Revision Date: 04/29/2022 102000015064 Print Date: 04/30/2022

reproductive harm.

US State Right-To-Know Ingredients

Glycerine 56-81-5 MN, RI

Environmental CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



LESCO® BANDIT 2F INSECTICIDE

Version 5.0 / USA 102000015064 Revision Date: 04/29/2022 Print Date: 04/30/2022

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 8: Exposure Controls / Personal Protection. Section 11: Toxicological Information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 04/29/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.