

GROUP

15

HERBICIDE

SUPPLEMENTAL LABELING

DEVIRINOL® 50-DF Selective Herbicide Dry Flowable

For use on Container-grown Ornamentals, Field-grown Nursery Stock

GUARANTEE:

Napropamide50%

WARNING - EYE IRRITANT

READ THE LABEL BEFORE USING

REGISTRATION NO. **25231**
PEST CONTROL PRODUCTS ACT

Net Contents **1.81 kg, 2 kg**

United Phosphorus, Inc.
423 Riverview Plaza
Trenton, NJ 08611
www.upi-usa.com

EPA Est. 11773-IA-01

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for DEVIRINOL 50-DF before applying. Follow all applicable directions, restrictions, and precautions on the registered label.
- The use of DEVIRINOL 50-DF according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for DEVIRINOL 50-DF.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FIRST AID

IN CASE OF POISONING, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed, immediately give several glasses of water and induce vomiting by gagging the victim with a finger placed on the back of the victim's tongue. Give fluids until vomitus is clear. Never give anything by mouth to an unconscious or convulsing person. Call a physician or the nearest poison control centre immediately.

For eye contact, hold eyelids apart and flush with plenty of water for 15 minutes. Get medical attention.

For skin contact, flush all affected areas with plenty of water for several minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs. Wash clothing before reuse.

If inhaled, remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

Consult your local POISON CONTROL CENTRE for additional information.

TOXICOLOGICAL INFORMATION

DEVIRINOL 50-DF is very low in mammalian toxicity by oral ingestion or dermal uptake. DEVIRINOL 50-DF is a moderate irritant to eyes and a mild skin irritant. DEVIRINOL 50-DF does not cause skin sensitization. Treat symptomatically.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN
MAY BE HARMFUL IF SWALLOWED

- Avoid contact with skin, eyes and clothing.
- Avoid breathing dust or spray mist.

- Wear rubber gloves, boots and coveralls to minimize exposure during loading, mixing and spraying operations.
- Change clothing and gloves daily and wash thoroughly before reuse.
- Wash hands, face and arms thoroughly after handling and before eating or smoking.
- Routinely shower or bathe after work.
- Keep unprotected persons out of operating area.
- Avoid contamination of food and feed.
- Do not contaminate any body of water, including irrigation water or water used for domestic purposes.
- DO NOT APPLY BY AIR

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in U.S., contact 1-866-375-4648 or www.cropro.org.

STORAGE

Do not store near food, feed, seed or fertilizer. Keep container tightly closed when not in use. Store in a cool, dry place.

PRODUCT DECONTAMINATION AND DISPOSAL:

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

1. Empty bag thoroughly into spray tank.
2. Make the empty bag unsuitable for further use.
3. Dispose of the bag in accordance with provincial requirements.

GENERAL USE PRECAUTIONS

- Read all label directions before using. Apply this product only as specified on the label.
- Use only for recommended purposes and at recommended rates.
- Do not overdose.
- DEVRINOL 50-DF is recommended for use on mineral soils only. Not recommended for use on soils with over 10% organic matter.
- To avoid injury to crops not specified on the label, do not plant until 12 months after the last DEVRINOL 50-DF application.
- Do not apply more than once per season.
- Spraying on ground heavily covered with leaves or trash may adversely affect weed control.
- Do not apply to frozen ground.

DIRECTIONS FOR USE

NOTE TO BUYER/USER: READ THE FOLLOWING BEFORE USING THIS PRODUCT FOR THE INDICATED SPECIAL USE APPLICATIONS:

The DIRECTIONS FOR USE for this product for the use(s) described on this Supplemental label were developed by persons other than United Phosphorus Inc. and accepted for registration by Health

Canada under the User Requested Minor Use Label Expansion program. United Phosphorus itself makes no representation or warranty with respect to performance (efficacy) or crop tolerance (phytotoxicity) claims for this product when used on the crop(s) listed on this Supplemental Label.

Accordingly, the Buyer and User assume all risks related to performance and crop tolerance arising, and agree to hold United Phosphorus Inc. harmless from any claims based on efficacy or phytotoxicity in connection with the use(s) described on this supplemental label.

**FIELD GROWN NURSERY AND CONTAINER STOCK
DIRECTIONS FOR USE:**

Only apply to transplanted or established stock, DO NOT apply to species right after direct seeding. For control of annual grasses and broadleaf weeds listed on full label (WEEDS CONTROLLED BY 9 kg/ha) in the field grown nursery stock, container grown ornamentals and ground covers listed below, use the current label rate:

Apply 9 kg of DEVRINOL 50-DF per broadcast hectare in 470 litres of water (90 g per 10 litres water per 100 sq. m) late fall or early spring.

Deciduous and Evergreen Trees: ash, birch, black walnut, cedar, cypress, dogwood, Douglas fir, fir, hemlock, Japanese larch and pin oak.

Deciduous and Evergreen Shrubs: aucuba, azalea, bottlebrush, carmelia, cotoneaster, crape myrtle, dogwood, forsythia, honeysuckle (Lonicera), leucothoe, nandina, photinia, viburnum.

Fruit and Nuts: filbert, grape and walnut.

Ground covers: ajuga, heder, hypericum, ivy, lantana, liriop, pachysandra, sedum and vinca

Flowers: aster, dahlia, daisy, geranium, narcissus, petunia, plantain lily (hosta).

Container grown ornamentals: abelia, ageratum, azalea, bottlebrush, bougainvillea, camellia, cedar, cotoneaster, crape myrtle, cypress, dogwood, Douglas fir, eucalyptus, fir, forsythia, gardenia, geranium, heather, hibiscus, leucothoe, liriop, nandina, pachysandra, photinia, raphiolepis, sedum, star jasmine, vinca.

DEVRINOL® is a trademark of a Syngenta Group Company

10-07-02